

# Forage Suitability Groups

Milwaukee and Waukesha Counties, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Ac	Adrian muck	Adrian	100	G095BY010WI
Am	Alluvial land	Alluvial land	90	G095BY007WI
AsA	Ashkum silty clay loam, 0 to 3 percent slopes	Ashkum	100	G095BY004WI
AzA	Aztalan loam, 0 to 2 percent slopes	Aztalan	90	G095BY007WI
AzB	Aztalan loam, 2 to 6 percent slopes	Aztalan	90	G095BY007WI
BIA	Blount silt loam, 1 to 3 percent slopes	Blount	90	G095BY004WI
BmB	Boyer loamy sand, 1 to 6 percent slopes	Boyer	100	G095BY005WI
BmC2	Boyer loamy sand, 6 to 12 percent slopes, eroded	Boyer	100	G095BY005WI
BnB	Boyer sandy loam, 1 to 6 percent slopes	Boyer	100	G095BY005WI
BP	Borrow pit	Borrow pits	100	
BsA	Brookston silt loam, 0 to 3 percent slopes	Brookston	100	G095BY007WI
CcB	Casco sandy loam, 2 to 6 percent slopes	Casco	100	G095BY002WI
CcC2	Casco sandy loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI
CcD2	Casco sandy loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY003WI
CeB	Casco loam, 2 to 6 percent slopes	Casco	100	G095BY002WI
CeC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI

CeD2	Casco loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY003WI
CfC3	Casco soils, 6 to 12 percent slopes, severely eroded	Casco	40	G095BY002WI
		Casco	60	G095BY002WI
CP	Coal pit	Pits	100	
CrC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	Casco	80	G095BY002WI
		Rodman	20	G095BY002WI
CrD	Casco-Rodman complex, 12-20 percent slopes	Casco	70	G095BY003WI
		Rodman	30	G095BY003WI
CrE	Casco-Rodman complex, 20 to 30 percent slopes	Casco	60	G095BY003WI
		Rodman	40	G095BY003WI
CrF	Casco-Rodman complex, 30 to 45 percent slopes	Rodman	40	G095BY003WI
		Casco	60	G095BY003WI
CtB	Chelsea fine sand, 1 to 6 percent slopes	Chelsea	100	G095BY002WI
CtD	Chelsea fine sand, 6 to 20 percent slopes	Chelsea	100	G095BY003WI
Cv	Clayey land	Clayey land	90	
Cw	Colwood silt loam	Colwood	100	G095BY007WI
DdA	Dodge silt loam, 0 to 2 percent slopes	Dodge	100	G095BY008WI
DdB	Dodge silt loam, 2 to 6 percent slopes	Dodge	100	G095BY008WI
Dt	Drummer silt loam, gravelly substratum	Drummer	100	G095BY007WI

EsA	Elliott silt loam, 1 to 3 percent slopes	Elliott	90	G095BY004WI
FaA	Fabius loam, 1 to 3 percent slopes	Fabius	100	G095BY001WI
FmA	Fox sandy loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FmB	Fox sandy loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FmC2	Fox sandy loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FnB	Fox sandy loam, loamy substratum, 2 to 6 percent slopes	Fox	100	G095BY005WI
FoA	Fox loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FoB	Fox loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FoC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FsC2	Fox silt loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FtB	Fox silt loam, loamy substratum, 2 to 6 percent slopes	Fox	100	G095BY005WI
Gd	Gilford loam	Gilford	100	G095BY004WI
Gf	Granby fine sandy loam	Granby	100	G095BY004WI
GP	Gravel pit	Pits	99	
GrA	Grays silt loam, 0 to 2 percent slopes	Grays	100	G095BY008WI
GrB	Grays silt loam, 2 to 6 percent slopes	Grays	100	G095BY008WI

GtB	Griswold silt loam, 2 to 6 percent slopes	Griswold	100	G095BY005WI
GtC2	Griswold silt loam, 6 to 12 percent slopes, eroded	Griswold	100	G095BY005WI
GwB	Griswold silt loam, mottled subsoil variant, 2 to 6 percent slopes	Griswold variant	90	G095BY004WI
HeA	Hebron loam, 0 to 2 percent slopes	Hebron	100	G095BY005WI
HeB	Hebron loam, 2 to 6 percent slopes	Hebron	100	G095BY005WI
HeC2	Hebron loam, 6 to 12 percent slopes, eroded	Hebron	100	G095BY005WI
HmB	Hochheim loam, 2 to 6 percent slopes	Hochheim	100	G095BY005WI
HmB2	Hochheim loam, 2 to 6 percent slopes, eroded	Hochheim	100	G095BY005WI
HmC2	Hochheim loam, 6 to 12 percent slopes, eroded	Hochheim	100	G095BY005WI
HmD2	Hochheim loam, 12 to 20 percent slopes, eroded	Hochheim	100	G095BY006WI
HmE2	Hochheim loam, 20 to 30 percent slopes, eroded	Hochheim	100	G095BY006WI
HoC3	Hochheim soils, 6 to 12 percent slopes, severely eroded	Hochheim	100	G095BY005WI
HoD3	Hochheim soils, 12 to 20 percent slopes, severely eroded	Hochheim	100	G095BY006WI
HoE3	Hochheim soils, 20 to 30 percent slopes, severely eroded	Hochheim	100	G095BY006WI
HtA	Houghton muck, 0 to 2 percent slopes	Houghton	100	G095BY010WI
HtB	Houghton muck, 2 to 6 percent slopes	Houghton	100	G095BY010WI

JuA	Juneau silt loam, 1 to 3 percent slopes	Juneau	100	G095BY008WI
KeA	Kane silt loam, 1 to 3 percent slopes	Kane	90	G095BY007WI
KIA	Kendall silt loam, 1 to 3 percent slopes	Kendall	90	G095BY007WI
KnB	Kewaunee silt loam, 2 to 6 percent slopes	Kewaunee	100	G095AY005WI
KnC2	Kewaunee silt loam, 6 to 12 percent slopes, eroded	Kewaunee	100	G095AY005WI
KwA	Knowles silt loam, 0 to 2 percent slopes	Knowles	100	G095BY005WI
KwB	Knowles silt loam, 2 to 6 percent slopes	Knowles	100	G095BY005WI
LDF	Landfill	Urban Land	100	
LmB	Lamartine silt loam, 1 to 4 percent slopes	Lamartine	90	G095BY007WI
Lo	Lawson silt loam	Lawson	90	G095BY007WI
Lu	Loamy land	Loamy land	90	
LyB2	Lorenzo loam, 2 to 6 percent slopes, eroded	Lorenzo	100	G095BY005WI
LyC2	Lorenzo loam, 6 to 12 percent slopes, eroded	Lorenzo	100	G095BY005WI
LyD2	Lorenzo loam, 12 to 20 percent slopes, eroded	Lorenzo	100	G095BY006WI
M-W	Miscellaneous water	Water	100	
MaA	Manawa silt loam, 1 to 3 percent slopes	Manawa	90	G095AY004WI
MeB	Markham silt loam, 2 to 6 percent slopes	Markham	100	G095BY008WI
Mf	Marsh	Marsh	100	
MgA	Martinton silt loam, 1 to 3 percent slopes	Martinton	90	G095BY007WI

MhA	Matherton sandy loam, 1 to 3 percent slopes	Matherton	90	G095BY004WI
MmA	Matherton silt loam, 1 to 3 percent slopes	Matherton	90	G095BY004WI
MoA	Mayville silt loam, 0 to 2 percent slopes	Mayville	100	G095BY008WI
MoB	Mayville silt loam, 2 to 6 percent slopes	Mayville	100	G095BY008WI
MtA	Mequon silt loam, 1 to 3 percent slopes	Mequon	90	G095BY004WI
MvB	Miami sandy loam, sandy loam substratum, 2 to 6 percent slopes	Miami	100	G095BY005WI
MvC2	Miami sandy loam, sandy loam substratum, 6 to 12 percent slopes, eroded	Miami	100	G095BY005WI
MxB	Miami loam, sandy loam substratum, 2 to 6 percent slopes	Miami	100	G095BY005WI
MxC2	Miami loam, sandy loam substratum, 6 to 12 percent slopes eroded	Miami	100	G095BY005WI
MxD2	Miami loam, sandy loam substratum, 12 to 20 percent slopes, eroded	Miami	100	G095BY006WI
MxE	Miami loam, sandy loam substratum, 20 to 30 percent slopes	Miami	100	G095BY006WI
Mzb	Montgomery silty clay loam	Montgomery	100	G095BY007WI
MzdB	Morley silt loam, 2 to 6 percent slopes	Morley	100	G095BY005WI
MzdB2	Morley silt loam, 2 to 6 percent slopes, eroded	Morley	100	G095BY005WI
MzdC2	Morley silt loam, 6 to 12 percent slopes, eroded	Morley	100	G095BY005WI

MzdD2	Morley silt loam, 12 to 20 percent slopes, eroded	Morley	100	G095BY006WI
MzfA	Mundelein silt loam, 1 to 3 percent slopes	Mundelein	90	G095BY007WI
Mzg	Muskego muck	Muskego	100	G095BY010WI
Mzk	Mussey loam	Mussey	100	G095BY001WI
Na	Navan silt loam	Navan	100	G095BY004WI
Oc	Ogden muck	Ogden	100	G095BY010WI
OmB	Oshtemo loamy sand, 1 to 6 percent slopes	Oshtemo	100	G095BY005WI
OnB	Oshtemo sandy loam, 1 to 6 percent slopes	Oshtemo	100	G095BY005WI
OuB	Ozaukee silt loam, 2 to 6 percent slopes	Ozaukee	100	G095BY005WI
OuB2	Ozaukee silt loam, 2 to 6 percent slopes, eroded	Ozaukee	100	G095BY005WI
OuC2	Ozaukee silt loam, 6 to 12 percent slopes, eroded	Ozaukee	100	G095BY005WI
OuD2	Ozaukee silt loam, 12 to 20 percent slopes, eroded	Ozaukee	100	G095BY006WI
Pa	Palms muck	Palms	100	G095BY010WI
Ph	Pella silt loam	Pella	100	G095BY007WI
Pm	Pella silt loam, moderately shallow variant	Pella variant	100	G095BY004WI
PrA	Pistakee silt loam, 1 to 3 percent slopes	Pistakee	90	G095BY007WI
QUA	Quarry	Pits	100	
RkB	Ritchey silt loam, 1 to 6 percent slopes	Ritchey	100	G095BY002WI
RkC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	Ritchey	100	G095BY002WI

RkE	Ritchey silt loam, 12 to 30 percent slopes	Ritchey	100	G095BY003WI
RIA	Ritchey silt loam, mottled subsoil variant, 1 to 3 percent	Ritchey variant	90	G095BY004WI
Ru	Rollin muck, deep	Rollin	100	G095BY010WI
Rv	Rollin muck, shallow	Rollin	100	G095BY010WI
Ry	Rough broken land	Rough broken land	100	G095AY006WI
SaA	St. Charles sandy loam, gravelly substratum, 1 to 3 percent	St. Charles	100	G095BY008WI
ScA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
ScB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SeA	St. Charles silt loam, gravelly substratum, 0 to 2 percent	St. Charles	100	G095BY008WI
SeB	St. Charles silt loam, gravelly substratum, 2 to 6 percent	St. Charles	100	G095BY008WI
Sf	Sandy and gravelly land	Sandy and gravelly la	90	
SfB	Sandy lake beaches	Sandy lake beaches	100	
Sg	Sawmill silt loam, calcareous variant	Sawmill variant	100	G095BY010WI
ShA	Saylesville silt loam, 0 to 2 percent slopes	Saylesville	100	G095BY005WI
ShB	Saylesville silt loam, 2 to 6 percent slopes	Saylesville	100	G095BY005WI
ShB2	Saylesville silt loam, 2 to 6 percent slopes, eroded	Saylesville	100	G095BY005WI
ShC2	Saylesville silt loam, 6 to 12 percent slopes, eroded	Saylesville	100	G095BY005WI
Sm	Sebewa silt loam	Sebewa	100	G095BY004WI
ThA	Theresa silt loam, 0 to 2 percent slopes	Theresa	100	G095BY005WI

ThB	Theresa silt loam, 2 to 6 percent slopes	Theresa	100	G095BY005WI
ThB2	Theresa silt loam, 2 to 6 percent slopes, eroded	Theresa	100	G095BY005WI
ThC2	Theresa silt loam, 6 to 12 percent slopes, eroded	Theresa	100	G095BY005WI
UA	Unmapped area	Unmapped area	100	
VsA	Virgil silt loam, gravelly substratum, 0 to 3 percent slopes	Virgil	90	G095BY007WI
W	Water	Water	100	
Wa	Walkkill silt loam	Walkkill	100	G095BY010WI
WdB	Warsaw sandy loam, 2 to 6 percent slopes	Warsaw	100	G095BY005WI
WeA	Warsaw loam, 0 to 2 percent slopes	Warsaw	100	G095BY005WI
WeB	Warsaw loam, 2 to 6 percent slopes	Warsaw	100	G095BY005WI
WeC2	Warsaw loam, 6 to 12 percent slopes, eroded	Warsaw	100	G095BY005WI
WhA	Warsaw silt loam, 0 to 2 percent slopes	Warsaw	100	G095BY005WI
WmA	Wasepi sandy loam, 1 to 3 percent slopes	Wasepi	90	G095BY004WI
Ww	Wet alluvial land	Wet alluvial land	100	G095BY010WI