
Forage Suitability Groups

Oconto County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
AaE	Alpena gravelly sandy loam, 20 to 35 percent slopes	Alpena	100	G095AY003WI
BnA	Bonduel loam, 0 to 3 percent slopes	Bonduel	100	G095AY004WI
Bs	Brevort mucky loamy sand, 0 to 2 percent slopes	Brevort	100	G095AY004WI
Co	Cormant loamy fine sand, 0 to 1 percent slopes	Cormant	100	G095AY001WI
Es	Ensley mucky loam, 0 to 2 percent slopes	Ensley	100	G095AY004WI
FpB	Fairport fine sandy loam, 2 to 6 percent slopes	Fairport	100	G095AY005WI
FpC	Fairport fine sandy loam, 6 to 12 percent slopes	Fairport	100	G095AY005WI
FsB	Fence very fine sandy loam, 2 to 6 percent slopes	Fence	100	G095AY008WI
FsC	Fence very fine sandy loam, 6 to 12 percent slopes	Fence	100	G090AY008WI
IsA	Iosco loamy fine sand, 0 to 3 percent slopes	Iosco	100	G095AY004WI
KaB	Kennan fine sandy loam, 2 to 6 percent slopes	Kennan	100	G090AY005WI
KaC	Kennan fine sandy loam, 6 to 15 percent slopes	Kennan	100	G090AY005WI
KaD	Kennan fine sandy loam, 15 to 30 percent slopes	Kennan	100	G090AY006WI

KeB	Keweenaw loamy fine sand, 2 to 6 percent slopes	Keweenaw	100	G090AY005WI
KeC	Keweenaw loamy fine sand, 6 to 15 percent slopes	Keweenaw	100	G090AY005WI
KeD	Keweenaw loamy fine sand, 15 to 35 percent slopes	Keweenaw	100	G090AY006WI
KvB	Kiva sandy loam, 2 to 6 percent slopes	Kiva	100	G095AY002WI
KvC	Kiva sandy loam, 6 to 15 percent slopes	Kiva	100	G095AY002WI
KvD	Kiva sandy loam, 15 to 35 percent slopes	Kiva	100	G095AY003WI
LDF	Landfill	Urban Land	100	
Lx	Loxley mucky peat, 0 to 1 percent slopes	Loxley	100	G090AY010WI
M-W	Miscellaneous water	Water	100	
McB	Mancelona loamy sand, 1 to 6 percent slopes	Mancelona	100	G090AY002WI
McC	Mancelona loamy sand, 6 to 15 percent slopes	Mancelona	100	G095AY002WI
MnB	Menahga sand, 0 to 6 percent slopes	Menahga	100	G090AY002WI
MnC	Menahga sand, 6 to 15 percent slopes	Menahga	100	G090AY002WI
MnD	Menahga sand, 15 to 35 percent slopes	Menahga	100	G090AY003WI
MoB	Menominee loamy fine sand, 2 to 6 percent slopes	Menominee	100	G095AY005WI
MoC	Menominee loamy fine sand, 6 to 12 percent slopes	Menominee	100	G095AY005WI
MoD	Menominee loamy fine sand, 12 to 20 percent slopes	Menominee	100	G095AY006WI

Mu	Minocqua mucky fine sandy loam, 0 to 2 percent slopes	Minocqua	100	G090AY004WI
NeB	Nester silt loam, 1 to 6 percent slopes	Nester	100	G095AY005WI
OcB	Oconto fine sandy loam, 2 to 6 percent slopes	Oconto	100	G095AY005WI
OcC	Oconto fine sandy loam, 6 to 12 percent slopes	Oconto	100	G095AY005WI
OcD	Oconto fine sandy loam, 12 to 20 percent slopes	Oconto	100	G095AY006WI
OeB	Onaway fine sandy loam, 1 to 6 percent slopes	Onaway	100	G095AY005WI
OeC2	Onaway fine sandy loam, 6 to 12 percent slopes, eroded	Onaway	100	G095AY002WI
OeD2	Onaway fine sandy loam, 12 to 20 percent slopes, eroded	Onaway	100	G095AY006WI
OeE	Onaway fine sandy loam, 20 to 35 percent slopes	Onaway	100	G095AY006WI
OmB	Onaway fine sandy loam, moderately well drained, 1 to 6 percent slopes	Onaway	100	G095AY005WI
OsB	Onaway fine sandy loam, sandy substratum, 2 to 6 percent slopes	Onaway	100	G095AY005WI
OvC	Onaway-Kiva-Menahga complex, 4 to 15 percent slopes	Onaway	40	G095AY005WI
		Kiva	35	G095AY002WI
		Menahga	25	G095AY002WI
OvD	Onaway-Kiva-Menahga complex, 15 to 35 percent slopes	Onaway	40	G095AY006WI

OvD	Onaway-Kiva-Menahga complex, 15 to 35 percent slopes	Kiva	35	G095AY003WI
		Menahga	25	G095AY003WI
PaB	Padus fine sandy loam, 1 to 6 percent slopes	Padus	100	G090AY005WI
PaC	Padus fine sandy loam, 6 to 15 percent slopes	Padus	100	G090AY005WI
PaD	Padus fine sandy loam, 15 to 35 percent slopes	Padus	100	G090AY006WI
PeA	Pelkie loamy fine sand, 1 to 3 percent slopes	Pelkie	100	G095AY002WI
PkB	Pence sandy loam, 1 to 6 percent slopes	Pence	100	G090AY002WI
PkC	Pence sandy loam, 6 to 15 percent slopes	Pence	100	G090AY002WI
PkD	Pence sandy loam, 15 to 35 percent slopes	Pence	100	G090AY003WI
PsD	Peshekee-Rock outcrop complex, 4 to 30 percent slopes	Peshekee	55	G090AY003WI
		Rock outcrop	45	
Pt	Pits	Pits	100	
RsB	Rousseau fine sand, 1 to 6 percent slopes	Rousseau	100	G090AY002WI
Sb	Saprists and Aquents, ponded	Aquents	35	G095AY010WI
		Saprists	65	G095AY010WI
Sd	Seelyeville and Markey mucks, 0 to 1 percent slopes	Seelyeville	55	G090AY010WI
		Markey	45	G090AY010WI
SfB	Shawano fine sand, 2 to 6 percent slopes	Shawano	100	G095AY002WI

SfC	Shawano fine sand, 6 to 12 percent slopes	Shawano	100	G095AY002WI
SfD	Shawano fine sand, 12 to 30 percent slopes	Shawano	100	G095AY003WI
ShA	Shiocton very fine sandy loam, 0 to 3 percent slopes	Shiocton	100	G095AY007WI
SoA	Solona fine sandy loam, 0 to 3 percent slopes	Solona	100	G095AY004WI
SpB	Solona-Onaway fine sandy loams, 1 to 6 percent slopes	Solona	65	G095AY004WI
		Onaway	35	G095AY005WI
SuB	Summerville fine sandy loam, 2 to 8 percent slopes	Summerville	100	G095AY002WI
SuE	Summerville fine sandy loam, 20 to 45 percent slopes	Summerville	100	G095AY003WI
TIB	Tilleda fine sandy loam, 1 to 6 percent slopes	Tilleda	100	G090AY005WI
TIC2	Tilleda fine sandy loam, 6 to 15 percent slopes, eroded	Tilleda	100	G090AY005WI
W	Water	Water	100	
WaA	Wainola loamy fine sand, 0 to 3 percent slopes	Wainola	100	G095AY001WI
Wd	Waupaca very fine sandy loam, 0 to 2 percent slopes	Waupaca	100	G095AY010WI
Wf	Winterfield fine sandy loam, 0 to 2 percent slopes	Winterfield	100	G090AY001WI
WrA	Worcester loam, 0 to 3 percent slopes	Worcester	100	G090AY004WI