

---

## *Forage Suitability Groups*

---

*Pierce County, Wisconsin*

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
113C2	Churchtown loam, till plain, 6 to 12 percent slopes, moderately eroded	Churchtown	90	G105XY008WI
113D2	Churchtown loam, till plain, 12 to 30 percent slopes, moderately eroded	Churchtown	90	G105XY009WI
113E2	Churchtown loam, till plain, 20 to 30 percent slopes, moderately eroded	Churchtown	90	G105XY009WI
115B2	Seaton silt loam, 2 to 6 percent slopes, moderately eroded	Seaton	100	G105XY008WI
115C2	Seaton silt loam, 6 to 12 percent slopes, moderately eroded	Seaton	100	G105XY008WI
115D2	Seaton silt loam, 12 to 20 percent slopes, moderately eroded	Seaton	95	G105XY009WI
115E2	Seaton silt loam, 20 to 30 percent slopes, moderately eroded	Seaton	95	G105XY009WI
116C2	Churchtown silt loam, 6 to 12 percent slopes, moderately eroded	Churchtown	97	G105XY008WI
116D2	Churchtown silt loam, 12 to 20 percent slopes, moderately eroded	Churchtown	92	G105XY009WI
116E2	Churchtown silt loam, 20 to 30 percent slopes, moderately eroded	Churchtown	90	G105XY009WI
125B2	Pepin silt loam, 2 to 6 percent slopes, moderately eroded	Pepin	90	G105XY008WI

125C2	Pepin silt loam, 6 to 12 percent slopes, moderately eroded	Pepin	90	G105XY008WI
125D2	Pepin silt loam, 12 to 20 percent slopes, moderately eroded	Pepin	90	G105XY009WI
125E2	Pepin silt loam, 20 to 30 percent slopes, moderately eroded	Pepin	90	G105XY009WI
144B2	NewGlarus silt loam, 2 to 6 percent slopes, moderately eroded	NewGlarus	93	G105XY005WI
144C2	NewGlarus silt loam, 6 to 12 percent slopes, moderately eroded	NewGlarus	93	G105XY005WI
144D2	NewGlarus silt loam, 12 to 20 percent slopes, moderately eroded	NewGlarus	93	G105XY006WI
144E2	NewGlarus silt loam, 20 to 30 percent slopes, moderately eroded	NewGlarus	90	G105XY006WI
161B2	Fivepoints silt loam, 2 to 6 percent slopes, moderately eroded	Fivepoints	90	G105XY005WI
161C2	Fivepoints silt loam, 6 to 12 percent slopes, moderately eroded	Fivepoints	90	G105XY005WI
161D2	Fivepoints silt loam, 12 to 20 percent slopes, moderately eroded	Fivepoints	90	G105XY006WI
161E	Fivepoints silt loam, 20 to 30 percent slopes	Fivepoints	90	G105XY003WI
162C	Northfield silt loam, meteorite crater, 6 to 12 percent slopes	Northfield	90	G105XY002WI
162D	Northfield silt loam, meteorite crater, 12 to 20 percent slopes	Northfield	90	G105XY003WI
162F	Northfield silt loam, meteorite crater, 20 to 45 percent slopes	Northfield	90	G105XY003WI

166C2	Derinda silt loam, meteorite crater, 6 to 12 percent slopes, moderately eroded	Derinda	90	G105XY005WI
166D2	Derinda silt loam, meteorite crater, 12 to 20 percent slopes, moderately eroded	Derinda	90	G105XY006WI
167B2	Derinda silt loam, till plain, 1 to 6 percent slopes, moderately eroded	Derinda	90	G105XY005WI
167C2	Derinda silt loam, till plain, 6 to 12 percent slopes, moderately eroded	Derinda	90	G105XY005WI
167D2	Derinda silt loam, till plain, 12 to 20 percent slopes, moderately eroded	Derinda	90	G105XY006WI
167E	Derinda silt loam, till plain, 20 to 30 percent slopes	Derinda	90	G105XY006WI
168B	Shullsburg silt loam, till plain, 1 to 6 percent slopes	Shullsburg	90	G105XY004WI
170B	Rockton silt loam, strath terrace, 1 to 6 percent slopes	Rockton	90	G105XY005WI
200C2	Hixton loam, till plain, 6 to 12 percent slopes, moderately eroded	Hixton	90	G105XY005WI
211B2	Hixton silt loam, meteorite crater, 2 to 6 percent slopes, moderately eroded	Hixton	90	G105XY005WI
211C2	Hixton silt loam, meteorite crater, 6 to 12 percent slopes, moderately eroded	Hixton	90	G105XY005WI
211D2	Hixton silt loam, meteorite crater, 12 to 20 percent slopes, moderately eroded	Hixton	85	G105XY006WI
220C2	Elevasil fine sandy loam, till plain, 6 to 12 percent slopes, moderately eroded	Elevasil	90	G105XY005WI

220D2	Elevasil fine sandy loam, till plain, 12 to 20 percent slopes, moderately eroded	Elevasil	90	G105XY006WI
230C	Boone loamy fine sand, till plain, 6 to 15 percent slopes	Boone	85	G105XY002WI
230F	Boone loamy fine sand, till plain, 15 to 50 percent slopes	Boone	90	G105XY003WI
254D2	Norden silt loam, 12 to 20 percent slopes, eroded	Norden	90	G105XY006WI
300A	Meridian silt loam, strath terrace, 0 to 2 percent slopes	Meridian	90	G105XY005WI
300B2	Meridian silt loam, strath terrace, 2 to 6 percent slopes, moderately eroded	Meridian	90	G105XY005WI
300C2	Meridian silt loam, strath terrace, 6 to 12 percent slopes, moderately eroded	Meridian	90	G105XY005WI
303A	Boguscreek silt loam, 0 to 3 percent slopes, occasionally flooded	Boguscreek	95	G105XY008WI
313D2	Plumcreek silt loam, 12 to 20 percent slopes, moderately eroded	Plumcreek	90	G105XY009WI
313F	Plumcreek silt loam, 20 to 45 percent slopes	Plumcreek	92	G105XY006WI
316B2	Ella silt loam, 1 to 6 percent slopes, moderately eroded	Ella	90	G105XY008WI
316C2	Ella silt loam, 6 to 12 percent slopes, moderately eroded	Ella	95	G105XY008WI
318A	Bearpen silt loam, 0 to 3 percent slopes, rarely flooded	Bearpen	90	G105XY007WI
391A	Meridian silt loam, cobbly substratum, 0 to 2 percent slopes	Meridian	90	G105XY005WI

401A	Dakota loam, strath terrace, 0 to 3 percent slopes	Dakota	90	G105XY008WI
403A	Dakota silt loam, 0 to 3 percent slopes	Dakota	95	G105XY008WI
404A	Dakota loam, till plain, 0 to 3 percent slopes	Dakota	85	G105XY008WI
413A	Rasset sandy loam, 0 to 3 percent slopes	Rasset	90	G105XY005WI
413B	Rasset sandy loam, 2 to 6 percent slopes	Rasset	95	G105XY005WI
423A	Meridian silt loam, 0 to 3 percent slopes	Meridian	90	G105XY005WI
423B2	Meridian silt loam, 2 to 6 percent slopes, moderately eroded	Meridian	90	G105XY005WI
423C2	Meridian silt loam, 6 to 12 percent slopes, moderately eroded	Meridian	90	G105XY005WI
431B	Forkhorn sandy loam, strath terrace, 1 to 6 percent slopes	Forkhorn	90	G105XY005WI
431C2	Forkhorn sandy loam, strath terrace, 6 to 12 percent slopes, moderately eroded	Forkhorn	90	G105XY005WI
431D2	Forkhorn sandy loam, strath terrace, 12 to 20 percent slopes, moderately eroded	Forkhorn	90	G105XY006WI
431E	Forkhorn sandy loam, strath terrace, 20 to 30 percent slopes	Forkhorn	90	G105XY006WI
432B	Kevilar sandy loam, 2 to 6 percent slopes	Kevilar	90	G105XY005WI
432C2	Kevilar sandy loam, 6 to 12 percent slopes, moderately eroded	Kevilar	85	G105XY005WI
433A	Forkhorn sandy loam, 0 to 3 percent slopes	Forkhorn	95	G105XY005WI

433B	Forkhorn sandy loam, 2 to 6 percent slopes	Forkhorn	95	G105XY005WI
433C2	Forkhorn sandy loam, 6 to 12 percent slopes, moderately eroded	Forkhorn	90	G105XY005WI
433D2	Forkhorn sandy loam, 12 to 20 percent slopes, moderately eroded	Forkhorn	90	G105XY006WI
436A	Rusktown sandy loam, 0 to 3 percent slopes	Rusktown	90	G105XY005WI
438A	Hoopeston sandy loam, 0 to 3 percent slopes	Hoopeston	90	G105XY004WI
440B	Forkhorn fine sandy loam, till plain, 1 to 6 percent slopes	Forkhorn	90	G105XY005WI
440C2	Forkhorn fine sandy loam, till plain, 6 to 12 percent slopes, moderately eroded	Forkhorn	90	G105XY005WI
453A	Burkhardt sandy loam, 0 to 3 percent slopes	Burkhardt	95	G105XY002WI
453B	Burkhardt sandy loam, 2 to 6 percent slopes	Burkhardt	95	G105XY002WI
477A	Shiffer loam, till plain, 0 to 3 percent slopes	Shiffer	90	G105XY004WI
488A	Lawler silt loam, 0 to 3 percent slopes	Lawler	85	G105XY007WI
489A	Marshan silt loam, 0 to 2 percent slopes	Marshan	90	G105XY004WI
501A	Finchford loamy sand, 0 to 3 percent slopes	Finchford	90	G105XY002WI
501B	Finchford loamy sand, 2 to 6 percent slopes	Finchford	90	G105XY002WI
502B2	Chelsea fine sand, 2 to 6 percent slopes, moderately eroded	Chelsea	95	G105XY002WI

502C2	Chelsea fine sand, 6 to 15 percent slopes, moderately eroded	Chelsea	97	G105XY002WI
503B2	Lamont fine sandy loam, 2 to 6 percent slopes, moderately eroded	Lamont	92	G105XY005WI
503C2	Lamont fine sandy loam, 6 to 12 percent slopes, moderately eroded	Lamont	90	G105XY005WI
503D2	Lamont fine sandy loam, 12 to 20 percent slopes, moderately eroded	Lamont	90	G105XY006WI
506A	Komro loamy sand, 0 to 3 percent slopes	Komro	90	G105XY002WI
511A	Plainfield sand, 0 to 3 percent slopes	Plainfield	95	G105XY002WI
511B	Plainfield sand, 2 to 6 percent slopes	Plainfield	95	G105XY002WI
511C	Plainfield sand, 6 to 15 percent slopes	Plainfield	98	G105XY002WI
511F	Plainfield sand, 15 to 60 percent slopes	Plainfield	97	G105XY003WI
512B	Drammen loamy sand, 1 to 6 percent slopes	Drammen	92	G105XY002WI
512C	Drammen loamy sand, 6 to 12 percent slopes	Drammen	94	G105XY002WI
512D	Drammen loamy sand, 12 to 20 percent slopes	Drammen	94	G105XY003WI
546B	Prissel loamy sand, 2 to 6 percent slopes	Prissel	90	G105XY002WI
546C	Prissel loamy sand, 6 to 15 percent slopes	Prissel	85	G105XY002WI
546F	Prissel loamy sand, 15 to 60 percent slopes	Prissel	90	G105XY003WI
601C	Beavercreek cobbly fine sandy loam, 3 to 12 percent slopes, occasionally flooded	Beavercreek	96	G105XY005WI

607A	Spillville silt loam, 0 to 3 percent slopes, occasionally flooded	Spillville	90	G105XY008WI
616B	Chaseburg silt loam, 1 to 4 percent slopes, occasionally flooded	Chaseburg	95	G105XY008WI
618A	Northbend silt loam, 0 to 3 percent slopes, frequently flooded	Northbend	90	G105XY007WI
626A	Arenzville silt loam, 0 to 3 percent slopes, occasionally flooded	Arenzville	90	G105XY008WI
628A	Orion silt loam, 0 to 3 percent slopes, occasionally flooded	Orion	90	G105XY007WI
629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	Ettrick	92	G105XY007WI
640A	Arenzville silt loam, cobbly substratum, 1 to 3 percent slopes, occasionally flooded	Arenzville	90	G105XY008WI
646A	Dunnbot fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Dunnbot	85	G105XY005WI
656A	Scotah loamy fine sand, 0 to 3 percent slopes, occasionally flooded	Scotah	90	G105XY002WI
657A	Dunnbot silt loam, 0 to 3 percent slopes, occasionally flooded	Dunnbot	90	G105XY008WI
668A	Orion silt loam, till plain, 0 to 3 percent slopes, occasionally flooded	Orion	90	G105XY007WI
740C2	Council fine sandy loam, till plain, 6 to 12 percent slopes, moderately eroded	Council	90	G105XY008WI
740D2	Council fine sandy loam, till plain, 12 to 20 percent slopes, moderately eroded	Council	90	G105XY009WI
800B	Whalan fine sandy loam, 2 to 6 percent slopes	Whalan	90	G105XY005WI

800C	Whalan fine sandy loam, 6 to 12 percent slopes	Whalan	90	G105XY005WI
801B2	Renova fine sandy loam, 2 to 6 percent slopes, moderately eroded	Renova	90	G105XY005WI
801C2	Renova fine sandy loam, 6 to 12 percent slopes, moderately eroded	Renova	90	G105XY005WI
801D2	Renova fine sandy loam, 12 to 20 percent slopes, moderately eroded	Renova	85	G105XY006WI
803C2	Whalan silt loam, strath terrace, 6 to 12 percent slopes, moderately eroded	Whalan	90	G105XY005WI
803D2	Whalan silt loam, strath terrace, 12 to 20 percent slopes, moderately eroded	Whalan	90	G105XY006WI
803E	Whalan silt loam, strath terrace, 20 to 30 percent slopes	Whalan	90	G105XY006WI
814D2	Renova silt loam, dissected, 12 to 20 percent slopes, moderately eroded	Renova	90	G105XY009WI
816B2	Vlasaty silt loam, dissected, 2 to 6 percent slopes, moderately eroded	Vlasaty	90	G105XY008WI
816C2	Vlasaty silt loam, dissected, 6 to 12 percent slopes, moderately eroded	Vlasaty	90	G105XY008WI
818B	Sargeant silt loam, 1 to 6 percent slopes	Sargeant	90	G105XY007WI
819A	Clyde silt loam, 0 to 3 percent slopes	Clyde	90	G105XY007WI
823B2	Whalan silt loam, 2 to 6 percent slopes, moderately eroded	Whalan	90	G105XY005WI
823C2	Whalan silt loam, 6 to 12 percent slopes, moderately eroded	Whalan	90	G105XY005WI

823D2	Whalan silt loam, 12 to 20 percent slopes, moderately eroded	Whalan	90	G105XY006WI
823E	Whalan silt loam, 20 to 30 percent slopes	Whalan	90	G105XY006WI
826B2	Hersey silt loam, 2 to 6 percent slopes, moderately eroded	Hersey	90	G105XY008WI
826C2	Hersey silt loam, 6 to 12 percent slopes, moderately eroded	Hersey	90	G105XY008WI
828B	Vasa silt loam, dissected, 1 to 6 percent slopes	Vasa	90	G105XY007WI
836B2	Spencer silt loam, dissected, 2 to 6 percent slopes, moderately eroded	Spencer	90	G105XY008WI
836C2	Spencer silt loam, dissected, 6 to 12 percent slopes, moderately eroded	Spencer	90	G105XY008WI
843B2	Wykoff loam, 1 to 6 percent slopes, moderately eroded	Wykoff	85	G105XY005WI
843C2	Wykoff loam, 6 to 12 percent slopes, moderately eroded	Wykoff	85	G105XY005WI
866B	Kasson silt loam, 2 to 6 percent slopes	Kasson	90	G105XY008WI
868B	Floyd silt loam, 1 to 4 percent slopes	Floyd	90	G105XY007WI
870B2	Santiago silt loam, dissected, 2 to 6 percent slopes, moderately eroded	Santiago	85	G105XY005WI
870C2	Santiago silt loam, dissected, 6 to 12 percent slopes, moderately eroded	Santiago	85	G105XY005WI
880B	Nickin loam, 1 to 6 percent slopes	Nickin	85	G105XY005WI
882B	Nickin fine sandy loam, 1 to 6 percent slopes	Nickin	90	G105XY005WI

892B	Chaseburg silt loam, till plain, 1 to 6 percent slopes, occasionally flooded	Chaseburg	90	G105XY008WI
1105F	Dorerton, very stony-Boone-Whalan complex, 20 to 60 percent slopes	Dorerton	40	G105XY006WI
		Boone	25	G105XY003WI
		Whalan	25	G105XY006WI
1125F	Dorerton, very stony-Elbaville complex, 30 to 60 percent slopes	Dorerton	60	G105XY006WI
		Elbaville	25	G105XY006WI
1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	Gaphill	50	G105XY006WI
		Rockbluff	35	G105XY003WI
1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	Bellechester	30	G105XY003WI
		Rock outcrop	15	
		Brodale	40	G105XY003WI
1608A	Scotah-Orion-Riverwash complex, 0 to 2 percent slopes, frequently flooded	Scotah	35	G105XY002WI
		Orion	30	G105XY007WI
		Riverwash	25	
1628A	Orion-Coland complex, 0 to 2 percent slopes, occasionally flooded	Orion	45	G105XY007WI
		Coland	40	G105XY007WI
1648A	Northbend-Ettrick silt loams, 0 to 3 percent slopes, frequently flooded	Northbend	60	G105XY010WI
		Ettrick	30	G105XY010WI

1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes, frequently flooded	Alganssee	55	G105XY010WI
		Kalmarville	30	G105XY010WI
1816F	Lilah-Wykoff-Boone complex, 20 to 35 percent slopes	Wykoff	35	G105XY006WI
		Lilah	35	G105XY003WI
		Boone	20	G105XY003WI
1841D	Lilah-Wykoff complex, 12 to 20 percent slopes	Wykoff	45	G105XY006WI
		Lilah	45	G105XY003WI
2002	Udorthents, earthen dams	Udorthents	100	
2013	Pits, gravel	Pits	100	
2014	Pits, quarry, hard bedrock	Pits	100	
2016	Pits, quarry, soft bedrock	Pits	100	
2050	Landfill	Landfill	100	
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	