
Forage Suitability Groups

Price County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
22A	Comstock silt loam, 0 to 3 percent slopes	Comstock	90	G090AY007WI
43B	Antigo silt loam, 1 to 6 percent slopes	Antigo	85	G090AY005WI
43C	Antigo silt loam, 6 to 15 percent slopes	Antigo	90	G090AY005WI
43D	Antigo silt loam, 15 to 30 percent slopes	Antigo	90	G090AY006WI
59A	Almena silt loam, dense till substratum, 0 to 3 percent slopes	Almena	85	G090AY007WI
63B	Crystal Lake silt loam, 2 to 6 percent slopes	Crystal Lake	90	G090AY008WI
63C	Crystal Lake silt loam, 6 to 12 percent slopes	Crystal Lake	95	G090AY008WI
63D	Crystal Lake silt loam, 12 to 20 percent slopes	Crystal Lake	95	G090AY009WI
77A	Auburndale silt loam, dense till substratum, 0 to 2 percent slopes	Auburndale	85	G090AY007WI
182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI
182D	Padus sandy loam, 15 to 30 percent slopes	Padus	82	G090AY006WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI

215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
217B	Karlin loamy fine sand, 0 to 6 percent slopes	Karlin	80	G090AY005WI
217C	Karlin loamy fine sand, 6 to 15 percent slopes	Karlin	80	G090AY005WI
345B	Freeon, very stony-Sconsin complex, 2 to 6 percent slopes	Freeon	47	G090AY005WI
		Sconsin	35	G090AY008WI
346E	Newot-Pence complex, 15 to 45 percent slopes, very stony	Newot	55	G090AY006WI
		Pence	30	G090AY003WI
384B	Springstead sandy loam, 1 to 6 percent slopes, stony	Springstead	88	G090AY005WI
405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	Lupton	40	G090AY010WI
		Cathro	30	G090AY010WI
		Tawas	25	G090AY010WI
407A	Seelyeville and Markey soils, 0 to 1 percent slopes	Seelyeville	50	G090AY010WI
		Markey	35	G090AY010WI
408A	Lupton and Cathro soils, 0 to 1 percent slopes	Lupton	45	G090AY010WI
		Cathro	40	G090AY010WI
414A	Loxley and Beseman soils, 0 to 1 percent slopes	Loxley	45	G090AY010WI
		Beseman	40	G090AY010WI

418A	Loxley and Dawson soils, 0 to 1 percent slopes	Loxley	55	G090AY010WI
		Dawson	43	G090AY010WI
425B	Karlin sandy loam, 0 to 6 percent slopes	Karlin	75	G090AY005WI
425C	Karlin sandy loam, 6 to 15 percent slopes	Karlin	75	G090AY005WI
425D	Karlin sandy loam, 15 to 30 percent slopes	Karlin	80	G090AY006WI
441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	Freeon	55	G090AY005WI
		Cathro	15	G090AY010WI
445A	Kinross muck, 0 to 2 percent slopes	Kinross	80	G090AY004WI
457B	Freeon, very stony-freeon complex, ground moraine, 1 to 6 percent slopes	Freeon	45	G090AY005WI
		Freeon	40	G090AY005WI
457C	Freeon, very stony-freeon complex, ground moraine, 6 to 12 percent slopes	Freeon	40	G090AY005WI
		Freeon	55	G090AY005WI
461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	Bowstring	85	G090AY010WI
475D	Rubicon-Sayner complex, 15 to 30 percent slopes	Sayner	40	G090AY003WI
		Rubicon	50	G090AY003WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI
520A	Annriver silt loam, 0 to 2 percent slopes	Annriver	85	G090AY004WI

525B	Newood, very stony-Padwood-Tipler complex, 2 to 6 percent slopes	Newood	40	G090AY005WI
		Padwood	30	G090AY005WI
		Tipler	20	G090AY005WI
527B	Padwood sandy loam, 0 to 6 percent slopes	Padwood	90	G090AY005WI
527C	Padwood sandy loam, 6 to 12 percent slopes	Padwood	90	G090AY005WI
537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	Newot	40	G090AY006WI
		Newood	28	G090AY005WI
		Cathro	17	G090AY010WI
538B	Butternut silt loam, 1 to 6 percent slopes, very stony	Butternut	80	G090AY008WI
538C	Butternut silt loam, 6 to 15 percent slopes, very stony	Butternut	85	G090AY008WI
538D	Butternut silt loam, 15 to 30 percent slopes, very stony	Butternut	90	G090AY009WI
545C	Freeon, very stony-Antigo complex, 6 to 15 percent slopes	Freeon	60	G090AY005WI
		Antigo	33	G090AY005WI
555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	Fordum	85	G090AY010WI
560A	Worwood sandy loam, 0 to 3 percent slopes	Worwood	88	G090AY004WI
571B	Pelissier gravelly sandy loam, 2 to 6 percent slopes	Pelissier	80	G090AY002WI
571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	Pelissier	80	G090AY002WI

571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	Pelissier	80	G090AY003WI
591A	Crowell-Chinwhisker complex, 0 to 3 percent slopes	Crowell	50	G090AY002WI
		Chinwhisker	35	G090AY002WI
594B	Vilas-Lindquist complex, 0 to 6 percent slopes	Vilas	50	G090AY002WI
		Lindquist	35	G090AY005WI
594C	Vilas-Lindquist complex, 6 to 15 percent slopes	Vilas	50	G090AY002WI
		Lindquist	45	G090AY005WI
594D	Vilas-Lindquist complex, 15 to 30 percent slopes	Vilas	50	G090AY003WI
		Lindquist	45	G090AY006WI
600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	Psammaquents	40	
		Haplosaprists	50	
612A	Magnor, very stony-Ossmer complex, 0 to 3 percent slopes	Magnor	55	G090AY004WI
		Ossmer	30	G090AY007WI
623A	Capitola muck, 0 to 2 percent slopes, very stony	Capitola	75	G090AY004WI
624A	Ossmer silt loam, 0 to 3 percent slopes	Ossmer	80	G090AY007WI
637B	Newood sandy loam, 2 to 6 percent slopes, very stony	Newood	85	G090AY005WI
637C	Newood sandy loam, 6 to 15 percent slopes, very stony	Newood	90	G090AY005WI
638B	Torch silt loam, 0 to 4 percent slopes, very stony	Torch	75	G090AY007WI

642B	Pesabic-Capitola-Newood complex, 0 to 6 percent slopes, very stony	Pesabic	45	G090AY004WI
		Capitola	30	G090AY004WI
		Newood	20	G090AY005WI
644B	Shanagolden fine sandy loam, 2 to 6 percent slopes, very stony	Shanagolden	85	G090AY005WI
644C	Shanagolden fine sandy loam, 6 to 15 percent slopes, very stony	Shanagolden	90	G090AY005WI
644D	Shanagolden fine sandy loam, 15 to 30 percent slopes, very stony	Shanagolden	90	G090AY006WI
648B	Sconsin silt loam, 1 to 6 percent slopes	Sconsin	75	G090AY008WI
670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	Keweenaw	55	G090AY002WI
		Pence	30	G090AY002WI
670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	Keweenaw	50	G090AY002WI
		Pence	30	G090AY002WI
670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	Keweenaw	50	G090AY003WI
		Pence	30	G090AY003WI
675A	Robago fine sandy loam, 0 to 3 percent slopes	Robago	90	G090AY004WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
701A	Whisklake silt loam, 0 to 3 percent slopes	Whisklake	80	G090AY004WI
730B	Glidden silt loam, 0 to 6 percent slopes, stony	Glidden	90	G090AY005WI

730C	Glidden silt loam, 6 to 15 percent slopes, stony	Glidden	92	G090AY005WI
730D	Glidden silt loam, 15 to 30 percent slopes, stony	Glidden	95	G090AY006WI
737D	Santiago silt loam, 15 to 30 percent slopes, very stony	Santiago	85	G090AY009WI
738A	Cable silt loam, 0 to 2 percent slopes, very stony	Cable	70	G090AY004WI
744B	Peeksville fine sandy loam, 0 to 4 percent slopes, very stony	Peeksville	90	G090AY004WI
750B	Chequamegon silt loam, 2 to 6 percent slopes, very stony	Chequamegon	85	G090AY008WI
750C	Chequamegon silt loam, 6 to 15 percent slopes, very stony	Chequamegon	87	G090AY008WI
750D	Chequamegon silt loam, 15 to 30 percent slopes, very stony	Chequamegon	90	G090AY009WI
755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	Moppet	45	G090AY008WI
		Fordum	40	G090AY010WI
757B	Magnor-Freeon complex, 0 to 6 percent slopes, very stony	Magnor	33	G090AY004WI
		Freeon	15	G090AY005WI
		Freeon	25	G090AY005WI
		Magnor	20	G090AY004WI
766A	Moppet fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Moppet	90	G090AY008WI

770B	Shanagolden-Pence complex, 2 to 6 percent slopes, stony	Shanagolden	55	G090AY005WI
		Pence	30	G090AY002WI
770C	Shanagolden-Pence complex, 6 to 15 percent slopes, stony	Pence	30	G090AY002WI
		Shanagolden	55	G090AY005WI
770D	Shanagolden-Pence complex, 15 to 30 percent slopes, stony	Shanagolden	55	G090AY006WI
		Pence	30	G090AY003WI
815A	Wormet sandy loam, 0 to 3 percent slopes	Wormet	80	G090AY004WI
822A	Comstock-Magnor, very stony-Ossmer complex, 0 to 3 percent slopes	Comstock	40	G090AY007WI
		Magnor	35	G090AY004WI
		Ossmer	20	G090AY007WI
830A	Spiderlake silt loam, 0 to 3 percent slopes, stony	Spiderlake	85	G090AY005WI
834B	Butternut-Spiderlake complex, 1 to 6 percent slopes, stony	Butternut	50	G090AY008WI
		Spiderlake	35	G090AY005WI
835C	Butternut-Glidden complex, 6 to 15 percent slopes, stony	Butternut	60	G090AY008WI
		Glidden	30	G090AY005WI
835D	Butternut-Glidden complex, 15 to 30 percent slopes, stony	Butternut	60	G090AY009WI
		Glidden	30	G090AY006WI
837E	Newot sandy loam, 15 to 45 percent slopes, very stony	Newot	90	G090AY006WI

846B	Pesabic fine sandy loam, drumlins, 0 to 4 percent slopes, very stony	Pesabic	80	G090AY004WI
847B	Newood fine sandy loam, drumlins, 2 to 6 percent slopes, very stony	Newood	85	G090AY005WI
847C	Newood fine sandy loam, drumlins, 6 to 15 percent slopes, very stony	Newood	93	G090AY005WI
847D	Newood fine sandy loam, drumlins, 15 to 30 percent slopes, very stony	Newood	95	G090AY006WI
852C	Pence-Padus complex, 6 to 15 percent slopes, stony	Pence	55	G090AY002WI
		Padus	35	G090AY005WI
852D	Pence-Padus complex, 15 to 30 percent slopes, stony	Pence	55	G090AY003WI
		Padus	35	G090AY006WI
863B	Crystal Lake-Freeon, very stony-Sconsin complex, 2 to 6 percent slopes	Crystal Lake	35	G090AY008WI
		Freeon	30	G090AY005WI
		Sconsin	20	G090AY008WI
864E	Crystal Lake-Newot, very stony-Pence complex, 15 to 35 percent slopes	Crystal Lake	40	G090AY009WI
		Newot	25	G090AY006WI
		Pence	20	G090AY003WI
905A	Cublake loamy sand, 0 to 3 percent slopes	Cublake	80	G090AY002WI
917B	Annalake fine sandy loam, 2 to 6 percent slopes	Annalake	90	G090AY005WI

917C	Annalake fine sandy loam, 6 to 15 percent slopes	Annalake	87	G090AY005WI
923A	Capitola-Cebana complex, 0 to 2 percent slopes, very stony	Capitola	40	G090AY004WI
		Cebana	30	G090AY004WI
948A	Billyboy silt loam, 0 to 3 percent slopes	Billyboy	90	G090AY005WI
956B	Magnor silt loam, end moraine, 0 to 4 percent slopes, very stony	Magnor	85	G090AY004WI
957B	Freeon silt loam, end moraine, 2 to 6 percent slopes, very stony	Freeon	85	G090AY005WI
957C	Freeon silt loam, end moraine, 6 to 15 percent slopes, very stony	Freeon	85	G090AY005WI
974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	Sayner	40	G090AY002WI
		Pence	35	G090AY002WI
		Vilas	20	G090AY002WI
974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	Sayner	40	G090AY002WI
		Pence	35	G090AY002WI
		Vilas	20	G090AY002WI
974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	Pence	35	G090AY003WI
		Vilas	25	G090AY003WI
		Sayner	40	G090AY003WI
1345B	Chequamegon, very stony-Sconsin complex, 2 to 6 percent slopes	Chequamegon	55	G090AY008WI

1345B	Chequamegon, very stony-Sconsin complex, 2 to 6 percent slopes	Sconsin	30	G090AY008WI
1633B	Shanagolden-Peeksville-Cable complex, 0 to 6 percent slopes, very stony	Shanagolden	40	G090AY005WI
		Peeksville	35	G090AY004WI
		Cable	20	G090AY004WI
1633C	Shanagolden-Peeksville-Cable complex, 0 to 15 percent slopes, very stony	Peeksville	25	G090AY004WI
		Cable	20	G090AY004WI
		Shanagolden	40	G090AY005WI
2015	Pits	Pits	100	
2030	Udorthents and udipsamments, cut or fill	Udorthents	50	
		Udipsamments	50	
2050	Landfill	Landfill	100	
3011A	Barronett silt loam, 0 to 2 percent slopes	Barronett	85	G090AY007WI
3114A	Sapristis, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded, flooded	Aquepts	15	G090AY010WI
		Aquepts	15	G090AY010WI
		Sapristis	55	G090AY010WI
3276A	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Loxley	40	G090AY010WI
		Beseman	30	G090AY010WI

3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Dawson	28	G090AY010WI
3456A	Magnor, very stony-Magnor complex, ground moraine, 0 to 3 percent slopes	Magnor	36	G090AY004WI
		Magnor	33	G090AY004WI
3525C	Newood, very stony-Padwood-Padus complex, 6 to 15 percent slopes	Newood	40	G090AY005WI
		Padwood	30	G090AY005WI
		Padus	20	G090AY005WI
3546B	Newood-Pence complex, 2 to 6 percent slopes, very stony	Newood	55	G090AY005WI
		Pence	35	G090AY002WI
3546C	Newood-Pence complex, 6 to 15 percent slopes, very stony	Newood	55	G090AY005WI
		Pence	35	G090AY002WI
3546D	Newood-Pence complex, 15 to 30 percent slopes, very stony	Newood	55	G090AY006WI
		Pence	35	G090AY003WI
3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	Magnor	28	G090AY004WI
		Cathro	17	G090AY010WI
		Newood	35	G090AY005WI
3561A	Pesabic, very stony-Worwood-Worcester complex, 0 to 3 percent slopes	Pesabic	40	G090AY004WI
		Worwood	30	G090AY004WI

3561A	Pesabic, very stony- Worwood-Worcester complex, 0 to 3 percent slopes	Worcester	20	G090AY004WI
3569C	Newood, very stony- Pesabic, very stony- Cathro complex, 0 to 15 percent slopes	Newood	48	G090AY005WI
		Pesabic	30	G090AY004WI
		Cathro	17	G090AY010WI
3666B	Pesabic sandy loam, 0 to 4 percent slopes, very stony	Pesabic	85	G090AY004WI
3863C	Crystal Lake-Freeon, very stony-Antigo complex, 6 to 15 percent slopes	Crystal Lake	42	G090AY008WI
		Freeon	35	G090AY005WI
		Antigo	20	G090AY005WI
9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	Sayner	60	G090AY002WI
		Lindquist	20	G090AY005WI
9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	Sayner	60	G090AY002WI
		Lindquist	20	G090AY005WI
9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	Sayner	60	G090AY003WI
		Lindquist	20	G090AY006WI
9013A	Tipler-Manitowish complex, 0 to 3 percent slopes	Tipler	40	G090AY005WI
		Manitowish	35	G090AY002WI
9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	Totagatic	40	G090AY010WI
		Fordum	40	G090AY010WI

9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	Bowstring	20	G090AY010WI
9051A	Minocqua, Cable, and Pleine soils, 0 to 2 percent slopes, very stony	Minocqua	40	G090AY004WI
		Cable	30	G090AY004WI
		Pleine	20	G090AY007WI
9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	Capitola	35	G090AY004WI
		Lupton	20	G090AY010WI
		Cathro	45	G090AY010WI
9060D	Pelissier sandy loam, 20 to 45 percent slopes	Pelissier	80	G090AY003WI
9071B	Freeon silt loam, 5 to 10 percent slopes, very stony	Freeon	90	G090AY005WI
9077C	Freeon silt loam, 10 to 20 percent slopes, very stony	Freeon	95	G090AY006WI
9113B	Padus-Karlin complex, 0 to 6 percent slopes	Padus	50	G090AY005WI
		Karlin	35	G090AY005WI
9113C	Padus-Karlin complex, 6 to 15 percent slopes	Karlin	35	G090AY005WI
		Padus	45	G090AY005WI
9113D	Padus-Karlin complex, 15 to 30 percent slopes	Padus	45	G090AY006WI
		Karlin	35	G090AY006WI
9155A	Haplosaprists, Peats, and Mucks, 0 to 1 percent slopes	Loxley	25	G090AY010WI

9155A	Haplosaprists, Peats, and Mucks, 0 to 1 percent slopes	Markey	25	G090AY010WI
		Seelyeville	20	G090AY010WI
		Beseman	15	G090AY010WI
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	