
Forage Suitability Groups

Richland County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
20A	Palms and Houghton mucks, 0 to 1 percent slopes	Houghton	44	G105XY010WI
		Palms	45	G105XY010WI
21A	Palms muck, 0 to 1 percent slopes, frequently flooded	Palms	90	G105XY010WI
115C2	Seaton silt loam, 6 to 12 percent slopes, moderately eroded	Seaton	100	G105XY008WI
115D2	Seaton silt loam, 12 to 20 percent slopes, moderately eroded	Seaton	95	G105XY009WI
116C2	Churchtown silt loam, 6 to 12 percent slopes, moderately eroded	Churchtown	97	G105XY008WI
116D2	Churchtown silt loam, 12 to 20 percent slopes, moderately eroded	Churchtown	92	G105XY009WI
116E2	Churchtown silt loam, 20 to 30 percent slopes, moderately eroded	Churchtown	90	G105XY009WI
117D2	Brownchurch sandy loam, 12 to 20 percent slopes, moderately eroded	Brownchurch	95	G105XY006WI
117E2	Brownchurch sandy loam, 20 to 30 percent slopes, moderately eroded	Brownchurch	90	G105XY006WI
122B2	Newhouse silt loam, 2 to 6 percent slopes, moderately eroded	Newhouse	90	G105XY008WI
123C2	Blackhammer silt loam, 6 to 12 percent slopes, moderately eroded	Blackhammer	90	G105XY008WI

123D2	Blackhammer silt loam, 12 to 20 percent slopes, moderately eroded	Blackhammer	90	G105XY009WI
126B	Barremills silt loam, 1 to 6 percent slopes	Barremills	90	G105XY008WI
132B2	Brinkman silt loam, 2 to 6 percent slopes, moderately eroded	Brinkman	90	G105XY008WI
132C2	Brinkman silt loam, 6 to 12 percent slopes, moderately eroded	Brinkman	90	G105XY008WI
133B2	Valton silt loam, 2 to 6 percent slopes, moderately eroded	Valton	90	G105XY005WI
133C2	Valton silt loam, 6 to 12 percent slopes, moderately eroded	Valton	90	G105XY005WI
133D2	Valton silt loam, 12 to 20 percent slopes, moderately eroded	Valton	90	G105XY006WI
134B2	Lamoille silt loam, 2 to 6 percent slopes, moderately eroded	Lamoille	90	G105XY005WI
134C2	Lamoille silt loam, 6 to 12 percent slopes, moderately eroded	Lamoille	90	G105XY005WI
137B	Mickle silt loam, 2 to 6 percent slopes	Mickle	95	G105XY008WI
137C	Mickle silt loam, 6 to 12 percent slopes	Mickle	95	G105XY008WI
144B2	NewGlarus silt loam, 2 to 6 percent slopes, moderately eroded	NewGlarus	93	G105XY005WI
144C2	NewGlarus silt loam, 6 to 12 percent slopes, moderately eroded	NewGlarus	93	G105XY005WI
144D2	NewGlarus silt loam, 12 to 20 percent slopes, moderately eroded	NewGlarus	93	G105XY006WI
161B2	Fivepoints silt loam, 2 to 6 percent slopes, moderately eroded	Fivepoints	90	G105XY005WI

161C2	Fivepoints silt loam, 6 to 12 percent slopes, moderately eroded	Fivepoints	90	G105XY005WI
161D2	Fivepoints silt loam, 12 to 20 percent slopes, moderately eroded	Fivepoints	90	G105XY006WI
163E2	Elbaville silt loam, 20 to 30 percent slopes, moderately eroded	Elbaville	90	G105XY006WI
231D	Elevasil sandy loam, 12 to 20 percent slopes, very stony	Elevasil	90	G105XY006WI
234C2	Basco silt loam, 6 to 12 percent slopes, moderately eroded	Basco	95	G105XY005WI
234D2	Basco silt loam, 12 to 20 percent slopes, moderately eroded	Basco	95	G105XY006WI
235F	Keyesville sandy loam, 20 to 65 percent slopes	Keyesville	90	G105XY003WI
253C2	Greenridge silt loam, 4 to 12 percent slopes, moderately eroded	Greenridge	90	G105XY008WI
254C2	Norden silt loam, 6 to 12 percent slopes, moderately eroded	Norden	95	G105XY005WI
254D2	Norden silt loam, 12 to 20 percent slopes, moderately eroded	Norden	90	G105XY006WI
254E2	Norden silt loam, 20 to 30 percent slopes, moderately eroded	Norden	90	G105XY006WI
255E2	Urne fine sandy loam, 20 to 30 percent slopes, moderately eroded	Urne	95	G105XY006WI
255F	Urne fine sandy loam, 30 to 45 percent slopes	Urne	92	G105XY006WI
264C2	Rockbridge silt loam, 6 to 12 percent slopes, moderately eroded	Rockbridge	95	G105XY005WI

264D2	Rockbridge silt loam, 12 to 20 percent slopes, moderately eroded	Rockbridge	90	G105XY006WI
270B2	Port Byron silt loam, 2 to 6 percent slopes, moderately eroded	Port Byron	95	G105XY008WI
270C2	Port Byron silt loam, 6 to 12 percent slopes, moderately eroded	Port Byron	95	G105XY008WI
284C2	Gillingham loamy fine sand, 6 to 12 percent slopes, moderately eroded	Gillingham	90	G105XY005WI
284D2	Gillingham loamy fine sand, 12 to 20 percent slopes, moderately eroded	Gillingham	90	G105XY006WI
293B2	Muscoda loamy fine sand, 1 to 6 percent slopes, moderately eroded	Muscoda	90	G105XY002WI
293C2	Muscoda loamy fine sand, 6 to 12 percent slopes, moderately eroded	Muscoda	90	G105XY002WI
293D2	Muscoda loamy fine sand, 12 to 20 percent slopes, moderately eroded	Muscoda	95	G105XY003WI
312B2	Festina silt loam, 2 to 6 percent slopes, moderately eroded	Festina	95	G105XY008WI
318A	Bearpen silt loam, 0 to 3 percent slopes, rarely flooded	Bearpen	90	G105XY007WI
326B2	Medary silt loam, 1 to 6 percent slopes, moderately eroded	Medary	95	G105XY005WI
336A	Toddville silt loam, 0 to 3 percent slopes	Toddville	90	G105XY008WI
403A	Dakota silt loam, 0 to 3 percent slopes	Dakota	95	G105XY008WI
413A	Rasset sandy loam, 0 to 3 percent slopes	Rasset	90	G105XY005WI

424B	Merit silt loam, 1 to 6 percent slopes	Merit	90	G105XY005WI
424D2	Merit silt loam, 12 to 20 percent slopes, moderately eroded	Merit	90	G105XY006WI
424F	Merit silt loam, 20 to 45 percent slopes	Merit	90	G105XY006WI
433B	Forkhorn sandy loam, 2 to 6 percent slopes	Forkhorn	95	G105XY005WI
434B	Bilson sandy loam, 1 to 6 percent slopes	Bilson	90	G105XY005WI
434C2	Bilson sandy loam, 6 to 12 percent slopes, moderately eroded	Bilson	90	G105XY005WI
435B2	Nuxmaruhanixete silt loam, 1 to 6 percent slopes, moderately eroded	Nuxmaruhanixete	95	G105XY008WI
435C2	Nuxmaruhanixete silt loam, 6 to 12 percent slopes, moderately eroded	Nuxmaruhanixete	95	G105XY008WI
437A	Balmoral silt loam, 0 to 3 percent slopes	Balmoral	90	G105XY008WI
446A	Merimod silt loam, 0 to 3 percent slopes	Merimod	90	G105XY005WI
446B2	Merimod silt loam, 2 to 6 percent slopes, moderately eroded	Merimod	90	G105XY005WI
456A	Bilmod sandy loam, 0 to 3 percent slopes	Bilmod	90	G105XY005WI
502B2	Chelsea fine sand, 2 to 6 percent slopes, moderately eroded	Chelsea	95	G105XY002WI
502C2	Chelsea fine sand, 6 to 15 percent slopes, moderately eroded	Chelsea	97	G105XY002WI
504A	Sparta loamy fine sand, 0 to 3 percent slopes	Sparta	90	G105XY002WI
506A	Komro loamy sand, 0 to 3 percent slopes	Komro	90	G105XY002WI

508A	Farrington loamy sand, 0 to 3 percent slopes	Farrington	90	G105XY001WI
511C	Plainfield sand, 6 to 15 percent slopes	Plainfield	98	G105XY002WI
511F	Plainfield sand, 15 to 60 percent slopes	Plainfield	97	G105XY003WI
568A	Majik loamy fine sand, 0 to 3 percent slopes	Majik	90	G105XY001WI
572B2	Windward loamy fine sand, 2 to 6 percent slopes, moderately eroded	Windward	95	G105XY002WI
572C2	Windward loamy fine sand, 6 to 12 percent slopes, moderately eroded	Windward	95	G105XY002WI
576B	Tintson sand, 1 to 6 percent slopes	Tintson	90	G105XY002WI
601C	Beavercreek cobbly fine sandy loam, 3 to 12 percent slopes, occasionally flooded	Beavercreek	96	G105XY005WI
626A	Arenzville silt loam, 0 to 3 percent slopes, occasionally flooded	Arenzville	90	G105XY008WI
628A	Orion silt loam, 0 to 3 percent slopes, occasionally flooded	Orion	90	G105XY007WI
629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	Ettrick	92	G105XY007WI
656A	Scotah loamy fine sand, 0 to 3 percent slopes, occasionally flooded	Scotah	90	G105XY002WI
676A	Kickapoo fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Kickapoo	90	G105XY005WI
743C2	Council fine sandy loam, 6 to 12 percent slopes, moderately eroded	Council	90	G105XY008WI

743D2	Council fine sandy loam, 12 to 20 percent slopes, moderately eroded	Council	90	G105XY009WI
743E2	Council fine sandy loam, 20 to 30 percent slopes, moderately eroded	Council	90	G105XY009WI
1125F	Dorerton, very stony-Elbaville complex, 30 to 60 percent slopes	Dorerton	60	G105XY006WI
		Elbaville	25	G105XY006WI
1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	Gaphill	50	G105XY006WI
		Rockbluff	35	G105XY003WI
1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	Brodale	40	G105XY003WI
		Bellechester	30	G105XY003WI
		Rock outcrop	15	
1505C2	Sparta-Blownout land complex, 0 to 15 percent slopes	Sparta	50	G105XY002WI
		Blownout land	45	
1648A	Northbend-Ettrick silt loams, 0 to 3 percent slopes, frequently flooded	Ettrick	30	G105XY010WI
		Northbend	60	G105XY010WI
1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes, frequently flooded	Alganssee	55	G105XY010WI
		Kalmarville	30	G105XY010WI
1743F	Council-Elevasil-Norden complex, 30 to 60 percent slopes	Council	35	G105XY009WI
		Elevasil	31	G105XY006WI

1743F	Council-Elevasil-Norden complex, 30 to 60 percent slopes	Norden	30	G105XY006WI
2002	Udorthents, earthen dams	Udorthents	100	
2003A	Riverwash, nearly level	Riverwash	95	
2013	Pits, gravel	Pits	100	
2014	Pits, quarry, hard bedrock	Pits	100	
2030	Udorthents and Udipsamments, cut or fill	Udorthents	50	
		Udipsamments	50	
2050	Landfill	Landfill	100	
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	