

---

## *Forage Suitability Groups*

---

*Rock County, Wisconsin*

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpId</i>
Ad	Adrian muck	Adrian	100	G095BY010WI
Aw	Alluvial land, wet	Alluvial land	100	G095BY010WI
AzA	Aztalan silt loam, 0 to 3 percent slopes	Aztalan	95	G095BY004WI
BIA	Billett sandy loam, 0 to 2 percent slopes	Billett	100	G095BY005WI
BIB	Billett sandy loam, 2 to 6 percent slopes	Billett	100	G095BY005WI
BmA	Billett sandy loam, mottled subsoil variant, 0 to 3 percent slopes	Billett variant	95	G095BY004WI
BP	Borrow pit	Borrow area	100	
Br	Brookston silt loam	Brookston	100	G095BY010WI
CaB2	Casco loam, 2 to 6 percent slopes, eroded	Casco	100	G095BY002WI
CaC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI
CaD2	Casco loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY003WI
CaE	Casco loam, 20 to 35 percent slopes	Casco	100	G095BY003WI
Co	Colwood silt loam	Colwood	100	G095BY010WI
Da	Darroch loam	Darroch	95	G095BY007WI
DcA	Dickman sandy loam, 0 to 2 percent slopes	Dickman	100	G095BY005WI
DcB	Dickman sandy loam, 2 to 6 percent slopes	Dickman	100	G095BY005WI

DcC2	Dickman sandy loam, 6 to 12 percent slopes, eroded	Dickman	100	G095BY005WI
DrA	Dresden silt loam, 0 to 2 percent slopes	Dresden	100	G095BY005WI
DrB	Dresden silt loam, 2 to 6 percent slopes	Dresden	100	G095BY005WI
DrC2	Dresden silt loam, 6 to 12 percent slopes, eroded	Dresden	100	G095BY005WI
DrD2	Dresden silt loam, 12 to 25 percent slopes, eroded	Dresden	100	G095BY006WI
DuA	Durand silt loam, 0 to 2 percent slopes	Durand	100	G095BY008WI
DuB2	Durand silt loam, 2 to 6 percent slopes, eroded	Durand	100	G095BY008WI
DuC2	Durand silt loam, 6 to 12 percent slopes, eroded	Durand	100	G095BY008WI
EdB2	Edmund loam, 2 to 6 percent slopes, eroded	Edmund	100	G095BY002WI
EdC2	Edmund loam, 6 to 12 percent slopes, eroded	Edmund	100	G095BY002WI
EdD2	Edmund loam, 12 to 20 percent slopes, eroded	Edmund	100	G095BY003WI
EdE	Edmund loam, 20 to 35 percent slopes	Edmund	100	G095BY003WI
EIA	Elburn silt loam, 0 to 3 percent slopes	Elburn	95	G095BY007WI
EmA	Elburn silt loam, gravelly substratum, 0 to 3 percent slopes	Elburn	95	G095BY007WI
EoA	Elburn silt loam, overwash, 0 to 3 percent slopes	Elburn	95	G095BY007WI
EvB	Eleva sandy loam, 2 to 6 percent slopes	Eleva	100	G095BY002WI

EvC2	Eleva sandy loam, 6 to 12 percent slopes, eroded	Eleva	100	G095BY002WI
EvD	Eleva sandy loam, 12 to 20 percent slopes	Eleva	100	G095BY003WI
EvE	Eleva sandy loam, 20 to 35 percent slopes	Eleva	100	G095BY003WI
FIA	Flagg silt loam, 0 to 2 percent slopes	Flagg	100	G095BY008WI
FIB	Flagg silt loam, 2 to 6 percent slopes	Flagg	100	G095BY008WI
GoA	Gotham loamy sand, 0 to 2 percent slopes	Gotham	100	G095BY002WI
GoB	Gotham loamy sand, 2 to 6 percent slopes	Gotham	100	G095BY002WI
GoC2	Gotham loamy sand, 6 to 12 percent slopes, eroded	Gotham	100	G095BY002WI
GoD	Gotham loamy sand, 12 to 20 percent slopes	Gotham	100	G095BY003WI
GP	Gravel pit	Pits	99	
GpB2	Gotham loamy sand, bedrock variant, 2 to 6 percent slopes, eroded	Gotham variant	100	G095BY002WI
GpC2	Gotham loamy sand, bedrock variant, 6 to 12 percent slopes, eroded	Gotham variant	100	G095BY002WI
GrA	Griswold loam, 0 to 2 percent slopes	Griswold	100	G095BY005WI
GrB2	Griswold loam, 2 to 6 percent slopes, eroded	Griswold	100	G095BY005WI
GrC2	Griswold loam, 6 to 12 percent slopes, eroded	Griswold	100	G095BY005WI
GrD2	Griswold loam, 12 to 20 percent slopes, eroded	Griswold	100	G095BY006WI
Ha	Hayfield loam	Hayfield	95	G095BY004WI

HeA	Hebron loam, 0 to 3 percent slopes	Hebron	100	G095BY005WI
Ho	Houghton muck	Houghton	100	G095BY010WI
JaA	Jasper loam, 0 to 2 percent slopes	Jasper	100	G095BY008WI
JaB	Jasper loam, 2 to 6 percent slopes	Jasper	100	G095BY008WI
JuA	Juneau silt loam, 0 to 3 percent slopes	Juneau	100	G095BY008WI
KaA	Kane loam, 0 to 3 percent slopes	Kane	95	G095BY004WI
KdB	Kidder sandy loam, 2 to 6 percent slopes	Kidder	100	G095BY005WI
KdC2	Kidder sandy loam, 6 to 12 percent slopes, eroded	Kidder	100	G095BY005WI
KdD	Kidder sandy loam, 12 to 20 percent slopes	Kidder	100	G095BY006WI
KeA	Kidder silt loam, 0 to 2 percent slopes	Kidder	100	G095BY005WI
KeB2	Kidder silt loam, 2 to 6 percent slopes, eroded	Kidder	100	G095BY005WI
KeC2	Kidder silt loam, 6 to 12 percent slopes, eroded	Kidder	100	G095BY005WI
KeD2	Kidder silt loam, 12 to 20 percent slopes, eroded	Kidder	100	G095BY006WI
KeE	Kidder silt loam, 20 to 30 percent slopes	Kidder	100	G095BY006WI
LkA	Locke loam, 0 to 3 percent slopes	Locke	95	G095BY004WI
LoA	Lorenzo loam, 0 to 2 percent slopes	Lorenzo	100	G095BY005WI
LoB	Lorenzo loam, 2 to 6 percent slopes	Lorenzo	100	G095BY005WI
LoC2	Lorenzo loam, 6 to 12 percent slopes, eroded	Lorenzo	100	G095BY005WI

LoD	Lorenzo loam, 12 to 20 percent slopes	Lorenzo	100	G095BY006WI
M-W	Miscellaneous water	Water	100	
Ma	Mahalasville silt loam	Mahalasville	100	G095BY007WI
Mb	Mahalasville silt loam, overwash	Mahalasville	100	G095BY010WI
Mc	Marsh	Marsh	100	G095BY010WI
Md	Marshan loam	Marshan	100	G095BY007WI
Me	Maumee loamy sand	Maumee	100	G095BY001WI
Mf	Millington silt loam	Millington	100	G095BY007WI
Na	Navan silt loam	Navan	100	G095BY004WI
OgA	Ogle silt loam, 0 to 2 percent slopes	Ogle	100	G095BY008WI
OgB	Ogle silt loam, 2 to 6 percent slopes	Ogle	100	G095BY008WI
OoA	Oshtemo sandy loam, 0 to 2 percent slopes	Oshtemo	100	G095BY005WI
OoB	Oshtemo sandy loam, 2 to 6 percent slopes	Oshtemo	100	G095BY005WI
OoC2	Oshtemo sandy loam, 6 to 12 percent slopes, eroded	Oshtemo	100	G095BY005WI
OoD2	Oshtemo sandy loam, 12 to 25 percent slopes, eroded	Oshtemo	100	G095BY006WI
OsA	Oshtemo sandy loam, dark variant, 0 to 2 percent slopes	Oshtemo variant	100	G095BY005WI
OsB	Oshtemo sandy loam, dark variant, 2 to 6 percent slopes	Oshtemo variant	100	G095BY005WI
OsC2	Oshtemo sandy loam, dark variant, 6 to 12 percent slopes, eroded	Oshtemo variant	100	G095BY005WI
Ot	Otter silt loam	Otter	100	G095BY007WI

Pa	Palms muck	Palms	100	G095BY010WI
PeA	Pecatonica silt loam, 0 to 2 percent slopes	Pecatonica	100	G095BY008WI
PeB2	Pecatonica silt loam, 2 to 6 percent slopes, eroded	Pecatonica	100	G095BY008WI
PeC2	Pecatonica silt loam, 6 to 12 percent slopes, eroded	Pecatonica	100	G095BY008WI
PIA	Plano silt loam, 0 to 2 percent slopes	Plano	100	G095BY008WI
PIB	Plano silt loam, 2 to 6 percent slopes	Plano	100	G095BY008WI
PIC2	Plano silt loam, 6 to 12 percent slopes, eroded	Plano	100	G095BY008WI
PmA	Plano silt loam, gravelly substratum, 0 to 2 percent slopes	Plano	100	G095BY008WI
PmB	Plano silt loam, gravelly substratum, 2 to 6 percent slopes	Plano	100	G095BY008WI
PnA	Plano loam, loamy variant, 0 to 2 percent slopes	Plano variant	100	G095BY008WI
PnB	Plano loam, loamy variant, 2 to 6 percent slopes	Plano variant	100	G095BY008WI
QUA	Quarry	Pits	100	
RnB2	Ringwood silt loam, 2 to 6 percent slopes, eroded	Ringwood	100	G095BY008WI
RnC2	Ringwood silt loam, 6 to 12 percent slopes, eroded	Ringwood	100	G095BY008WI
Ro	Rock land	Rock land	100	
RpB	Rockton loam, 2 to 6 percent slopes	Rockton	100	G095BY005WI
RpC2	Rockton loam, 6 to 12 percent slopes, eroded	Rockton	100	G095BY005WI

RpD2	Rockton loam, 12 to 20 percent slopes, eroded	Rockton	100	G095BY006WI
RrC2	Rodman-Lorenzo complex, 6 to 12 percent slopes, eroded	Rodman	50	G095BY002WI
		Lorenzo	30	G095BY005WI
RrE	Rodman-Lorenzo complex, 20 to 30 percent slopes	Rodman	50	G095BY003WI
		Lorenzo	30	G095BY006WI
RrF	Rodman-Lorenzo complex, 30 to 45 percent slopes	Rodman	50	G095BY003WI
		Lorenzo	30	G095BY006WI
Rs	Rollin muck	Rollin	100	G095BY010WI
RtB2	Rotamer loam, 2 to 6 percent slopes, eroded	Rotamer	100	G095BY005WI
RtC2	Rotamer loam, 6 to 12 percent slopes, eroded	Rotamer	100	G095BY005WI
RtD	Rotamer loam, 12 to 20 percent slopes	Rotamer	100	G095BY006WI
RuE	Rotamer complex, 20 to 30 percent slopes	Rotamer	40	G095BY006WI
		Rotamer variant	40	G095BY006WI
RuF	Rotamer complex, 30 to 45 percent slopes	Rotamer	40	G095BY006WI
		Rotamer variant	40	G095BY006WI
SaA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SaB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SaC2	St. Charles silt loam, 6 to 12 percent slopes, eroded	St. Charles	100	G095BY008WI

SaD	St. Charles silt loam, 12 to 20 percent slopes	St. Charles	100	G095BY009WI
SbA	St. Charles silt loam, gravelly substratum, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SbB	St. Charles silt loam, gravelly substratum, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SbC2	St. Charles silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	St. Charles	100	G095BY008WI
Se	Sebewa silt loam	Sebewa	100	G095BY004WI
SkA	Sisson loam, 0 to 2 percent slopes	Sisson	100	G095BY008WI
SkB	Sisson loam, 2 to 6 percent slopes	Sisson	100	G095BY008WI
SkC2	Sisson loam, 6 to 12 percent slopes, eroded	Sisson	100	G095BY008WI
SoB	Sogn loam, 2 to 6 percent slopes	Sogn	100	G095BY002WI
SoC2	Sogn loam, 6 to 12 percent slopes, eroded	Sogn	100	G095BY002WI
SoD	Sogn loam, 12 to 20 percent slopes	Sogn	100	G095BY003WI
SoF	Sogn loam, 30 to 45 percent slopes	Sogn	100	G095BY003WI
TrA	Troxel silt loam, 0 to 3 percent slopes	Troxel	100	G095BY008WI
W	Water	Water	100	
WaA	Warsaw silt loam, 0 to 2 percent slopes	Warsaw	100	G095BY005WI
WaB	Warsaw silt loam, 2 to 6 percent slopes	Warsaw	100	G095BY005WI
WaC2	Warsaw silt loam, 6 to 12 percent slopes, eroded	Warsaw	100	G095BY005WI
Wb	Watseka loamy fine sand	Watseka	95	G095BY001WI

WcA	Wauconda silt loam, 0 to 3 percent slopes	Wauconda	95	G095BY007WI
WeA	Westville sandy loam, 0 to 2 percent slopes	Westville	100	G095BY005WI
WeB	Westville sandy loam, 2 to 6 percent slopes	Westville	100	G095BY005WI
WeC2	Westville sandy loam, 6 to 12 percent slopes, eroded	Westville	100	G095BY005WI
WfA	Westville loam, 0 to 2 percent slopes	Westville	100	G095BY008WI
WfB2	Westville loam, 2 to 6 percent slopes, eroded	Westville	100	G095BY008WI
WfC2	Westville loam, 6 to 12 percent slopes, eroded	Westville	100	G095BY008WI
WhB2	Whalan sandy loam, 2 to 6 percent slopes, eroded	Whalan	100	G095BY005WI
WhC2	Whalan sandy loam, 6 to 12 percent slopes, eroded	Whalan	100	G095BY005WI
WIA	Whalan loam, 0 to 2 percent slopes	Whalan	100	G095BY005WI
WIB2	Whalan loam, 2 to 6 percent slopes, eroded	Whalan	100	G095BY005WI
WIC2	Whalan loam, 6 to 12 percent slopes, eroded	Whalan	100	G095BY005WI
WID2	Whalan loam, 12 to 20 percent slopes, eroded	Whalan	100	G095BY006WI
WnA	Winnebago silt loam, 0 to 2 percent slopes	Winnebago	100	G095BY008WI
WnB2	Winnebago silt loam, 2 to 6 percent slopes, eroded	Winnebago	100	G095BY008WI
WnC2	Winnebago silt loam, 6 to 12 percent slopes, eroded	Winnebago	100	G095BY008WI

WoA	Worthen silt loam, 0 to 3 percent slopes	Worthen	100	G095BY008WI
ZuA	Zurich silt loam, 0 to 2 percent slopes	Zurich	100	G095BY008WI
ZuB	Zurich silt loam, 2 to 6 percent slopes	Zurich	100	G095BY008WI
ZuC2	Zurich silt loam, 6 to 12 percent slopes, eroded	Zurich	100	G095BY008WI