

Forage Suitability Groups

Rusk County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
1B	Humaquepts-Fluvaquents complex, 0 to 4 percent slopes, very stony, frequently flooded	Fluvaquents	30	G090AY004WI
		Humaquepts	40	G090AY004WI
22A	Comstock silt loam, 0 to 3 percent slopes	Comstock	90	G090AY007WI
24A	Poskin silt loam, 0 to 3 percent slopes	Poskin	85	G090AY007WI
27A	Scott Lake sandy loam, 0 to 3 percent slopes	Scott Lake	95	G090AY002WI
33B	Chetek sandy loam, 1 to 6 percent slopes	Chetek	88	G090AY002WI
33C	Chetek sandy loam, 6 to 12 percent slopes	Chetek	90	G090AY002WI
33D	Chetek sandy loam, 12 to 20 percent slopes	Chetek	90	G090AY003WI
38B	Rosholt sandy loam, 2 to 6 percent slopes	Rosholt	85	G090AY002WI
38C	Rosholt sandy loam, 6 to 12 percent slopes	Rosholt	90	G090AY002WI
38D	Rosholt sandy loam, 12 to 20 percent slopes	Rosholt	90	G090AY003WI
43B	Antigo silt loam, 1 to 6 percent slopes	Antigo	85	G090AY005WI
43C	Antigo silt loam, 6 to 15 percent slopes	Antigo	90	G090AY005WI
43D	Antigo silt loam, 15 to 30 percent slopes	Antigo	90	G090AY006WI
48A	Brill silt loam, 0 to 3 percent slopes	Brill	90	G090AY008WI

59A	Almena silt loam, dense till substratum, 0 to 3 percent slopes	Almena	85	G090AY007WI
63B	Crystal Lake silt loam, 2 to 6 percent slopes	Crystal Lake	90	G090AY008WI
63C	Crystal Lake silt loam, 6 to 12 percent slopes	Crystal Lake	95	G090AY008WI
63D	Crystal Lake silt loam, 12 to 20 percent slopes	Crystal Lake	95	G090AY009WI
77A	Auburndale silt loam, dense till substratum, 0 to 2 percent slopes	Auburndale	85	G090AY007WI
78C	Ribhill cobbly silt loam, 2 to 15 percent slopes, very stony	Ribhill	85	G090AY005WI
160A	Oesterle sandy loam, 0 to 2 percent slopes	Oesterle	90	G090AY004WI
182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI
182D	Padus sandy loam, 15 to 30 percent slopes	Padus	82	G090AY006WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI
215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
308B	Blackriver silt loam, 1 to 6 percent slopes	Blackriver	90	G090AY008WI
315A	Rib silt loam, 0 to 2 percent slopes	Rib	87	G090AY007WI

324A	Maplehurst silt loam, 0 to 3 percent slopes	Maplehurst	80	G090AY007WI
337A	Plover fine sandy loam, 0 to 3 percent slopes	Plover	85	G090AY004WI
345B	Freeon, very stony- Sconsin complex, 2 to 6 percent slopes	Freeon	47	G090AY005WI
		Sconsin	35	G090AY008WI
346E	Newot-Pence complex, 15 to 45 percent slopes, very stony	Newot	55	G090AY006WI
		Pence	30	G090AY003WI
383B	Mahtomedi loamy sand, 0 to 6 percent slopes	Mahtomedi	75	G090AY002WI
383C	Mahtomedi loamy sand, 6 to 12 percent slopes	Mahtomedi	75	G090AY002WI
383D	Mahtomedi loamy sand, 12 to 30 percent slopes	Mahtomedi	80	G090AY003WI
406A	Loxley mucky peat, 0 to 1 percent slopes	Loxley	90	G090AY010WI
407A	Seelyeville and Markey soils, 0 to 1 percent slopes	Seelyeville	50	G090AY010WI
		Markey	35	G090AY010WI
408A	Lupton and Cathro soils, 0 to 1 percent slopes	Cathro	40	G090AY010WI
		Lupton	45	G090AY010WI
412A	Rifle and Tacoosh soils, 0 to 1 percent slopes	Tacoosh	42	G090AY010WI
		Rifle	53	G090AY010WI
414A	Loxley and Beseman soils, 0 to 1 percent slopes	Loxley	45	G090AY010WI
		Beseman	40	G090AY010WI

415A	Greenwood mucky peat, 0 to 1 percent slopes	Greenwood	90	G090AY010WI
425B	Karlin sandy loam, 0 to 6 percent slopes	Karlin	75	G090AY005WI
425C	Karlin sandy loam, 6 to 15 percent slopes	Karlin	75	G090AY005WI
439B	Graycalm-Menahga complex, 0 to 6 percent slopes	Graycalm	55	G090AY002WI
		Menahga	30	G090AY002WI
439C	Graycalm-Menahga complex, 6 to 12 percent slopes	Menahga	35	G090AY002WI
		Graycalm	55	G090AY002WI
439D	Graycalm-Menahga complex, 12 to 30 percent slopes	Graycalm	60	G090AY003WI
		Menahga	35	G090AY003WI
457B	Freeon, very stony-freeon complex, ground moraine, 1 to 6 percent slopes	Freeon	45	G090AY005WI
		Freeon	40	G090AY005WI
457C	Freeon, very stony-freeon complex, ground moraine, 6 to 12 percent slopes	Freeon	55	G090AY005WI
		Freeon	40	G090AY005WI
461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	Bowstring	85	G090AY010WI
478C	Freeon-Ribhill complex, 6 to 15 percent slopes, very stony	Freeon	50	G090AY005WI
		Ribhill	35	G090AY005WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI

520A	Annriver silt loam, 0 to 2 percent slopes	Annriver	85	G090AY004WI
527B	Padwood sandy loam, 0 to 6 percent slopes	Padwood	90	G090AY005WI
527C	Padwood sandy loam, 6 to 12 percent slopes	Padwood	90	G090AY005WI
532B	Aquepts and Saprists, 0 to 6 percent slopes, extremely bouldery	Aquepts	50	
		Saprists	50	
537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	Newot	40	G090AY006WI
		Newood	28	G090AY005WI
		Cathro	17	G090AY010WI
543B	Anigon silt loam, 2 to 6 percent slopes	Anigon	80	G090AY008WI
543C2	Anigon silt loam, 6 to 12 percent slopes, moderately eroded	Anigon	85	G090AY008WI
545C	Freeon, very stony-Antigo complex, 6 to 15 percent slopes	Freeon	60	G090AY005WI
		Antigo	33	G090AY005WI
555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	Fordum	85	G090AY010WI
560A	Worwood sandy loam, 0 to 3 percent slopes	Worwood	88	G090AY004WI
571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	Pelissier	80	G090AY003WI
574C	Sayner loamy sand, 6 to 15 percent slopes	Sayner	90	G090AY002WI
574E	Sayner loamy sand, 15 to 45 percent slopes	Sayner	90	G090AY003WI

591A	Crowell-Chinwhisker complex, 0 to 3 percent slopes	Crowell	50	G090AY002WI
		Chinwhisker	35	G090AY002WI
594B	Vilas-Lindquist complex, 0 to 6 percent slopes	Vilas	50	G090AY002WI
		Lindquist	35	G090AY005WI
594C	Vilas-Lindquist complex, 6 to 15 percent slopes	Vilas	50	G090AY002WI
		Lindquist	45	G090AY005WI
600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	Psammaquents	40	
		Haplosaprists	50	
612A	Magnor, very stony-Ossmer complex, 0 to 3 percent slopes	Magnor	55	G090AY004WI
		Ossmer	30	G090AY007WI
615B	Cress sandy loam, 0 to 6 percent slopes	Cress	75	G090AY002WI
615C	Cress sandy loam, 6 to 12 percent slopes	Cress	80	G090AY002WI
623A	Capitola muck, 0 to 2 percent slopes, very stony	Capitola	75	G090AY004WI
624A	Ossmer silt loam, 0 to 3 percent slopes	Ossmer	80	G090AY007WI
632B	Aftad fine sandy loam, 2 to 6 percent slopes	Aftad	85	G090AY005WI
632C	Aftad fine sandy loam, 6 to 12 percent slopes	Aftad	85	G090AY005WI
637B	Newood sandy loam, 2 to 6 percent slopes, very stony	Newood	85	G090AY005WI
637C	Newood sandy loam, 6 to 15 percent slopes, very stony	Newood	90	G090AY005WI

642B	Pesabic-Capitola-Newood complex, 0 to 6 percent slopes, very stony	Capitola	30	G090AY004WI
		Newood	20	G090AY005WI
		Pesabic	45	G090AY004WI
648B	Sconsin silt loam, 1 to 6 percent slopes	Sconsin	75	G090AY008WI
651A	Slimlake fine sandy loam, 0 to 3 percent slopes	Slimlake	95	G090AY002WI
667B	Newood fine sandy loam, 2 to 6 percent slopes	Newood	85	G090AY005WI
667C	Newood fine sandy loam, 6 to 15 percent slopes	Newood	85	G090AY005WI
675A	Robago fine sandy loam, 0 to 3 percent slopes	Robago	90	G090AY004WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
700B	Menahga loamy sand, 0 to 6 percent slopes	Menahga	92	G090AY002WI
700C	Menahga loamy sand, 6 to 12 percent slopes	Menahga	95	G090AY002WI
737D	Santiago silt loam, 15 to 30 percent slopes, very stony	Santiago	85	G090AY009WI
737E	Santiago silt loam, 25 to 45 percent slopes, very stony	Santiago	85	G090AY009WI
746D	Pence-Sconsin-Tawas complex, 0 to 25 percent slopes	Tawas	20	G090AY010WI
		Sconsin	25	G090AY008WI
		Pence	40	G090AY003WI
750B	Chequamegon silt loam, 2 to 6 percent slopes, very stony	Chequamegon	85	G090AY008WI

750C	Chequamegon silt loam, 6 to 15 percent slopes, very stony	Chequamegon	87	G090AY008WI
750D	Chequamegon silt loam, 15 to 30 percent slopes, very stony	Chequamegon	90	G090AY009WI
755A	Moppet,occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	Moppet	45	G090AY008WI
		Fordum	40	G090AY010WI
757B	Magnor-Freeon complex, 0 to 6 percent slopes, very stony	Freeon	15	G090AY005WI
		Magnor	33	G090AY004WI
		Freeon	25	G090AY005WI
		Magnor	20	G090AY004WI
766A	Moppet fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Moppet	90	G090AY008WI
815A	Wormet sandy loam, 0 to 3 percent slopes	Wormet	80	G090AY004WI
817D	Alcona fine sandy loam, 15 to 30 percent slopes	Alcona	90	G090AY006WI
837E	Newot sandy loam, 15 to 45 percent slopes, very stony	Newot	90	G090AY006WI
847B	Newood fine sandy loam, drumlins, 2 to 6 percent slopes, very stony	Newood	85	G090AY005WI
847C	Newood fine sandy loam, drumlins, 6 to 15 percent slopes, very stony	Newood	93	G090AY005WI
848A	Ribriver silt loam, 0 to 3 percent slopes	Ribriver	85	G090AY008WI

917B	Annalake fine sandy loam, 2 to 6 percent slopes	Annalake	90	G090AY005WI
917C	Annalake fine sandy loam, 6 to 15 percent slopes	Annalake	87	G090AY005WI
923A	Capitola-Cebana complex, 0 to 2 percent slopes, very stony	Cebana	30	G090AY004WI
		Capitola	40	G090AY004WI
933B	Cromwell sandy loam, 1 to 6 percent slopes	Cromwell	90	G090AY002WI
934A	Glenflora silt loam, 0 to 2 percent slopes	Glenflora	90	G090AY007WI
948A	Billyboy silt loam, 0 to 3 percent slopes	Billyboy	90	G090AY005WI
950A	Sconsin-Maincreek complex, 0 to 3 percent slopes	Sconsin	55	G090AY008WI
		Maincreek	30	G090AY007WI
954A	Maincreek silt loam, 0 to 2 percent slopes	Maincreek	80	G090AY007WI
956B	Magnor silt loam, end moraine, 0 to 4 percent slopes, very stony	Magnor	85	G090AY004WI
957B	Freeon silt loam, end moraine, 2 to 6 percent slopes, very stony	Freeon	85	G090AY005WI
957C	Freeon silt loam, end moraine, 6 to 15 percent slopes, very stony	Freeon	85	G090AY005WI
1345B	Chequamegon, very stony-Sconsin complex, 2 to 6 percent slopes	Chequamegon	55	G090AY008WI
		Sconsin	30	G090AY008WI

1956B	Magnor silt loam, bedrock-controlled ground moraine, 0 to 4 percent slopes, very stony	Magnor	82	G090AY004WI
1957B	Freeon silt loam, bedrock-controlled ground moraine, 2 to 6 percent slopes, very stony	Freeon	82	G090AY005WI
1957C	Freeon silt loam, bedrock-controlled ground moraine, 6 to 15 percent slopes, very stony	Freeon	82	G090AY005WI
2000	Rubble land	Rubble land	100	
2002	Udorthents, earthen dams	Udorthents	100	
2015	Pits	Pits	100	
2030	Udorthents and udipsamments, cut or fill	Udorthents	50	
		Udipsamments	50	
2050	Landfill	Landfill	100	
3011A	Barronett silt loam, 0 to 2 percent slopes	Barronett	85	G090AY007WI
3078E	Ribhill-Rubble land complex, 15 to 55 percent slopes, very stony	Rubble land	35	
		Ribhill	60	G090AY006WI
3114A	Saprists, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded, flooded	Aquepts	15	G090AY010WI
		Saprists	55	G090AY010WI
		Aquepts	15	G090AY010WI
3125A	Meehan loamy sand, 0 to 2 percent slopes	Meehan	85	G090AY001WI
3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	Wurtsmith	85	G090AY002WI

3276A	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
3336A	Fenander fine sandy loam, 0 to 2 percent slopes	Fenander	90	G090AY004WI
3446A	Newson muck, 0 to 2 percent slopes	Newson	85	G090AY004WI
3456A	Magnor, very stony-Magnor complex, ground moraine, 0 to 3 percent slopes	Magnor	36	G090AY004WI
		Magnor	33	G090AY004WI
3546C	Newood-Pence complex, 6 to 15 percent slopes, very stony	Pence	35	G090AY002WI
		Newood	55	G090AY005WI
3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	Cathro	17	G090AY010WI
		Newood	35	G090AY005WI
		Magnor	28	G090AY004WI
3569C	Newood, very stony-Pesabic, very stony-Cathro complex, 0 to 15 percent slopes	Newood	48	G090AY005WI
		Pesabic	30	G090AY004WI
		Cathro	17	G090AY010WI
3666B	Pesabic sandy loam, 0 to 4 percent slopes, very stony	Pesabic	85	G090AY004WI
9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	Cathro	45	G090AY010WI
		Capitola	35	G090AY004WI
		Lupton	20	G090AY010WI
M-W	Miscellaneous water	Water	100	

W

Water

Water

100