
Forage Suitability Groups

Taylor County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
22A	Comstock silt loam, 0 to 3 percent slopes	Comstock	90	G090AY007WI
24A	Poskin silt loam, 0 to 3 percent slopes	Poskin	85	G090AY007WI
43B	Antigo silt loam, 1 to 6 percent slopes	Antigo	85	G090AY005WI
43C	Antigo silt loam, 6 to 15 percent slopes	Antigo	90	G090AY005WI
43D	Antigo silt loam, 15 to 30 percent slopes	Antigo	90	G090AY006WI
48B	Brill silt loam, 1 to 6 percent slopes	Brill	80	G090BY008WI
57B	Spencer silt loam, 1 to 6 percent slopes	Spencer	80	G090AY008WI
59A	Almena silt loam, 0 to 3 percent slopes	Almena	85	G090AY007WI
63B	Crystal Lake silt loam, 2 to 6 percent slopes	Crystal Lake	90	G090AY008WI
63C	Crystal Lake silt loam, 6 to 12 percent slopes	Crystal Lake	95	G090AY008WI
63D	Crystal Lake silt loam, 12 to 20 percent slopes	Crystal Lake	95	G090AY009WI
63E	Crystal Lake silt loam, 20 to 35 percent slopes	Crystal Lake	95	G090AY009WI
77A	Auburndale silt loam, 0 to 2 percent slopes	Auburndale	85	G090AY007WI
182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI

182D	Padus sandy loam, 15 to 30 percent slopes	Padus	82	G090AY006WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI
215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
308B	Blackriver silt loam, 1 to 6 percent slopes	Blackriver	90	G090AY008WI
315A	Rib silt loam, 0 to 2 percent slopes	Rib	87	G090AY007WI
324A	Maplehurst silt loam, 0 to 3 percent slopes	Maplehurst	80	G090AY007WI
337A	Plover fine sandy loam, 0 to 3 percent slopes	Plover	85	G090AY004WI
345B	Freeon, very stony-Sconsin complex, 2 to 6 percent slopes	Sconsin	35	G090AY008WI
		Freeon	47	G090AY005WI
346E	Newot-Pence complex, 15 to 45 percent slopes, very stony	Newot	55	G090AY006WI
		Pence	30	G090AY003WI
355B	Loyal silt loam, 1 to 6 percent slopes	Loyal	90	G090BY005WI
355C	Loyal silt loam, 6 to 12 percent slopes	Loyal	95	G090BY005WI
356A	Withee silt loam, 0 to 3 percent slopes	Withee	83	G090BY004WI
357A	Marshfield silt loam, 0 to 2 percent slopes	Marshfield	75	G090BY004WI

408A	Lupton and Cathro soils, 0 to 1 percent slopes	Lupton	45	G090AY010WI
		Cathro	40	G090AY010WI
414A	Loxley and Beseman soils, 0 to 1 percent slopes	Beseman	40	G090AY010WI
		Loxley	45	G090AY010WI
457B	Freeon, very stony-Freeon complex, ground moraine, 1 to 6 percent slopes	Freeon	40	G090AY005WI
		Freeon	45	G090AY005WI
457C	Freeon, very stony-Freeon complex, ground moraine, 6 to 12 percent slopes	Freeon	55	G090AY005WI
		Freeon	40	G090AY005WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI
525B	Newood, very stony-Padwood-Tipler complex, 2 to 6 percent slopes	Newood	40	G090AY005WI
		Padwood	30	G090AY005WI
		Tipler	20	G090AY005WI
527B	Padwood sandy loam, 0 to 6 percent slopes	Padwood	90	G090AY005WI
537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	Cathro	17	G090AY010WI
		Newot	40	G090AY006WI
		Newood	28	G090AY005WI
545C	Freeon, very stony-Antigo complex, 6 to 15 percent slopes	Freeon	60	G090AY005WI
		Antigo	33	G090AY005WI

555A	Fordum silt loam, 0 to 2 percent slopes	Fordum	85	G090AY010WI
560A	Worwood sandy loam, 0 to 3 percent slopes	Worwood	88	G090AY004WI
571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	Pelissier	80	G090AY003WI
612A	Magnor, very stony-Ossmer complex, 0 to 3 percent slopes	Magnor	55	G090AY004WI
		Ossmer	30	G090AY007WI
623A	Capitola muck, 0 to 2 percent slopes, very stony	Capitola	75	G090AY004WI
624A	Ossmer silt loam, 0 to 3 percent slopes	Ossmer	80	G090AY007WI
632B	Aftad fine sandy loam, 2 to 6 percent slopes	Aftad	85	G090AY005WI
637B	Newood sandy loam, 2 to 6 percent slopes, very stony	Newood	85	G090AY005WI
637C	Newood sandy loam, 6 to 15 percent slopes, very stony	Newood	90	G090AY005WI
642B	Pesabic-Capitola-Newood complex, 0 to 6 percent slopes, very stony	Newood	20	G090AY005WI
		Pesabic	45	G090AY004WI
		Capitola	30	G090AY004WI
648B	Sconsin silt loam, 1 to 6 percent slopes	Sconsin	75	G090AY008WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
737D	Santiago silt loam, 15 to 30 percent slopes, very stony	Santiago	85	G090AY009WI
748A	Brander silt loam, 0 to 3 percent slopes	Brander	85	G090BY008WI

755A	Moppet-Fordum complex, 0 to 3 percent slopes	Moppet	45	G090AY008WI
		Fordum	40	G090AY010WI
757B	Magnor-Freeon complex, 0 to 6 percent slopes, very stony	Magnor	20	G090AY004WI
		Magnor	33	G090AY004WI
		Freeon	25	G090AY005WI
		Freeon	15	G090AY005WI
766A	Moppet fine sandy loam, 0 to 3 percent slopes	Moppet	90	G090AY008WI
822A	Comstock-Magnor, very stony-Ossmer complex, 0 to 3 percent slopes	Comstock	40	G090AY007WI
		Magnor	35	G090AY004WI
		Ossmer	20	G090AY007WI
837E	Newot sandy loam, 15 to 45 percent slopes, very stony	Newot	90	G090AY006WI
848A	Ribriver silt loam, 0 to 3 percent slopes	Ribriver	85	G090AY008WI
863B	Crystal Lake-Freeon, very stony-Sconsin complex, 2 to 6 percent slopes	Sconsin	20	G090AY008WI
		Crystal Lake	35	G090AY008WI
		Freeon	30	G090AY005WI
923A	Capitola-cebana complex, 0 to 2 percent slopes, very stony	Capitola	40	G090AY004WI
		Cebana	30	G090AY004WI
956B	Magnor silt loam, end moraine, 0 to 4 percent slopes, very stony	Magnor	85	G090AY004WI

957B	Freeon silt loam, end moraine, 2 to 6 percent slopes, very stony	Freeon	85	G090AY005WI
957C	Freeon silt loam, end moraine, 6 to 15 percent slopes, very stony	Freeon	85	G090AY005WI
2015	Pits	Pits	100	
3011A	Barronett silt loam, 0 to 2 percent slopes	Barronett	85	G090AY007WI
3456A	Magnor, very stony-Magnor complex, ground moraine, 0 to 3 percent slopes	Magnor	33	G090AY004WI
		Magnor	36	G090AY004WI
3525C	Newood, very stony-Padwood-Padus complex, 6 to 15 percent slopes	Padus	20	G090AY005WI
		Padwood	30	G090AY005WI
		Newood	40	G090AY005WI
3546C	Newood-Pence complex, 6 to 15 percent slopes, very stony	Newood	55	G090AY005WI
		Pence	35	G090AY002WI
3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	Newood	35	G090AY005WI
		Magnor	28	G090AY004WI
		Cathro	17	G090AY010WI
3561A	Pesabic, very stony-Worwood-Worcester complex, 0 to 3 percent slopes	Worwood	30	G090AY004WI
		Worcester	20	G090AY004WI
		Pesabic	40	G090AY004WI

3569C	Newood, very stony- Pesabic, very stony- Cathro complex, 0 to 15 percent slopes	Pesabic	30	G090AY004WI
		Cathro	17	G090AY010WI
		Newood	48	G090AY005WI
3666B	Pesabic sandy loam, 0 to 4 percent slopes, very stony	Pesabic	85	G090AY004WI
3863C	Crystal Lake-Freeon, very stony-Antigo complex, 6 to 15 percent slopes	Crystal Lake	42	G090AY008WI
		Freeon	35	G090AY005WI
		Antigo	20	G090AY005WI
9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	Cathro	45	G090AY010WI
		Lupton	20	G090AY010WI
		Capitola	35	G090AY004WI
9055A	Loxley peat, 0 to 1 percent slopes	Loxley	95	G090AY010WI
9060D	Pelissier sandy loam, 20 to 45 percent slopes	Pelissier	80	G090AY003WI
9071B	Freeon silt loam, 5 to 10 percent slopes, very stony	Freeon	90	G090AY005WI
9077C	Freeon silt loam, 10 to 20 percent slopes, very stony	Freeon	95	G090AY006WI
9078A	Freeon, very stony- Magnor, very stony- Ossmer complex, 0 to 5 percent slopes	Ossmer	20	G090AY007WI
		Freeon	42	G090AY008WI
		Magnor	33	G090AY004WI

9081C	Newot sandy loam, 10 to 30 percent slopes, very stony	Newot	90	G090AY006WI
9082B	Newood sandy loam, 5 to 10 percent slopes, very stony	Newood	90	G090AY005WI
9083A	Crystal Lake silt loam, 0 to 5 percent slopes	Crystal Lake	90	G090AY008WI
9083B	Crystal Lake silt loam, 5 to 10 percent slopes	Crystal Lake	97	G090AY008WI
9086A	Freeon silt loam, 0 to 5 percent slopes, very stony	Freeon	90	G090AY008WI
9087C	Crystal Lake-Freeon, very stony-Newot, very stony complex, 10 to 20 percent slopes	Crystal Lake	40	G090AY009WI
		Freeon	35	G090AY009WI
		Newot	20	G090AY006WI
9088A	Newood-Capitola complex, 0 to 5 percent slopes, very stony	Newood	60	G090AY005WI
		Capitola	25	G090AY004WI
9089B	Newood, very stony-Lupton complex, 0 to 10 percent slopes	Lupton	25	G090AY010WI
		Newood	55	G090AY005WI
9090C	Newood, very stony-Newot, very stony-Lupton complex, 0 to 30 percent slopes	Newood	43	G090AY005WI
		Newot	30	G090AY006WI
		Lupton	17	G090AY010WI
9092D	Newot sandy loam, 20 to 45 percent slopes, very stony	Newot	95	G090AY006WI

9093C	Pence-Padus complex, 10 to 30 percent slopes	Padus	40	G090AY006WI
		Pence	50	G090AY003WI
9096C	Newot, very stony-Pesabic, very stony-Lupton complex, 0 to 30 percent slopes	Lupton	17	G090AY010WI
		Newot	38	G090AY006WI
		Pesabic	30	G090AY004WI
9097B	Newood-Padus complex, 5 to 10 percent slopes, very stony	Newood	60	G090AY005WI
		Padus	30	G090AY005WI
9098A	Oesterle loam, 0 to 3 percent slopes	Oesterle	85	G090AY004WI
9099B	Antigo silt loam, 5 to 10 percent slopes	Antigo	90	G090AY008WI
9197C	Pelissier very cobbly sandy loam, 10 to 30 percent slopes	Pelissier	80	G090AY003WI
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	