

---

## *Forage Suitability Groups*

---

*Vernon County, Wisconsin*

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Ad	Alluvial land, frequently flooded	Udifluvents	100	G105XY005WI
Al	Alluvial land, wet, frequently flooded	Fluvaquents	100	G105XY010WI
Ar	Arenzville silt loam, occasionally flooded	Arenzville	100	G105XY008WI
AsB2	Ashdale silt loam, 2 to 6 percent slopes, moderately eroded	Ashdale	100	G105XY008WI
AsC2	Ashdale silt loam, 6 to 12 percent slopes, moderately eroded	Ashdale	100	G105XY008WI
AsD2	Ashdale silt loam, 12 to 20 percent slopes, moderately eroded	Ashdale	100	G105XY009WI
Bo	Boaz silt loam, occasionally flooded	Boaz	100	G105XY007WI
BsE	Boone loamy sand, 12 to 30 percent slopes	Boone	100	G105XY003WI
BsF	Boone loamy sand, 30 to 45 percent slopes	Boone	100	G105XY003WI
CaA	Chaseburg silt loam, 0 to 2 percent slopes, occasionally flooded	Chaseburg	100	G105XY008WI
CaB	Chaseburg silt loam, 2 to 6 percent slopes, occasionally flooded	Chaseburg	100	G105XY008WI
CaC	Chaseburg silt loam, 6 to 12 percent slopes, occasionally flooded	Chaseburg	100	G105XY008WI
DaA	Dakota sandy loam, 0 to 2 percent slopes	Dakota	100	G105XY005WI
DaB	Dakota sandy loam, 2 to 6 percent slopes	Dakota	100	G105XY005WI

DaB2	Dakota sandy loam, 2 to 6 percent slopes, moderately eroded	Dakota	100	G105XY005WI
DaC2	Dakota sandy loam, 6 to 12 percent slopes, moderately eroded	Dakota	100	G105XY005WI
DdD2	Dodgeville silt loam, 12 to 20 percent slopes, moderately eroded	Dodgeville	100	G105XY006WI
DmA	Downs-Tama silt loams, 0 to 2 percent slopes	Tama	30	G105XY008WI
		Downs	50	G105XY008WI
DmB	Downs-Tama silt loams, 2 to 6 percent slopes	Downs	50	G105XY008WI
		Tama	30	G105XY008WI
DmB2	Downs-Tama silt loams, 2 to 6 percent slopes, moderately eroded	Downs	50	G105XY008WI
		Tama	30	G105XY008WI
DmC2	Downs-Tama silt loams, 6 to 12 percent slopes, moderately eroded	Downs	50	G105XY008WI
		Tama	30	G105XY008WI
DmD2	Downs-Tama silt loams, 12 to 20 percent slopes, moderately eroded	Downs	50	G105XY009WI
		Tama	30	G105XY009WI
DsB	Dubuque silt loam, 2 to 6 percent slopes	Dubuque	100	G105XY005WI
DsB2	Dubuque silt loam, 2 to 6 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DsC2	Dubuque silt loam, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI

DsD2	Dubuque silt loam, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DsE2	Dubuque silt loam, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DsF	Dubuque silt loam, 30 to 45 percent slopes	Dubuque	100	G105XY006WI
DtC2	Dubuque soils, 6 to 12 percent slopes, moderately eroded	Dubuque	100	G105XY005WI
DtD2	Dubuque soils, 12 to 20 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DtE2	Dubuque soils, 20 to 30 percent slopes, moderately eroded	Dubuque	100	G105XY006WI
DuB2	Dubuque-Gale silt loams, 2 to 6 percent slopes, moderately eroded	Dubuque	50	G105XY005WI
		Gale	30	G105XY005WI
DuC2	Dubuque-Gale silt loams, 6 to 12 percent slopes, moderately eroded	Dubuque	50	G105XY005WI
		Gale	30	G105XY005WI
DuD2	Dubuque-Gale silt loams, 12 to 20 percent slopes, moderately eroded	Dubuque	50	G105XY006WI
		Gale	30	G105XY006WI
DvD2	Dunbarton and Sogn stony soils, 12 to 20 percent slopes, moderately eroded	Sogn	50	G105XY003WI
		Dunbarton	50	G105XY003WI
DvE2	Dunbarton and Sogn stony soils, 20 to 30 percent slopes, moderately eroded	Dunbarton	50	G105XY003WI

DvE2	Dunbarton and Sogn stony soils, 20 to 30 percent slopes, moderately eroded	Sogn	50	G105XY003WI
Et	Ettrick silt loam, frequently flooded	Ettrick	100	G105XY007WI
FaA	Fayette silt loam, benches, 0 to 2 percent slopes	Fayette	100	G105XY008WI
FaB	Fayette silt loam, benches, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FaB2	Fayette silt loam, benches, 2 to 6 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FaC2	Fayette silt loam, benches, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FuB	Fayette silt loam, uplands, 2 to 6 percent slopes	Fayette	100	G105XY008WI
FuB2	Fayette silt loam, uplands, 2 to 6 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FuC2	Fayette silt loam, uplands, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FuD2	Fayette silt loam, uplands, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FuE2	Fayette silt loam, uplands, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FvC2	Fayette silt loam, valleys, 6 to 12 percent slopes, moderately eroded	Fayette	100	G105XY008WI
FvD2	Fayette silt loam, valleys, 12 to 20 percent slopes, moderately eroded	Fayette	100	G105XY009WI

FvE2	Fayette silt loam, valleys, 20 to 30 percent slopes, moderately eroded	Fayette	100	G105XY009WI
FvF	Fayette silt loam, valleys, 30 to 45 percent slopes	Fayette	100	G105XY009WI
GaB2	Gale silt loam, 2 to 6 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	Gale	100	G105XY005WI
GaD2	Gale silt loam, 12 to 20 percent slopes, moderately eroded	Gale	100	G105XY006WI
GaE2	Gale silt loam, 20 to 30 percent slopes, moderately eroded	Gale	100	G105XY006WI
GaF	Gale silt loam, 30 to 45 percent slopes	Gale	100	G105XY006WI
Gu	Gullied land	Gullied land	100	G105XY006WI
HIC2	Hixton loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HID2	Hixton loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HIE2	Hixton loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HsC2	Hixton sandy loam, 6 to 12 percent slopes, moderately eroded	Hixton	100	G105XY005WI
HsD2	Hixton sandy loam, 12 to 20 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HsE2	Hixton sandy loam, 20 to 30 percent slopes, moderately eroded	Hixton	100	G105XY006WI
HtF	Hixton soils, 30 to 45 percent slopes	Hixton	100	G105XY006WI

Hu	Houghton muck, frequently flooded	Houghton	100	G105XY010WI
Hv	Huntsville silt loam, occasionally flooded	Huntsville	100	G105XY008WI
Kp	Kickapoo fine sandy loam, occasionally flooded	Kickapoo	100	G105XY005WI
LDF	Landfill	Urban Land	100	
Ls	Lawson silt loam, frequently flooded	Lawson	100	G105XY007WI
LtC2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	Lindstrom	100	G105XY008WI
LtD2	Lindstrom silt loam, 12 to 20 percent slopes, moderately eroded	Lindstrom	100	G105XY009WI
LtE2	Lindstrom silt loam, 20 to 30 percent slopes, moderately eroded	Lindstrom	100	G105XY009WI
M-W	Miscellaneous water	Water	100	
Ma	Marsh, frequently flooded	Terric Haplosparrists	100	G105XY010WI
MeA	Medary silt loam, 0 to 2 percent slopes	Medary	100	G105XY005WI
MeB2	Medary silt loam, 2 to 6 percent slopes, moderately eroded	Medary	100	G105XY005WI
MuA	Muscatine silt loam, benches, 0 to 2 percent slopes, rarely flooded	Muscatine	100	G105XY007WI
MuB	Muscatine silt loam, benches, 2 to 6 percent slopes	Muscatine	100	G105XY007WI
NfD2	Norden fine sandy loam, 12 to 20 percent slopes, moderately eroded	Norden	100	G105XY006WI
NfE2	Norden fine sandy loam, 20 to 30 percent slopes, moderately eroded	Norden	100	G105XY006WI

NfF	Norden fine sandy loam, 30 to 45 percent slopes	Norden	100	G105XY006WI
NIC2	Norden loam, 6 to 12 percent slopes, moderately eroded	Norden	100	G105XY005WI
NID2	Norden loam, 12 to 20 percent slopes, moderately eroded	Norden	100	G105XY006WI
NIE2	Norden loam, 20 to 30 percent slopes, moderately eroded	Norden	100	G105XY006WI
NoB2	Norden silt loam, 2 to 6 percent slopes, moderately eroded	Norden	100	G105XY005WI
NoC2	Norden silt loam, 6 to 12 percent slopes, moderately eroded	Norden	100	G105XY005WI
NoD2	Norden silt loam, 12 to 20 percent slopes, moderately eroded	Norden	100	G105XY006WI
NoE2	Norden silt loam, 20 to 30 percent slopes, moderately eroded	Norden	100	G105XY006WI
NoF	Norden silt loam, 30 to 45 percent slopes	Norden	100	G105XY006WI
NwB2	Norwalk silt loam, 2 to 6 percent slopes, moderately eroded	Norwalk	100	G105XY005WI
NwC2	Norwalk silt loam, 6 to 12 percent slopes, moderately eroded	Norwalk	100	G105XY005WI
NwD2	Norwalk silt loam, 12 to 20 percent slopes, moderately eroded	Norwalk	100	G105XY006WI
Or	Orion silt loam, frequently flooded	Orion	100	G105XY007WI
Ow	Orion silt loam, wet variant, frequently flooded	Orion, wet variant	100	G105XY007WI
PaB	Palsgrove silt loam, 2 to 6 percent slopes	Palsgrove	100	G105XY008WI
PaB2	Palsgrove silt loam, 2 to 6 percent slopes, moderately eroded	Palsgrove	100	G105XY008WI

PaC2	Palsgrove silt loam, 6 to 12 percent slopes, moderately eroded	Palsgrove	100	G105XY008WI
PaD2	Palsgrove silt loam, 12 to 20 percent slopes, moderately eroded	Palsgrove	100	G105XY009WI
PaE2	Palsgrove silt loam, 20 to 30 percent slopes, moderately eroded	Palsgrove	100	G105XY009WI
QUA	Quarry	Pits	100	
RbC2	Rockbridge silt loam, 6 to 12 percent slopes, moderately eroded	Rockbridge	100	G105XY005WI
RbD2	Rockbridge silt loam, 12 to 20 percent slopes, moderately eroded	Rockbridge	100	G105XY006WI
RoA	Rozetta silt loam, benches, 0 to 2 percent slopes	Rozetta	100	G105XY008WI
RoB	Rozetta silt loam, benches, 2 to 6 percent slopes	Rozetta	100	G105XY008WI
SaA	Sparta loamy sand, 0 to 2 percent slopes	Sparta	100	G105XY002WI
SaB2	Sparta loamy sand, 2 to 6 percent slopes, moderately eroded	Sparta	100	G105XY002WI
SaC2	Sparta loamy sand, 6 to 12 percent slopes, moderately eroded	Sparta	100	G105XY002WI
ScB	Stony colluvial land, gently sloping, frequently flooded	Udifulvents	100	G105XY005WI
ScC	Stony colluvial land, sloping, frequently flooded	Udifulvents	100	G105XY005WI
SkE	Stony rock land, moderately steep	Hapludalfs	100	G105XY006WI
SkF	Stony rock land, steep	Hapludalfs	100	G105XY006WI
SP	Sand pit	Pits	100	

StB2	Stronghurst silt loam, 2 to 6 percent slopes, moderately eroded	Stronghurst	100	G105XY007WI
StC2	Stronghurst silt loam, 6 to 12 percent slopes, moderately eroded	Stronghurst	100	G105XY008WI
SuA	Stronghurst silt loam, benches, 0 to 2 percent slopes	Stronghurst	100	G105XY004WI
SuB	Stronghurst silt loam, benches, 2 to 6 percent slopes	Stronghurst	100	G105XY004WI
TaA	Tama silt loam, benches, 0 to 2 percent slopes	Tama	100	G105XY008WI
TaB	Tama silt loam, benches, 2 to 6 percent slopes	Tama	100	G105XY008WI
TaC2	Tama silt loam, benches, 6 to 12 percent slopes, moderately eroded	Tama	100	G105XY008WI
TeB2	Tell silt loam, 2 to 6 percent slopes, moderately eroded	Tell	100	G105XY008WI
TeC2	Tell silt loam, 6 to 12 percent slopes, moderately eroded	Tell	100	G105XY008WI
TeD2	Tell silt loam, 12 to 20 percent slopes, moderately eroded	Tell	100	G105XY009WI
Tr	Terrace escarpments, loamy	Typic Hapludalfs	100	G105XY006WI
Ts	Terrace escarpments, sandy	Typic Udipsamments	100	G105XY003WI
Ud	Udorthents, nearly level	Udorthents, nearly lev	100	
UoE	Udorthents, loamy, steep (earthen dam)	Udorthents	100	
W	Water	Water	100	
WcB	Worthen cherty silt loam, 2 to 6 percent slopes	Worthen	100	G105XY005WI

WcC2	Worthen cherty silt loam, 6 to 12 percent slopes, moderately eroded	Worthen	100	G105XY005WI
WcD	Worthen cherty silt loam, 12 to 20 percent slopes	Worthen	100	G105XY006WI
WoA	Worthen silt loam, 0 to 2 percent slopes	Worthen	100	G105XY008WI
WoB	Worthen silt loam, 2 to 6 percent slopes	Worthen	100	G105XY008WI
WoC2	Worthen silt loam, 6 to 12 percent slopes, moderately eroded	Worthen	100	G105XY008WI