

# Forage Suitability Groups

Walworth County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
Ac	Adrian muck	Adrian	100	G095BY010WI
Am	Alluvial land	Alluvial land	100	G095BY005WI
AzA	Aztalan loam, 1 to 3 percent slopes	Aztalan	100	G095BY007WI
BP	Borrow pit	Pits	100	
BpB	Boyer complex, 2 to 6 percent slopes	Boyer	65	G095BY002WI
		Boyer	30	G095BY002WI
BpC2	Boyer complex, 6 to 12 percent slopes, eroded	Boyer	55	G095BY002WI
		Boyer	30	G095BY002WI
CeB2	Casco loam, 2 to 6 percent slopes, eroded	Casco	100	G095BY002WI
CeC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI
CeD2	Casco loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY003WI
CfC3	Casco soils, 6 to 12 percent slopes, severely eroded	Casco	60	G095BY002WI
		Casco	30	G095BY002WI
CfD3	Casco soils, 12 to 20 percent slopes, severely eroded	Casco	60	G095BY003WI
		Casco	30	G095BY003WI
CkD2	Casco-Fox loams, 12 to 20 percent slopes, eroded	Fox	30	G095BY006WI

CkD2	Casco-Fox loams, 12 to 20 percent slopes, eroded	Casco	50	G095BY003WI
CIC2	Casco-Fox silt loams, 6 to 12 percent slopes, eroded	Casco	50	G095BY002WI
		Fox	30	G095BY005WI
CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	Casco	50	G095BY003WI
		Rodman	30	G095BY003WI
CrE2	Casco-Rodman complex, 20 to 30 percent slopes, eroded	Casco	50	G095BY003WI
		Rodman	30	G095BY003WI
CtB	Chelsea fine sand, 1 to 6 percent slopes	Chelsea	100	G095BY002WI
CtE	Chelsea fine sand, 6 to 30 percent slopes	Chelsea	100	G095BY003WI
Cw	Colwood silt loam	Colwood	100	G095BY007WI
CyA	Conover silt loam, 1 to 3 percent slopes	Conover	100	G095BY004WI
DdA	Dodge silt loam, 0 to 2 percent slopes	Dodge	100	G095BY008WI
DdB	Dodge silt loam, 2 to 6 percent slopes	Dodge	100	G095BY008WI
Dt	Drummer silt loam, gravelly substratum	Drummer	100	G095BY007WI
EbA	Elburn silt loam, 1 to 3 percent slopes	Elburn	100	G095BY007WI
EgA	Elburn silt loam, gravelly substratum, 1 to 3 percent slopes	Elburn	100	G095BY007WI
FgA	Flagg silt loam, 0 to 2 percent slopes	Flagg	100	G095BY008WI
FgB	Flagg silt loam, 2 to 6 percent slopes	Flagg	100	G095BY008WI

FIA	Flagg silt loam, mottled subsoil variant, 0 to 3 percent slopes	Flagg variant	100	G095BY007WI
FmB	Fox sandy loam, 1 to 6 percent slopes	Fox	100	G095BY005WI
FmC2	Fox sandy loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FoB	Fox loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FoC2	Fox loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FsC2	Fox silt loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
GP	Gravel pit	Pits	99	
GsB	Griswold loam, 2 to 6 percent slopes	Griswold	100	G095BY005WI
GsC2	Griswold loam, 6 to 12 percent slopes, eroded	Griswold	100	G095BY005WI
GsD2	Griswold loam, 12 to 20 percent slopes, eroded	Griswold	100	G095BY006WI
GwA	Griswold silt loam, mottled subsoil variant, 0 to 3 percent slopes	Griswold variant	100	G095BY004WI
HeB	Hebron loam, 1 to 6 percent slopes	Hebron	100	G095BY005WI
HfE	Hennepin-Miami loams, sandy loam substratum, 20 to 35 percent slopes	Hennepin	50	G095BY006WI
		Miami	30	G095BY006WI
Ht	Houghton muck	Houghton	100	G095BY010WI

JuA	Juneau silt loam, 1 to 3 percent slopes	Juneau	100	G095BY008WI
KIA	Kendall silt loam, 1 to 3 percent slopes	Kendall	100	G095BY007WI
KwB	Knowles silt loam, 1 to 6 percent slopes	Knowles	100	G095BY005WI
KyA	Knowles silt loam, mottled subsoil variant, 0 to 2 percent slopes	Knowles variant	100	G095BY004WI
LDF	Landfill	Urban Land	100	
LyB	Lorenzo loam, 2 to 6 percent slopes	Lorenzo	100	G095BY005WI
LyC2	Lorenzo loam, 6 to 12 percent slopes, eroded	Lorenzo	100	G095BY005WI
LzD2	Lorenzo-Rodman complex, 12 to 20 percent slopes, eroded	Rodman	30	G095BY003WI
		Lorenzo	50	G095BY006WI
M-W	Miscellaneous water	Water	100	
MDL	Made land	Made land	100	
Mf	Marsh	Marsh	100	
MgA	Martinton silt loam, 1 to 3 percent slopes	Martinton	100	G095BY007WI
MmA	Matherton silt loam, 1 to 3 percent slopes	Matherton	100	G095BY004WI
MpB	McHenry silt loam, 2 to 6 percent slopes	McHenry	100	G095BY008WI
MpB2	McHenry silt loam, 2 to 6 percent slopes, eroded	McHenry	100	G095BY008WI
MpC	McHenry silt loam, 6 to 12 percent slopes	McHenry	100	G095BY008WI
MpC2	McHenry silt loam, 6 to 12 percent slopes, eroded	McHenry	100	G095BY008WI

MuA	Metea loamy fine sand, 0 to 2 percent slopes	Metea	100	G095BY005WI
MuB	Metea loamy fine sand, 2 to 6 percent slopes	Metea	100	G095BY005WI
MvB	Miami sandy loam, sandy loam substratum, 2 to 6 percent slopes	Miami	100	G095BY005WI
MwC2	Miami loam, 6 to 12 percent slopes, eroded	Miami	100	G095BY008WI
MwD2	Miami loam, 12 to 20 percent slopes, eroded	Miami	100	G095BY009WI
MxB	Miami loam, sandy loam substratum, 2 to 6 percent slopes	Miami	100	G095BY005WI
MxC2	Miami loam, sandy loam substratum, 6 to 12 percent slopes, eroded	Miami	100	G095BY005WI
MxD2	Miami loam, sandy loam substratum, 12 to 20 percent slopes, eroded	Miami	100	G095BY006WI
MxE2	Miami loam, sandy loam substratum, 20 to 35 percent slopes, eroded	Miami	100	G095BY006WI
MyA	Miami silt loam, 0 to 2 percent slopes	Miami	100	G095BY008WI
MyB	Miami silt loam, 2 to 6 percent slopes	Miami	100	G095BY008WI
MyC	Miami silt loam, 6 to 12 percent slopes	Miami	100	G095BY008WI
MyC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami	100	G095BY008WI
MzfA	Mundelein silt loam, 1 to 3 percent slopes	Mundelein	100	G095BY007WI
Na	Navan silt loam	Navan	100	G095BY004WI
Pa	Palms muck	Palms	100	G095BY010WI

PeA	Pecatonica silt loam, 0 to 2 percent slopes	Pecatonica	100	G095BY008WI
PeB	Pecatonica silt loam, 2 to 6 percent slopes	Pecatonica	100	G095BY008WI
Ph	Pella silt loam	Pella	100	G095BY007WI
PsA	Plano silt loam, 0 to 2 percent slopes	Plano	100	G095BY008WI
PsB	Plano silt loam, 2 to 6 percent slopes	Plano	100	G095BY008WI
PsC	Plano silt loam, 6 to 12 percent slopes	Plano	100	G095BY008WI
PtA	Plano silt loam, gravelly substratum, 0 to 2 percent slopes	Plano	100	G095BY008WI
PtB	Plano silt loam, gravelly substratum, 2 to 6 percent slopes	Plano	100	G095BY008WI
PtC2	Plano silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	Plano	100	G095BY008WI
QUA	Quarry	Pits	100	
RaA	Radford silt loam, 0 to 3 percent slopes	Radford	100	G095BY007WI
RsF	Rodman-Casco complex, 30 to 45 percent slopes	Rodman	70	G095BY003WI
		Casco	30	G095BY003WI
Ru	Rollin muck, deep	Rollin	100	G095BY010WI
Rv	Rollin muck, shallow	Rollin	100	G095BY010WI
ScA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
ScB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SeA	St. Charles silt loam, gravelly substratum, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SeB	St. Charles silt loam, gravelly substratum, 2 to 6 percent slopes	St. Charles	100	G095BY008WI

Sfb	Sandy lake beaches	Sandy lake beaches	100	
ShA	Saylesville silt loam, 0 to 2 percent slopes	Saylesville	100	G095BY008WI
ShB	Saylesville silt loam, 2 to 6 percent slopes	Saylesville	100	G095BY008WI
Sm	Sebewa silt loam	Sebewa	100	G095BY004WI
TxA	Troxel silt loam, 0 to 3 percent slopes	Troxel	100	G095BY008WI
W	Water	Water greater than 40	100	
Wa	Walkkill silt loam	Walkkill	100	G095BY010WI
WeA	Warsaw loam, 0 to 2 percent slopes	Warsaw	100	G095BY008WI
WhA	Warsaw silt loam, 0 to 2 percent slopes	Warsaw	100	G095BY008WI
WhB	Warsaw silt loam, 2 to 6 percent slopes	Warsaw	100	G095BY008WI
WhC2	Warsaw silt loam, 6 to 12 percent slopes, eroded	Warsaw	100	G095BY008WI
WvB2	Westville silt loam, 2 to 6 percent slopes, eroded	Westville	100	G095BY008WI
WvC2	Westville silt loam, 6 to 12 percent slopes, eroded	Westville	100	G095BY008WI
Ww	Wet alluvial land	Wet alluvial land	100	G095BY010WI