

Forage Suitability Groups

Washburn County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrpid</i>
3A	Totagatic-bowstring-ausable complex, 0 to 2 percent slopes, frequently flooded	Bowstring	30	G090AY010WI
		Ausable	20	G090AY010WI
		Totagatic	40	G090AY010WI
22A	Comstock silt loam, 0 to 3 percent slopes	Comstock	90	G090AY007WI
24A	Poskin silt loam, 0 to 3 percent slopes	Poskin	85	G090AY007WI
27A	Scott Lake sandy loam, 0 to 3 percent slopes	Scott Lake	95	G090AY002WI
28B	Haugen-Rosholt complex, 2 to 6 percent slopes, very stony	Haugen	30	G090AY005WI
		Haugen	20	G090AY005WI
		Rosholt	15	G090AY002WI
		Rosholt	15	G090AY002WI
28C	Haugen-Rosholt complex, 6 to 12 percent slopes, very stony	Rosholt	15	G090AY002WI
		Haugen	35	G090AY005WI
		Rosholt	15	G090AY002WI
		Haugen	15	G090AY005WI
33B	Chetek sandy loam, 1 to 6 percent slopes	Chetek	88	G090AY002WI
33C	Chetek sandy loam, 6 to 12 percent slopes	Chetek	90	G090AY002WI

38A	Rosholt sandy loam, 0 to 2 percent slopes	Rosholt	90	G090AY002WI
38B	Rosholt sandy loam, 2 to 6 percent slopes	Rosholt	85	G090AY002WI
38C	Rosholt sandy loam, 6 to 12 percent slopes	Rosholt	90	G090AY002WI
38D	Rosholt sandy loam, 12 to 20 percent slopes	Rosholt	90	G090AY003WI
42D	Amery sandy loam, 12 to 25 percent slopes, very stony	Amery	85	G090AY006WI
43B	Antigo silt loam, 1 to 6 percent slopes	Antigo	85	G090AY005WI
43C	Antigo silt loam, 6 to 15 percent slopes	Antigo	90	G090AY005WI
43D	Antigo silt loam, 15 to 30 percent slopes	Antigo	90	G090AY006WI
48A	Brill silt loam, 0 to 3 percent slopes	Brill	90	G090AY008WI
63A	Crystal Lake silt loam, 0 to 2 percent slopes	Crystal Lake	90	G090AY008WI
63B	Crystal Lake silt loam, 2 to 6 percent slopes	Crystal Lake	90	G090AY008WI
63C	Crystal Lake silt loam, 6 to 12 percent slopes	Crystal Lake	95	G090AY008WI
63E	Crystal Lake silt loam, 20 to 35 percent slopes	Crystal Lake	95	G090AY009WI
64A	Totagatic-Winterfield complex, 0 to 2 percent slopes, frequently flooded	Totagatic	50	G090AY010WI
		Winterfield	40	G090AY010WI
69B	Keweenaw-Sayner- Vilas complex, 2 to 6 percent slopes, stony	Keweenaw	45	G090AY002WI
		Sayner	30	G090AY002WI
		Vilas	20	G090AY002WI

69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	Keweenaw	40	G090AY002WI
		Sayner	30	G090AY002WI
		Vilas	20	G090AY002WI
69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	Keweenaw	40	G090AY003WI
		Sayner	30	G090AY003WI
		Vilas	20	G090AY003WI
74B	Vilas loamy sand, 0 to 6 percent slopes	Vilas	90	G090AY002WI
74C	Vilas loamy sand, 6 to 15 percent slopes	Vilas	95	G090AY002WI
74D	Vilas loamy sand, 15 to 30 percent slopes	Vilas	95	G090AY003WI
100B	Menahga sand, 0 to 6 percent slopes	Menahga	88	G090AY002WI
100C	Menahga sand, 6 to 12 percent slopes	Menahga	88	G090AY002WI
100D	Menahga sand, 12 to 30 percent slopes	Menahga	95	G090AY003WI
127D	Amery-Rosholt complex, 12 to 20 percent slopes, very stony	Amery	60	G090AY006WI
		Rosholt	25	G090AY003WI
127E	Amery-Rosholt complex, 20 to 45 percent slopes, very stony	Amery	55	G090AY006WI
		Rosholt	30	G090AY003WI
156B	Magnor, very stony-Magnor complex, 0 to 4 percent slopes	Magnor	42	G090AY004WI
		Magnor	40	G090AY004WI

157B	Freeon, very stony-Freeon complex, 2 to 6 percent slopes	Freeon	45	G090AY005WI
		Freeon	43	G090AY005WI
157C	Freeon, very stony-Freeon complex, 6 to 12 percent slopes	Freeon	43	G090AY005WI
		Freeon	45	G090AY005WI
160A	Oesterle sandy loam, 0 to 2 percent slopes	Oesterle	90	G090AY004WI
182B	Padus sandy loam, 0 to 6 percent slopes	Padus	78	G090AY005WI
182C	Padus sandy loam, 6 to 15 percent slopes	Padus	83	G090AY005WI
192A	Worcester sandy loam, 0 to 3 percent slopes	Worcester	80	G090AY004WI
193A	Minocqua muck, 0 to 2 percent slopes	Minocqua	83	G090AY004WI
215B	Pence sandy loam, 0 to 6 percent slopes	Pence	80	G090AY002WI
215C	Pence sandy loam, 6 to 15 percent slopes	Pence	85	G090AY002WI
215D	Pence sandy loam, 15 to 30 percent slopes	Pence	85	G090AY003WI
315A	Rib silt loam, 0 to 2 percent slopes	Rib	87	G090AY007WI
337A	Plover fine sandy loam, 0 to 3 percent slopes	Plover	85	G090AY004WI
368B	Mahtomedi-Cress complex, 2 to 6 percent slopes	Mahtomedi	55	G090AY002WI
		Cress	35	G090AY002WI
368C	Mahtomedi-Cress complex, 6 to 12 percent slopes	Cress	35	G090AY002WI
		Mahtomedi	50	G090AY002WI

368D	Mahtomedi-Cress complex, 12 to 25 percent slopes	Mahtomedi	50	G090AY003WI
		Cress	40	G090AY003WI
371A	Croswell loamy sand, 0 to 3 percent slopes	Croswell	87	G090AY002WI
380B	Cress-Rosholt complex, 2 to 6 percent slopes	Cress	50	G090AY002WI
		Rosholt	35	G090AY002WI
380C	Cress-Rosholt complex, 6 to 12 percent slopes	Cress	50	G090AY002WI
		Rosholt	30	G090AY002WI
380D	Cress-Rosholt complex, 12 to 25 percent slopes	Cress	50	G090AY003WI
		Rosholt	30	G090AY003WI
383B	Mahtomedi loamy sand, 0 to 6 percent slopes	Mahtomedi	75	G090AY002WI
383C	Mahtomedi loamy sand, 6 to 12 percent slopes	Mahtomedi	75	G090AY002WI
383D	Mahtomedi loamy sand, 12 to 30 percent slopes	Mahtomedi	80	G090AY003WI
396B	Friendship-Wurtsmith-Grayling complex, 0 to 6 percent slopes	Wurtsmith	35	G090AY002WI
		Grayling	20	G090AY002WI
		Friendship	40	G090AY002WI
397A	Perchlake loamy fine sand, 0 to 2 percent slopes	Perchlake	75	G090AY001WI
399B	Grayling sand, 0 to 6 percent slopes	Grayling	97	G090AY002WI
399C	Grayling sand, 6 to 12 percent slopes	Grayling	98	G090AY002WI

399D	Grayling sand, 12 to 30 percent slopes	Grayling	98	G090AY003WI
405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	Lupton	40	G090AY010WI
		Cathro	30	G090AY010WI
		Tawas	25	G090AY010WI
406A	Loxley mucky peat, 0 to 1 percent slopes	Loxley	90	G090AY010WI
407A	Seelyeville and Markey soils, 0 to 1 percent slopes	Seelyeville	50	G090AY010WI
		Markey	35	G090AY010WI
410A	Seelyeville and Cathro soils, 0 to 1 percent slopes	Seelyeville	50	G090AY010WI
		Cathro	40	G090AY010WI
412A	Rifle and Tacoosh soils, 0 to 1 percent slopes	Rifle	53	G090AY010WI
		Tacoosh	42	G090AY010WI
415A	Greenwood mucky peat, 0 to 1 percent slopes	Greenwood	90	G090AY010WI
439B	Graycalm-Menahga complex, 0 to 6 percent slopes	Graycalm	55	G090AY002WI
		Menahga	30	G090AY002WI
439C	Graycalm-Menahga complex, 6 to 12 percent slopes	Graycalm	55	G090AY002WI
		Menahga	35	G090AY002WI
439D	Graycalm-Menahga complex, 12 to 30 percent slopes	Graycalm	60	G090AY003WI
		Menahga	35	G090AY003WI
441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	Freeon	55	G090AY005WI

441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	Cathro	15	G090AY010WI
442C	Haugen, very stony-Greenwood complex, 0 to 15 percent slopes	Haugen	50	G090AY005WI
		Greenwood	25	G090AY010WI
443D	Amery, very stony-Greenwood complex, 0 to 35 percent slopes	Amery	43	G090AY006WI
		Greenwood	30	G090AY010WI
461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	Bowstring	85	G090AY010WI
484A	Greenwood and Beseman soils, 0 to 1 percent slopes	Beseman	15	G090AY010WI
		Greenwood	75	G090AY010WI
495B	Karlsborg-Grettum-Perida complex, 1 to 6 percent slopes	Karlsborg	40	G090AY002WI
		Grettum	30	G090AY002WI
		Perida	20	G090AY002WI
495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	Karlsborg	35	G090AY002WI
		Grettum	30	G090AY002WI
		Perida	20	G090AY002WI
495D	Karlsborg-Grettum-Perida complex, 12 to 30 percent slopes	Karlsborg	35	G090AY003WI
		Grettum	30	G090AY003WI
		Perida	15	G090AY003WI
497A	Meenon loamy sand, 0 to 3 percent slopes	Meenon	80	G090AY001WI
515A	Manitowish sandy loam, 0 to 3 percent slopes	Manitowish	80	G090AY002WI

521A	Dody muck, 0 to 2 percent slopes	Dody	85	G090AY004WI
524E	Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony	Frogcreek	20	G090AY005WI
		Rock outcrop	30	
		Metonga	20	G090AY006WI
542B	Haugen, very stony-Haugen complex, 2 to 6 percent slopes	Haugen	50	G090AY005WI
		Haugen	35	G090AY005WI
542C	Haugen, very stony-Haugen complex, 6 to 12 percent slopes	Haugen	40	G090AY005WI
		Haugen	35	G090AY005WI
543B	Anigon silt loam, 2 to 6 percent slopes	Anigon	80	G090AY008WI
543C2	Anigon silt loam, 6 to 12 percent slopes, eroded	Anigon	85	G090AY008WI
544F	Menahga and Mahtomedi soils, 30 to 45 percent slopes	Menahga	65	G090AY003WI
		Mahtomedi	20	G090AY003WI
555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	Fordum	85	G090AY010WI
574B	Sayner loamy sand, 0 to 6 percent slopes	Sayner	85	G090AY002WI
574C	Sayner loamy sand, 6 to 15 percent slopes	Sayner	90	G090AY002WI
574E	Sayner loamy sand, 15 to 45 percent slopes	Sayner	90	G090AY003WI
579B	Parkfalls sandy loam, 0 to 4 percent slopes, very stony	Parkfalls	85	G090AY004WI

600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	Haplosaprists	50	
		Psammaquents	40	
615B	Cress sandy loam, 0 to 6 percent slopes	Cress	75	G090AY002WI
615C	Cress sandy loam, 6 to 12 percent slopes	Cress	80	G090AY002WI
615D	Cress sandy loam, 12 to 30 percent slopes	Cress	80	G090AY003WI
623A	Capitola muck, 0 to 2 percent slopes, very stony	Capitola	75	G090AY004WI
624A	Ossmer silt loam, 0 to 3 percent slopes	Ossmer	80	G090AY007WI
632A	Aftad fine sandy loam, 0 to 2 percent slopes	Aftad	85	G090AY005WI
632B	Aftad fine sandy loam, 2 to 6 percent slopes	Aftad	85	G090AY005WI
632C	Aftad fine sandy loam, 6 to 12 percent slopes	Aftad	85	G090AY005WI
633F	Pence and Padus soils, 30 to 45 percent slopes	Padus	40	G090AY006WI
		Pence	55	G090AY003WI
648B	Sconsin silt loam, 1 to 6 percent slopes	Sconsin	75	G090AY008WI
670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	Pence	30	G090AY002WI
		Keweenaw	50	G090AY002WI
670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	Keweenaw	50	G090AY003WI
		Pence	30	G090AY003WI

671B	Spoonerhill, stony-Spoonerhill complex, 2 to 6 percent slopes	Spoonerhill	45	G090AY002WI
		Spoonerhill	35	G090AY002WI
680B	Stanberry-Pence complex, 2 to 6 percent slopes, stony	Stanberry	65	G090AY005WI
		Pence	30	G090AY002WI
683A	Tipler sandy loam, 0 to 3 percent slopes	Tipler	90	G090AY005WI
706A	Winterfield-Totagatic complex, 0 to 2 percent slopes, frequently flooded	Winterfield	65	G090AY010WI
		Totagatic	25	G090AY010WI
724A	Rib-Rock outcrop complex, 0 to 2 percent slopes	Rock outcrop	10	
		Rib	60	G090AY007WI
726B	Sissabagama loamy sand, 0 to 6 percent slopes	Sissabagama	85	G090AY002WI
733A	Wozny muck, 0 to 2 percent slopes, very stony	Wozny	80	G090AY007WI
771A	Lenroot loamy sand, 0 to 3 percent slopes	Lenroot	85	G090AY002WI
827A	Scoba sandy loam, 0 to 3 percent slopes	Scoba	85	G090AY005WI
853C	Frogcreek-Stinnett-Wozny complex, 0 to 15 percent slopes, very stony	Frogcreek	45	G090AY005WI
		Stinnett	25	G090AY007WI
		Wozny	20	G090AY007WI
856B	Stinnett silt loam, 0 to 4 percent slopes, very stony	Stinnett	80	G090AY007WI
857B	Frogcreek silt loam, 2 to 6 percent slopes, very stony	Frogcreek	85	G090AY005WI

857C	Frogcreek silt loam, 6 to 15 percent slopes, very stony	Frogcreek	90	G090AY005WI
873B	Stanberry sandy loam, 1 to 6 percent slopes, very stony	Stanberry	80	G090AY005WI
873C	Stanberry sandy loam, 6 to 15 percent slopes, very stony	Stanberry	80	G090AY005WI
873D	Stanberry sandy loam, 15 to 30 percent slopes, very stony	Stanberry	75	G090AY006WI
905A	Cublake loamy sand, 0 to 3 percent slopes	Cublake	80	G090AY002WI
926A	Flink loamy sand, 0 to 3 percent slopes	Flink	80	G090AY001WI
943D	Stanberry, very stony-Greenwood complex, 0 to 35 percent slopes	Greenwood	20	G090AY010WI
		Stanberry	70	G090AY006WI
948A	Billyboy silt loam, 0 to 3 percent slopes	Billyboy	90	G090AY005WI
970C	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 15 percent slopes	Keweenaw	40	G090AY002WI
		Pence	25	G090AY002WI
		Greenwood	15	G090AY010WI
970E	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 45 percent slopes	Keweenaw	45	G090AY003WI
		Pence	25	G090AY003WI
		Greenwood	15	G090AY010WI
1070C	Fremstadt, stony-Cress complex, 6 to 15 percent slopes	Fremstadt	40	G090AY005WI
		Cress	20	G090AY002WI

1070D	Fremstadt, stony-Cress complex, 15 to 30 percent slopes	Cress	30	G090AY003WI
		Fremstadt	50	G090AY006WI
1080B	Spooonerhill-Spooonerhill, stony-Cress complex, 1 to 6 percent slopes	Cress	25	G090AY002WI
		Spooonerhill	30	G090AY002WI
		Spooonerhill	30	G090AY002WI
1653C	Stanberry-Parkfalls-Wozny complex, 0 to 15 percent slopes, very stony	Stanberry	40	G090AY005WI
		Parkfalls	25	G090AY004WI
		Wozny	15	G090AY007WI
2015	Pits	Pits	100	
2050	Landfill	Landfill	100	
3011A	Barronett silt loam, 0 to 2 percent slopes	Barronett	85	G090AY007WI
3125A	Meehan loamy sand, 0 to 2 percent slopes	Meehan	85	G090AY001WI
3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	Wurtsmith	85	G090AY002WI
3276A	Au Gres loamy sand, 0 to 3 percent slopes	Au Gres	85	G090AY001WI
3312B	Glendenning, very stony-Glendenning complex, 0 to 4 percent slopes	Glendenning	60	G090AY004WI
		Glendenning	20	G090AY004WI
3336A	Fenander fine sandy loam, 0 to 2 percent slopes	Fenander	90	G090AY004WI
3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Dawson	28	G090AY010WI
		Loxley	40	G090AY010WI

3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	Beseman	30	G090AY010WI
3424C	Frogcreek-Magroc-Stinnett complex, 0 to 15 percent slopes, very stony, rocky	Frogcreek	45	G090AY005WI
		Magroc	25	G090AY004WI
		Stinnett	20	G090AY007WI
		Rock outcrop	3	
3446A	Newson muck, 0 to 2 percent slopes	Newson	85	G090AY004WI
3448B	Grettum loamy sand, 0 to 6 percent slopes	Grettum	80	G090AY002WI
3448C	Grettum loamy sand, 6 to 12 percent slopes	Grettum	80	G090AY002WI
3516A	Slimlake sandy loam, 0 to 3 percent slopes	Slimlake	70	G090AY002WI
3629B	Perida loamy sand, 0 to 4 percent slopes	Perida	85	G090AY002WI
M-W	Miscellaneous water	Water	100	
W	Water	Water	100	