

# Forage Suitability Groups

Washington County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Ak	Adrian mucky peat	Adrian	100	G095BY010WI
Am	Alluvial land	Alluvial land	90	G095BY005WI
AtA	Ashkum silty clay loam, 0 to 3 percent slopes	Ashkum	100	G095BY004WI
AzA	Aztalan loam, 0 to 2 percent slopes	Aztalan	90	G095BY007WI
AzB	Aztalan loam, 2 to 6 percent slopes	Aztalan	97	G095BY007WI
BmB	Boyer loamy sand, 2 to 6 percent slopes	Boyer	100	G095BY002WI
BmC	Boyer loamy sand, 6 to 12 percent slopes	Boyer	100	G095BY002WI
BnA	Boyer sandy loam, 0 to 2 percent slopes	Boyer	100	G095BY005WI
BnB	Boyer sandy loam, 2 to 6 percent slopes	Boyer	100	G095BY005WI
BrC2	Boyer complex, 6 to 12 percent slopes, eroded	Boyer	40	G095BY002WI
		Boyer	60	G095BY002WI
BrE2	Boyer complex, 12 to 30 percent slopes, eroded	Boyer	60	G095BY003WI
		Boyer	40	G095BY003WI
BsA	Brookston silt loam, 0 to 3 percent slopes	Brookston	100	G095BY007WI
CcB2	Casco sandy loam, 2 to 6 percent slopes, eroded	Casco	100	G095BY002WI
CcC2	Casco sandy loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI

CeA	Casco loam, 0 to 2 percent slopes	Casco	100	G095BY002WI
CeB2	Casco loam, 2 to 6 percent slopes, eroded	Casco	100	G095BY002WI
CeC2	Casco loam, 6 to 12 percent slopes, eroded	Casco	100	G095BY002WI
CeD2	Casco loam, 12 to 20 percent slopes, eroded	Casco	100	G095BY003WI
CkC2	Casco-Fox loams, 6 to 12 percent slopes, eroded	Casco	50	G095BY002WI
		Fox	30	G095BY005WI
CrC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	Rodman	30	G095BY002WI
		Casco	50	G095BY002WI
CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	Casco	50	G095BY003WI
		Rodman	30	G095BY003WI
CrE	Casco-Rodman complex, 20 to 35 percent slopes	Casco	50	G095BY003WI
		Rodman	30	G095BY003WI
Cw	Colwood silt loam	Colwood	100	G095BY007WI
DaA	Darroch fine sandy loam, neutral variant, 0 to 3 percent slopes	Darroch variant	90	G095BY004WI
DdA	Dodge silt loam, 0 to 2 percent slopes	Dodge	100	G095BY008WI
DdB	Dodge silt loam, 2 to 6 percent slopes	Dodge	100	G095BY008WI
DsA	Dresden silt loam, 1 to 3 percent slopes	Dresden	100	G095BY005WI
Dt	Drummer silt loam, gravelly substratum	Drummer	100	G095BY007WI

FaA	Fabius loam, 1 to 3 percent slopes	Fabius	90	G095BY004WI
FsA	Fox silt loam, 0 to 2 percent slopes	Fox	100	G095BY005WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
GfA	Granby fine sandy loam, 0 to 3 percent slopes	Granby	100	G095BY004WI
GP	Gravel pit	Pits	99	
GrA	Grays silt loam, 0 to 2 percent slopes	Grays	100	G095BY008WI
GrB	Grays silt loam, 2 to 6 percent slopes	Grays	100	G095BY008WI
HeA	Hebron loam, 0 to 2 percent slopes	Hebron	100	G095BY005WI
HeB	Hebron loam, 2 to 6 percent slopes	Hebron	100	G095BY005WI
HmB	Hochheim loam, 2 to 6 percent slopes	Hochheim	100	G095BY005WI
HmB2	Hochheim loam, 2 to 6 percent slopes, eroded	Hochheim	100	G095BY005WI
HmC2	Hochheim loam, 6 to 12 percent slopes, eroded	Hochheim	100	G095BY005WI
HmD2	Hochheim loam, 12 to 20 percent slopes, eroded	Hochheim	100	G095BY006WI
HmE	Hochheim loam, 20 to 30 percent slopes	Hochheim	100	G095BY006WI
HnA	Hochheim silt loam, 0 to 2 percent slopes	Hochheim	100	G095BY005WI
HoC3	Hochheim soils, 6 to 12 percent slopes, severely eroded	Hochheim	40	G095BY005WI
		Hochheim	60	G095BY005WI
HoD3	Hochheim soils, 12 to 20 percent slopes, severely eroded	Hochheim	60	G095BY006WI

HoD3	Hochheim soils, 12 to 20 percent slopes, severely eroded	Hochheim	40	G095BY006WI
HrD	Hochheim-Hennepin complex, 12 to 20 percent slopes	Hochheim	50	G095BY006WI
		Hennepin	30	G095BY006WI
HrE	Hochheim-Hennepin complex, 20 to 30 percent slopes	Hennepin	30	G095BY006WI
		Hochheim	50	G095BY006WI
HrF	Hochheim-Hennepin complex, 30 to 45 percent slopes	Hochheim	50	G095BY006WI
		Hennepin	30	G095BY006WI
Hu	Houghton mucky peat	Houghton	100	G095BY010WI
Hv	Houghton peat, acid variant	Houghton variant	100	G095BY010WI
JuA	Juneau silt loam, 1 to 3 percent slopes	Juneau	100	G095BY008WI
KIA	Kendall silt loam, 1 to 3 percent slopes	Kendall	90	G095BY007WI
Km	Keowns silt loam	Keowns	100	G095BY004WI
KwB	Knowles silt loam, 1 to 6 percent slopes	Knowles	100	G095BY005WI
KwC2	Knowles silt loam, 6 to 12 percent slopes, eroded	Knowles	100	G095BY005WI
LDF	Landfill	Urban Land	100	
LmA	Lamartine silt loam, 1 to 3 percent slopes	Lamartine	90	G095BY007WI
Lu	Loamy land	Loamy land	100	
M-W	Miscellaneous water	Water	100	
Mf	Marsh	Marsh	100	
MgA	Martinton silt loam, 1 to 3 percent slopes	Martinton	90	G095BY007WI

MmA	Matherton silt loam, 1 to 3 percent slopes	Matherton	90	G095BY004WI
MoA	Mayville silt loam, 0 to 2 percent slopes	Mayville	100	G095BY008WI
MoB	Mayville silt loam, 2 to 6 percent slopes	Mayville	100	G095BY008WI
MtA	Mequon silt loam, 1 to 3 percent slopes	Mequon	90	G095BY007WI
Mzb	Montgomery silty clay loam	Montgomery	100	G095BY010WI
MzfA	Mundelein silt loam, 1 to 3 percent slopes	Mundelein	90	G095BY007WI
MzKA	Mussey loam, 0 to 3 percent slopes	Mussey	100	G095BY001WI
NnA	Nenno silt loam, 1 to 3 percent slopes	Nenno	90	G095BY004WI
Ot	Otter silt loam	Otter	100	G095BY007WI
OuB	Ozaukee silt loam, 2 to 6 percent slopes	Ozaukee	100	G095BY005WI
OuB2	Ozaukee silt loam, 2 to 6 percent slopes, eroded	Ozaukee	100	G095BY005WI
OuC2	Ozaukee silt loam, 6 to 12 percent slopes, eroded	Ozaukee	100	G095BY005WI
OuD2	Ozaukee silt loam, 12 to 20 percent slopes, eroded	Ozaukee	100	G095BY006WI
OuE	Ozaukee silt loam, 20 to 35 percent slopes	Ozaukee	100	G095BY006WI
Pc	Palms mucky peat	Palms	100	G095BY010WI
Ph	Pella silt loam	Pella	100	G095BY007WI
QUA	Quarry	Pits	100	
RaA	Radford silt loam, 0 to 3 percent slopes	Radford	90	G095BY007WI
RkB	Ritchey silt loam, 2 to 6 percent slopes	Ritchey	100	G095BY002WI

RkC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	Ritchey	100	G095BY002WI
ScA	St. Charles silt loam, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
ScB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
SeA	St. Charles silt loam, gravelly substratum, 0 to 2 percent slopes	St. Charles	100	G095BY008WI
SeB	St. Charles silt loam, gravelly substratum, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
Sf	Sandy and gravelly land	Sandy and gravelly la	100	
ShA	Saylesville silt loam, 0 to 2 percent slopes	Saylesville	100	G095BY008WI
ShB	Saylesville silt loam, 2 to 6 percent slopes	Saylesville	100	G095BY008WI
Sm	Sebewa silt loam	Sebewa	100	G095BY004WI
SP	Sand pit	Pits	100	
SrB	Sisson fine sandy loam, 2 to 6 percent slopes	Sisson	100	G095BY005WI
SrC2	Sisson fine sandy loam, 6 to 12 percent slopes, eroded	Sisson	100	G095BY005WI
SrD2	Sisson fine sandy loam, 12 to 20 percent slopes, eroded	Sisson	100	G095BY006WI
SvA	Sisson-Casco-Hochheim complex, 0 to 2 percent slopes	Sisson	30	G095BY008WI
		Casco	30	G095BY002WI
		Hochheim	20	G095BY005WI
SvB2	Sisson-Casco-Hochheim complex, 2 to 6 percent slopes, eroded	Sisson	30	G095BY008WI
		Casco	30	G095BY002WI

SvB2	Sisson-Casco-Hochheim complex, 2 to 6 percent slopes, eroded	Hochheim	20	G095BY005WI
SvC2	Sisson-Casco-Hochheim complex, 6 to 12 percent slopes, eroded	Sisson	30	G095BY008WI
		Casco	30	G095BY002WI
		Hochheim	20	G095BY005WI
SvD2	Sisson-Casco-Hochheim complex, 12 to 20 percent slopes, eroded	Hochheim	20	G095BY006WI
		Sisson	30	G095BY009WI
		Casco	30	G095BY003WI
SvE	Sisson-Casco-Hochheim complex, 20 to 30 percent slopes	Hochheim	20	G095BY006WI
		Casco	30	G095BY003WI
		Sisson	30	G095BY006WI
ThA	Theresa silt loam, 0 to 2 percent slopes	Theresa	100	G095BY005WI
ThB	Theresa silt loam, 2 to 6 percent slopes	Theresa	100	G095BY005WI
ThB2	Theresa silt loam, 2 to 6 percent slopes, eroded	Theresa	100	G095BY005WI
ThC2	Theresa silt loam, 6 to 12 percent slopes, eroded	Theresa	100	G095BY005WI
VsA	Virgil silt loam, gravelly substratum, 0 to 3 percent slopes	Virgil	90	G095BY007WI
W	Water	Water	100	
Wa	Walkkill silt loam	Walkkill	100	G095BY010WI
WmA	Wasepi sandy loam, 1 to 3 percent slopes	Wasepi	90	G095BY001WI

Ww	Wet alluvial land	Wet alluvial land	100	G095BY010WI
YrA	Yahara silt loam, 1 to 3 percent slopes	Yahara	90	G095BY007WI
ZuA	Zurich silt loam, 0 to 2 percent slopes	Zurich	100	G095BY008WI
ZuB	Zurich silt loam, 2 to 6 percent slopes	Zurich	100	G095BY008WI
ZuB2	Zurich silt loam, 2 to 6 percent slopes, eroded	Zurich	100	G095BY008WI
ZuC2	Zurich silt loam, 6 to 12 percent slopes, eroded	Zurich	100	G095BY008WI