

Forage Suitability Groups

Winnebago County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Ak	Adrian muck	Adrian	100	G095BY010WI
AtA	Atterberry silt loam, 0 to 3 percent slopes	Atterberry	100	G095BY007WI
BoB	Borth silty clay loam, 1 to 4 percent slopes	Borth	100	G095AY005WI
BrB	Brems fine sand, 1 to 4 percent slopes	Brems	100	G095AY002WI
CeB	Casco loam, 2 to 6 percent slopes	Casco	100	G095AY005WI
CeC2	Casco loam, 6 to 15 percent slopes, eroded	Casco	100	G095AY005WI
Ed	Edwards muck	Edwards	100	G095BY010WI
EID2	Eleva loam, 8 to 20 percent slopes, eroded	Eleva	100	G095BY003WI
FkA	Fisk loamy fine sand, 0 to 3 percent slopes	Fisk	100	G095AY004WI
Fn	Fluvaquents	Fluvaquents	100	G095AY010WI
FsB	Fox silt loam, 2 to 6 percent slopes	Fox	100	G095BY005WI
FsC2	Fox silt loam, 6 to 12 percent slopes, eroded	Fox	100	G095BY005WI
GnB	Grellton fine sandy loam, 2 to 6 percent slopes	Grellton	100	G095BY008WI
HmB	Hochheim loam, 2 to 6 percent slopes	Hochheim	100	G095AY005WI
HoB	Hortonville loamy fine sand, 2 to 6 percent slopes	Hortonville	100	G095AY005WI
HoC2	Hortonville loamy fine sand, 6 to 12 percent slopes, eroded	Hortonville	100	G095AY005WI

HrB	Hortonville silt loam, 2 to 6 percent slopes	Hortonville	100	G095AY005WI
HrC2	Hortonville silt loam, 6 to 12 percent slopes, eroded	Hortonville	100	G095AY005WI
Hu	Houghton muck	Houghton	100	G095AY010WI
Hw	Houghton muck, ponded	Houghton	100	G095AY010WI
KaB	Kaukauna silty clay loam, 1 to 4 percent slopes	Kaukauna	100	G095AY005WI
Ke	Keowns silt loam	Keowns	100	G095BY004WI
KmB	Kewaunee loamy fine sand, 2 to 6 percent slopes	Kewaunee	100	G095AY005WI
KnB	Kewaunee silt loam, 2 to 6 percent slopes	Kewaunee	100	G095AY005WI
KoC2	Kewaunee silty clay loam, 6 to 12 percent slopes, eroded	Kewaunee	100	G095AY005WI
KpB	Kidder loamy fine sand, 2 to 6 percent slopes	Kidder	100	G095BY005WI
KpC2	Kidder loamy fine sand, 6 to 12 percent slopes, eroded	Kidder	100	G095BY005WI
KrB	Kidder silt loam, 2 to 6 percent slopes	Kidder	100	G095BY005WI
KrC2	Kidder silt loam, 6 to 15 percent slopes, eroded	Kidder	100	G095BY005WI
Ks	Kingsville mucky loamy fine sand	Kingsville	100	G095AY004WI
KwB	Knowles silt loam, 2 to 6 percent slopes	Knowles	100	G095BY005WI
KwC2	Knowles silt loam, 6 to 12 percent slopes, eroded	Knowles	100	G095BY005WI
KyA	Korobago silt loam, 0 to 3 percent slopes	Korobago	100	G095AY007WI
LDF	Landfill	Urban Land	100	

LmA	Lamartine silt loam, 0 to 3 percent slopes	Lamartine	100	G095BY007WI
LrB	LeRoy silt loam, 2 to 6 percent slopes	LeRoy	100	G095BY005WI
LrC2	LeRoy silt loam, 6 to 12 percent slopes, eroded	LeRoy	100	G095BY005WI
LvB	Lomira silt loam, 2 to 6 percent slopes	Lomira	100	G095BY008WI
LzB	Lorenzo variant loam, 2 to 8 percent slopes	Lorenzo variant	100	G095AY005WI
M-W	Miscellaneous water	Water	100	
MaA	Manawa silty clay loam, 0 to 3 percent slopes	Manawa	100	G095AY004WI
MhB	McHenry silt loam, 2 to 6 percent slopes	McHenry	100	G095BY008WI
MhC2	McHenry silt loam, 6 to 12 percent slopes, eroded	McHenry	100	G095BY008WI
Mn	Menasha clay	Menasha	100	G095AY004WI
MoA	Morocco loamy fine sand, 0 to 3 percent slopes	Morocco	100	G095AY001WI
MtA	Mosel silt loam, 0 to 3 percent slopes	Mosel	100	G095AY004WI
Na	Navan silt loam	Navan	100	G095AY010WI
NeA	Nebago fine sand, 0 to 3 percent slopes	Nebago	100	G095AY004WI
Ng	Nebago variant mucky loamy fine sand	Nebago variant	100	G095AY004WI
NhA	Neenah silty clay loam, 0 to 3 percent slopes	Neenah	100	G095AY004WI
NnA	Nenno loam, 0 to 3 percent slopes	Nenno	100	G095AY004WI
OaB	Oakville fine sand, 2 to 6 percent slopes	Oakville	100	G095AY002WI

OaC	Oakville fine sand, 6 to 12 percent slopes	Oakville	100	G095AY002WI
OmB	Omro clay loam, 2 to 6 percent slopes	Omro	100	G095AY005WI
Os	Ossian silt loam	Ossian	100	G095BY007WI
Pa	Palms muck	Palms	100	G095BY010WI
Pg	Pits, gravel	Pits	100	
Ph	Pits, quarries	Pits	100	
PsB	Plano silt loam, 2 to 6 percent slopes	Plano	100	G095BY008WI
Pt	Poy silty clay loam	Poy	100	G095AY010WI
Pu	Poygan silty clay loam	Poygan	100	G095AY010WI
PzB	Puchyan loamy fine sand, 2 to 6 percent slopes	Puchyan	100	G095BY005WI
RhB	Ritchey silt loam, 2 to 6 percent slopes	Ritchey	100	G095AY002WI
RhC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	Ritchey	100	G095AY002WI
RhD2	Ritchey silt loam, 12 to 30 percent slopes, eroded	Ritchey	100	G095BY003WI
ScB	St. Charles silt loam, 2 to 6 percent slopes	St. Charles	100	G095BY008WI
TuB	Tustin fine sand, 2 to 6 percent slopes	Tustin	100	G095AY005WI
UoA	Udorthents, 0 to 3 percent slopes	Udorthents	100	
W	Water greater than 40 acres	Water	100	
We	Wauseon silt loam	Wauseon	100	G095AY010WI
WfB	Whalan loamy fine sand, 2 to 8 percent slopes	Whalan	100	G095AY005WI
WhB	Whalan silt loam, 2 to 6 percent slopes	Whalan	100	G095AY005WI

WhC2	Whalan silt loam, 6 to 12 percent slopes, eroded	Whalan	100	G095AY005WI
Wm	Willette muck	Willette	100	G095AY010WI
WnB	Winneconne silty clay loam, 1 to 4 percent slopes	Winneconne	100	G095AY005WI
YaA	Yahara silt loam, 0 to 3 percent slopes	Yahara	100	G095AY007WI
ZtA	Zittau silty clay loam, 0 to 3 percent slopes	Zittau	95	G095AY004WI