

Forage Suitability Groups

Wood County, Wisconsin

<i>Symbol</i>	<i>Mapunit Name</i>	<i>Comp Name</i>	<i>Component %</i>	<i>foragesuitgrp</i>
Aa	Alluvial land	Udifluvents	100	G089XY005WI
Ab	Alluvial land, wet	Haplaquolls	100	G089XY010WI
Af	Altdorf silt loam	Altdorf	100	G090BY007WI
AnA	Antigo silt loam, 1 to 3 percent slopes	Antigo	100	G090BY005WI
Au	Au Gres loamy sand	Au Gres	100	G089XY001WI
Ca	Cathro mucky peat	Cathro	100	G089XY010WI
CrA	Croswell loamy sand, 0 to 3 percent slopes	Croswell	100	G089XY002WI
Da	Dancy sandy loam	Dancy	100	G090BY004WI
Db	Dawson peat	Dawson	100	G089XY010WI
Dc	Dawson mucky peat	Dawson	100	G089XY010WI
Do	Dolph silt loam	Dolph	100	G090BY004WI
DvA	Dunnville sandy loam, 0 to 3 percent slopes	Dunnville	100	G089XY005WI
DwA	Dunnville loam, 0 to 3 percent slopes	Dunnville	100	G089XY005WI
EaB	Eaupleine silt loam, 2 to 6 percent slopes	Eaupleine	100	G090BY005WI
EaC	Eaupleine silt loam, 6 to 12 percent slopes	Eaupleine	100	G090BY005WI
EbB	Eaupleine fine sandy loam, sandy subsoil variant, 2 to 6 percent slopes	Eaupleine	100	G090BY008WI
EcB	Eaupleine silt loam, silty subsoil variant, 2 to 6 percent slopes	Eaupleine	100	G090BY008WI

EdB	Eaupleine silt loam, clayey subsoil variant, 2 to 6 percent slopes	Eaupleine	100	G090BY005WI
EdC	Eaupleine silt loam, clayey subsoil variant, 6 to 12 percent slopes	Eaupleine	100	G090BY005WI
EeB	Eleva sandy loam, 2 to 6 percent slopes	Eleva	100	G089XY005WI
EeC	Eleva sandy loam, 6 to 12 percent slopes	Eleva	100	G089XY005WI
EkB	Elkmound sandy loam, 2 to 6 percent slopes	Elkmound	100	G089XY002WI
EkC	Elkmound sandy loam, 6 to 12 percent slopes	Elkmound	100	G089XY002WI
EkD2	Elkmound sandy loam, 12 to 20 percent slopes, eroded	Elkmound	100	G089XY003WI
Em	Elm Lake loamy sand	Elm Lake	100	G089XY001WI
FeB	Fenwood silt loam, 2 to 6 percent slopes	Fenwood	100	G090BY005WI
FeC	Fenwood silt loam, 6 to 12 percent slopes	Fenwood	100	G089XY005WI
FeD	Fenwood silt loam, 12 to 20 percent slopes	Fenwood	100	G089XY006WI
FfB	Fenwood stony silt loam, 2 to 6 percent slopes	Fenwood	100	G089XY005WI
FfC	Fenwood stony silt loam, 6 to 12 percent slopes	Fenwood	100	G089XY005WI
FfD	Fenwood stony silt loam, 12 to 20 percent slopes	Fenwood	100	G089XY006WI
FrA	Friendship loamy sand, 1 to 3 percent slopes	Friendship	100	G089XY002WI
GaB	Gale silt loam, 2 to 6 percent slopes	Gale	100	G089XY005WI

GaC	Gale silt loam, 6 to 12 percent slopes	Gale	100	G089XY005WI
GP	Gravel pit	Pits	99	
Gr	Greenwood peat	Greenwood	100	G089XY010WI
GuB	Guenther loamy sand, 2 to 6 percent slopes	Guenther	100	G090BY005WI
HsB	Hiles silt loam, 2 to 6 percent slopes	Hiles	100	G089XY005WI
HsC	Hiles silt loam, 6 to 12 percent slopes	Hiles	100	G089XY005WI
HuB	Humbird loamy sand, 2 to 6 percent slopes	Humbird	100	G089XY005WI
HwB	Humbird sandy loam, 2 to 6 percent slopes	Humbird	100	G089XY005WI
KeA	Kert silt loam, 0 to 3 percent slopes	Kert	100	G089XY004WI
LDF	Landfill	Urban Land	100	
M-W	Miscellaneous water	Water	100	
Ma	Mann silt loam	Mann	100	G090BY004WI
MbB	Marathon silt loam, 2 to 6 percent slopes	Marathon	100	G090BY005WI
Mc	Markey mucky peat	Markey	100	G089XY010WI
Md	Marsh	Saprists	100	G089XY007WI
Mf	Marshfield silt loam	Marshfield	100	G090BY004WI
Mh	Meehan loamy sand	Meehan	100	G089XY001WI
MpA	Merrillan sandy loam, 1 to 3 percent slopes	Merrillan	100	G089XY004WI
Mr	Milladore silt loam	Milladore	100	G090BY007WI
MsB	Mosinee loam, 2 to 6 percent slopes	Mosinee	100	G090BY005WI
Ne	Newson loamy sand	Newson	100	G089XY001WI
NoB	Norgo silt loam, 2 to 6 percent slopes	Norgo	100	G089XY002WI

NoC2	Norgo silt loam, 6 to 12 percent slopes, eroded	Norgo	100	G089XY002WI
NoD2	Norgo silt loam, 12 to 20 percent slopes, eroded	Norgo	100	G090BY003WI
NyA	Nymore loamy sand, 0 to 2 percent slopes	Nymore	100	G089XY002WI
NzA	Nymore loamy sand, red subsoil, 0 to 2 percent slopes	Nymore	100	G089XY002WI
NzB	Nymore loamy sand, red subsoil, 2 to 6 percent slopes	Nymore	100	G089XY002WI
OnA	Onamia loam, 1 to 3 percent slopes	Onamia	100	G089XY005WI
PbB	Plainbo sand, 2 to 12 percent slopes	Plainbo	100	G089XY002WI
PbD	Plainbo sand, 12 to 30 percent slopes	Plainbo	100	G089XY003WI
PfA	Plainfield sand, 0 to 2 percent slopes	Plainfield	100	G089XY002WI
PfB	Plainfield sand, 2 to 6 percent slopes	Plainfield	100	G089XY002WI
PfC	Plainfield sand, 6 to 12 percent slopes	Plainfield	100	G089XY002WI
PfE	Plainfield sand, 12 to 35 percent slopes	Plainfield	100	G089XY003WI
PgA	Plainfield loamy sand, 0 to 2 percent slopes	Plainfield	100	G089XY002WI
PgB	Plainfield loamy sand, 2 to 6 percent slopes	Plainfield	100	G089XY002WI
PoB	Point loamy sand, 2 to 6 percent slopes	Point	100	G090BY004WI
Ps	Poskin silt loam	Poskin	100	G090BY007WI
Pw	Psammaquents, nearly level	Psammaquents	100	
Rb	Rib silt loam	Rib	100	G089XY004WI

ReB	Rietbrock silt loam, 2 to 6 percent slopes	Rietbrock	100	G090BY004WI
ReC	Rietbrock silt loam, 6 to 12 percent slopes	Rietbrock	100	G089XY004WI
Rf	Rifle mucky peat	Rifle	100	G090BY010WI
Rg	Rifle peat	Rifle	100	G089XY010WI
SaB	Santiago silt loam, 2 to 6 percent slopes	Santiago	100	G090BY008WI
SaC	Santiago silt loam, 6 to 12 percent slopes	Santiago	100	G090BY008WI
SaD2	Santiago silt loam, 12 to 20 percent slopes, eroded	Santiago	100	G090BY009WI
SbB	Santiago silt loam, clayey substratum, 2 to 6 percent slopes	Santiago	100	G089XY008WI
Sh	Sherry silt loam	Sherry	100	G090BY004WI
Ss	Sherry stony silt loam	Sherry	100	G090BY004WI
Ve	Veedum silt loam	Veedum	100	G089XY004WI
Vs	Vesper silt loam	Vesper	100	G089XY004WI
W	Water	Water	100	
WeA	Withee silt loam, 0 to 2 percent slopes	Withee	100	G090BY004WI
WeB	Withee silt loam, 2 to 6 percent slopes	Withee	100	G090BY004WI