

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	
AlB	Allegheny loam 3 to 8 percent slopes	LaB	Laidig channery loam, 3 to 8 percent slopes
AlB	Allegheny loam 3 to 8 percent slopes	MgB	Monongahela silt loam, 2 to 8 percent slopes
AlC	Allegheny loam 8 to 15 percent slopes	LaC	Laidig channery loam, 8 to 15 percent slopes
AlC	Allegheny loam 8 to 15 percent slopes	MgC	Monongahela silt loam, 8 to 15 percent slopes
An	Atkins-Philo-Potomac complex	At	Atkins silt loam
An	Atkins-Philo-Potomac complex	Ay	Atkins silty clay loam
An	Atkins-Philo-Potomac complex	Ad	Alluvial land
BaE	Belmont silt loam, 15 to 35 percent slopes, very rocky	EdB	Elliber very stony loam, 10 to 35 percent slopes
BaE	Belmont silt loam, 15 to 35 percent slopes, very rocky	ELD	Elliber very cherty silt loam, 10 to 25 percent slopes
BcC	Berks channery loam, 3 to 15 percent slopes very stony	TlB	Teas and Litz silt loams, 3 to 8 percent slopes
BcC	Berks channery loam, 3 to 15 percent slopes very stony	TlC	Teas and Litz silt loams, 8 to 15 percent slopes
BcC	Berks channery loam, 3 to 15 percent slopes very stony	TlC3	Teas and Litz silt loams, 8 to 15 percent slopes, severely eroded
BcE	Berks channery loam, 15 to 35 percent slopes very stony	TlD	Teas and Litz silt loams, 15 to 25 percent slopes
BcE	Berks channery loam, 15 to 35 percent slopes very stony	TlD3	Teas and Litz silt loams, 15 to 25 percent slopes, severely eroded
BcE	Berks channery loam, 15 to 35 percent slopes very stony	TlE	Teas and Litz silt loams, 25 to 40 percent slopes
BcE	Berks channery loam, 15 to 35 percent slopes very stony	TlE3	Teas and Litz silt loams, 25 to 40 percent slopes, severely eroded
BcF	Berks channery loam, 35 to 55 percent slopes very stony	TlF	Teas and Litz silt loams, 40 to 65 percent slopes
BcF	Berks channery loam, 35 to 55 percent slopes very stony	TlF3	Teas and Litz silt loams, 40 to 65 percent slopes, severely eroded
BkG	Berks, Weikert, and Calvin soils, 55 to 80 percent slopes, very stony	Sp	Steep eroded land, shale materials
BkG	Berks, Weikert, and Calvin soils, 55 to 80 percent slopes, very stony	Sr	Stony rock land
BlC	Berks-Dekalb complex, 3 to 15 percent slopes, very stony	DgC	Dekalb extremely stony loam, 5 to 20 percent slopes
BlE	Berks-Dekalb complex, 15 to 35 percent slopes, very stony	DlE	Dekalb-Berks very stony complex, 25 to 40 percent slopes
BlF	Berks-Dekalb complex, 35 to 55 percent slopes, very stony	DlF	Dekalb-Berks very stony complex, 40 to 65 percent slopes
BrE	Berks-Weikert complex, 15 to 35 percent slopes, very stony	WkD	Weikert-Berks complex, 20 to 30 percent slopes
BrF	Berks-Weikert complex, 35 to 55 percent slopes, very stony	WkE	Weikert-Berks complex, 30 to 45 percent slopes
BrF	Berks-Weikert complex, 35 to 55 percent slopes, very stony	WkF	Weikert-Berks complex, 45 to 65 percent slopes
BtC	Blackthorn very channery loam, 3 to 15 percent slopes, extremely stony	LeC	Laidig-Ernest extremely stony complex, 3 to 15 percent slopes
BtE	Blackthorn very channery loam, 15 to 35 percent slopes, extremely stony	LeD	Laidig-Ernest extremely stony complex, 15 to 30 percent slopes
BxF	Briery-RO complex, very steep	RkF	Rock land, steep
BxF	Briery-RO complex, very steep	St	Strip mine spoil
CbC	Calvin-Dekalb-Berks complex, 3 to 15 percent slopes, very stony	CgD	Calvin and Gilpin very stony soils, 10 to 25 percent slopes
CbE	Calvin-Dekalb-Berks complex, 15 to 35 percent slopes, very stony	CgD	Calvin and Gilpin very stony soils, 10 to 25 percent slopes
CbE	Calvin-Dekalb-Berks complex, 15 to 35 percent slopes, very stony	CgE	Calvin and Gilpin very stony soils, 25 to 40 percent slopes

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	
CbF	Calvin-Dekalb-Berks complex, 35 to 55 percent slopes, very stony	CgF	Calvin and Gilpin very stony soils, 40 to 65 percent slopes
CeF	Caneyville-Frederick-RO complex, karst, 35 to 60 percent slopes	FrF	Frederick very rocky soils, 45 to 60 percent slopes
CfB	Cateache silt loam, 3 to 8 percent slopes	WmB	Westmoreland silt loam, 3 to 10 percent slopes
CfC	Cateache silt loam, 8 to 15 percent slopes	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CfD	Cateache silt loam, 15 to 25 percent slopes	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CfD	Cateache silt loam, 15 to 25 percent slopes	WmD	Westmoreland silt loam, 20 to 30 percent slopes
CfD	Cateache silt loam, 15 to 25 percent slopes	WmD3	Westmoreland silt loam, 20 to 30 percent slopes, severely eroded
CfE	Cateache silt loam, 25 to 35 percent slopes	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CfE	Cateache silt loam, 25 to 35 percent slopes	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CfF	Cateache silt loam, 35 to 55 percent slopes	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CfF	Cateache silt loam, 35 to 55 percent slopes	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CfF	Cateache silt loam, 35 to 55 percent slopes	WmF	Westmoreland silt loam, 45 to 65 percent slopes
CgC	Cateache silt loam, 8 to 15 percent slopes, very stony	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	WmD	Westmoreland silt loam, 20 to 30 percent slopes
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	WmD3	Westmoreland silt loam, 20 to 30 percent slopes, severely eroded
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CgE	Cateache silt loam, 15 to 35 percent slopes, very stony	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CgF	Cateache silt loam, 35 to 55 percent slopes, very stony	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CgF	Cateache silt loam, 35 to 55 percent slopes, very stony	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CgF	Cateache silt loam, 35 to 55 percent slopes, very stony	WmF	Westmoreland silt loam, 45 to 65 percent slopes
CgC	Cateache silt loam, 3 to 15 percent slopes, very stony	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CgE	Cateache silt loam, 25 to 35 percent slopes	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CfE	Cateache silt loam, 25 to 35 percent slopes	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CfF	Cateache silt loam, 35 to 55 percent slopes	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CfF	Cateache silt loam, 35 to 55 percent slopes	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CfF	Cateache silt loam, 35 to 55 percent slopes	WmF	Westmoreland silt loam, 45 to 65 percent slopes
CpB	Cookport loam, 3 to 8 percent slopes	ClB	Clarksburg silt loam, 3 to 10 percent slopes
CpB	Cookport loam, 3 to 8 percent slopes	DnC	Dekalb-Buchanan loams, 5 to 20 percent slopes
CpB	Cookport loam, 3 to 8 percent slopes	DoB	Dekalb-Cookport loams, 3 to 12 percent slopes

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	
CpB	Cookport loam, 3 to 8 percent slopes	DpC	Dekalb-Cookport very stony loams, 5 to 20 percent slopes
CuB	Culleoka loam, 3 to 8 percent slopes	WmB	Westmoreland silt loam, 3 to 10 percent slopes
CuC	Culleoka loam, 8 to 15 percent slopes	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CuD	Culleoka loam, 15 to 25 percent slopes	WmC	Westmoreland silt loam, 10 to 20 percent slopes
CuD	Culleoka loam, 15 to 25 percent slopes	WmD	Westmoreland silt loam, 20 to 30 percent slopes
CuD	Culleoka loam, 15 to 25 percent slopes	WmD3	Westmoreland silt loam, 20 to 30 percent slopes, severely eroded
CyE	Culleoka loam, 25 to 35 percent slopes, very stony	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CyE	Culleoka loam, 25 to 35 percent slopes, very stony	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CyF	Culleoka loam, 35 to 55 percent slopes, very stony	WmE	Westmoreland silt loam, 30 to 45 percent slopes
CyF	Culleoka loam, 35 to 55 percent slopes, very stony	WmE3	Westmoreland silt loam, 30 to 45 percent slopes, severely eroded
CyF	Culleoka loam, 35 to 55 percent slopes, very stony	WmF	Westmoreland silt loam, 45 to 65 percent slopes
DeC	Dekalb channery loam, 3 to 15 percent slopes, very stony	DbB	Dekalb fine sandy loam, 5 to 12 percent slopes
DeC	Dekalb channery loam, 3 to 15 percent slopes, very stony	DcB	Dekalb channery loam, 5 to 12 percent slopes
DeC	Dekalb channery loam, 3 to 15 percent slopes, very stony	DeC	Dekalb very stony loam, 5 to 25 percent slopes
DeE	Dekalb channery loam, 15 to 35 percent slopes, very stony	DbC	Dekalb fine sandy loam, 12 to 25 percent slopes
DeE	Dekalb channery loam, 15 to 35 percent slopes, very stony	DcC	Dekalb channery loam, 12 to 25 percent slopes
DeE	Dekalb channery loam, 15 to 35 percent slopes, very stony	DeC	Dekalb very stony loam, 5 to 25 percent slopes
DeE	Dekalb channery loam, 15 to 35 percent slopes, very stony	DcD	Dekalb channery loam, 25 to 35 percent slopes
DeE	Dekalb channery loam, 15 to 35 percent slopes, very stony	DbC	Dekalb fine sandy loam, 12 to 25 percent slopes
DeF	Dekalb channery loam, 35 to 55 percent slopes, very stony	DlF	Dekalb-Berks very stony complex, 40 to 65 percent slopes
DhC	Dekalb-Hazleton complex, 3 to 15 percent slopes, very stony	DbB	Dekalb fine sandy loam, 5 to 12 percent slopes
DhC	Dekalb-Hazleton complex, 3 to 15 percent slopes, very stony	DcB	Dekalb channery loam, 5 to 12 percent slopes
DhC	Dekalb-Hazleton complex, 3 to 15 percent slopes, very stony	DeC	Dekalb very stony loam, 5 to 25 percent slopes
DhE	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	DbC	Dekalb fine sandy loam, 12 to 25 percent slopes
DhE	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	DcC	Dekalb channery loam, 12 to 25 percent slopes
DhE	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	DeC	Dekalb very stony loam, 5 to 25 percent slopes
DhE	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	DcD	Dekalb channery loam, 25 to 35 percent slopes
DhE	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	DbC	Dekalb fine sandy loam, 12 to 25 percent slopes
DhF	Dekalb-Hazleton complex, 35 to 55 percent slopes, very stony	DlF	Dekalb-Berks very stony complex, 40 to 65 percent

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	
Dkf	Dekalb -RO complex, 35 to 80 percent slopes, extremely stony	RkF	Rock land, steep
Du	Dunning silty clay loam, karst	Ay	Atkins silty clay loam
ElF	Elliber extremely channery silt loam, 35 to 55 percent slopes	EbF	Elliber very stony loam, 35 to 60 percent slopes
EsC	Ernest silt loam, 3 to 15 percent slopes, extremely stony	ErC	Ernest silt loam, 8 to 15 percent slopes
EsC	Ernest silt loam, 3 to 15 percent slopes, extremely stony	LbC	Laidig very stony loam, 5 to 15 percent slopes
EsC	Ernest silt loam, 3 to 15 percent slopes, extremely stony	LbD	Laidig-Ernest extremely stony complex, 15 to 30 percent slopes
EsC	Ernest silt loam, 3 to 15 percent slopes, extremely stony	LeC	Laidig-Ernest extremely stony complex, 3 to 15 percent slopes
FaE	Faywood silt loam 15 to 35 percent slopes, very rocky	FrD	Frederick very rocky soils, 15 to 25 percent slopes
FaE	Faywood silt loam 15 to 35 percent slopes, very rocky	FrE	Frederick very rocky soils, 25 to 45 percent slopes
FaE	Faywood silt loam 15 to 35 percent slopes, very rocky	FrE3	Frederick very rocky soils, 25 to 45 percent slopes, severely eroded
FaF	Faywood silt loam 35 to 55 percent slopes, very rocky	FrE	Frederick very rocky soils, 25 to 45 percent slopes
FaF	Faywood silt loam 35 to 55 percent slopes, very rocky	FrE3	Frederick very rocky soils, 25 to 45 percent slopes, severely eroded
FaF	Faywood silt loam 35 to 55 percent slopes, very rocky	FrF	Frederick very rocky soils, 45 to 60 percent slopes
FkB	Frankstown silt loam, 3 to 8 percent slopes	FaB	Frankstown silt loam, 3 to 10 percent slopes
FkB	Frankstown silt loam, 3 to 8 percent slopes	PkB	Pickaway silt loam, 3 to 8 percent slopes
FkC	Frankstown silt loam, karst, 8 to 15 percent slopes	FaC	Frankstown silt loam, 10 to 20 percent slopes
FkC	Frankstown silt loam, karst, 8 to 15 percent slopes	FbC	Frankstown silt loam, karst, 10 to 20 percent slopes
FkD	Frankstown silt loam, karst, 15 to 25 percent slopes	FaD	Frankstown silt loam, 20 to 30 percent slopes
FoC	Frankstown silt loam, karst, 3 to 15 percent slopes, very rocky	FeC	Frankstown rocky silt loam, 10 to 20 percent slopes
FoE	Frankstown silt loam, karst, 15 to 35 percent slopes, very rocky	FeD	Frankstown rocky silt loam, 20 to 30 percent slope
FrB	Frederick silt loam, karst, 3 to 8 percent slopes	FhB	Frederick cherty silt loam, 3 to 8 percent slopes
FrB	Frederick silt loam, karst, 3 to 8 percent slopes	FkB	Frederick cherty silt loam, karst, 3 to 8 percent slopes
FrC	Frederick silt loam, karst, 8 to 15 percent slopes	FhC	Frederick cherty silt loam, 8 to 15 percent slopes
FrC	Frederick silt loam, karst, 8 to 15 percent slopes	FkC	Frederick cherty silt loam, karst, 8 to 15 percent slopes
FrD	Frederick silt loam, karst, 15 to 25 percent slopes	FhD	Frederick cherty silt loam, 15 to 25 percent slopes
FyC	Frederick-Caneyville complex, karst, 3 to 15 percent slopes, very rocky	FrC	Frederick very rocky soils, 3 to 15 percent slopes
FyE	Frederick-Caneyville complex, karst, 15 to 35 percent slopes, very rocky	FrD	Frederick very rocky soils, 15 to 25 percent slopes
FyE	Frederick-Caneyville complex, karst, 15 to 35 percent slopes, very rocky	FhE	Frederick cherty silt loam, 25 to 45 percent slopes
FyE	Frederick-Caneyville complex, karst, 15 to 35 percent slopes, very rocky	FrE	Frederick very rocky soils, 25 to 45 percent slopes
FyE	Frederick-Caneyville complex, karst, 15 to 35 percent slopes, very rocky	FrE3	Frederick very rocky soils, 25 to 45 percent slopes, severely eroded

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	
GaC	Gauley channery sandy loam, 3 to 15 percent slopes, extremely stony	SuC	Summers channery loam, 5 to 15 percent slopes
GaC	Gauley channery sandy loam, 3 to 15 percent slopes, extremely stony	SyD	Summers very stony loam, 5 to 15 percent slopes
GaE	Gauley channery sandy loam, 15 to 35 percent slopes, extremely stony	SyD	Summers very stony loam, 5 to 15 percent slopes
GnC	Gilpin channery loam, 8 to 15 percent slopes	DsC	Dekalb-Gilpin very stony complex, 5 to 20 percent slopes
GnD	Gilpin channery loam, 15 to 25 percent slopes	DsC	Dekalb-Gilpin very stony complex, 5 to 20 percent slopes
GnD	Gilpin channery loam, 15 to 25 percent slopes	DsE	Dekalb-Gilpin very stony complex, 20 to 40 percent slopes
GpC	Gilpin channery loam, 3 to 15 percent slopes, very stony	DsC	Dekalb-Gilpin very stony complex, 5 to 20 percent slopes
GpD	Gilpin channery loam, 15 to 25 percent slopes, very stony	DsC	Dekalb-Gilpin very stony complex, 5 to 20 percent slopes
GpD	Gilpin channery loam, 15 to 25 percent slopes, very stony	DsE	Dekalb-Gilpin very stony complex, 20 to 40 percent slopes
Ho	Holly silt loam	At	Atkins silt loam
LcC	Leatherbark silt loam, 0 to 15 percent slopes, very stony	SyD	Summers very stony loam, 5 to 20 percent slopes
LgB	Lily sandy loam, 3 to 8 percent slopes	CmB	Clymer fine sandy loam, 3 to 10 percent slopes
LgC	Lily sandy loam, 8 to 15 percent slopes	CmC	Clymer fine sandy loam, 10 to 20 percent slopes
LhE	Lily sandy loam, 15 to 35 percent slopes, very stony	DsE	Dekalb-Gilpin very stony complex, 20 to 40 percent slopes
Lo	Lobdell silt loam	Ln	Lindside silt loam, local alluvium
MaB	Macove channery silt loam, 3 to 8 percent slopes	LaB	Laidig channery loam, 3 to 8 percent slopes
MaC	Macove channery silt loam, 8 to 15 percent slopes	LaC	Laidig channery loam, 8 to 15 percent slopes
MaD	Macove channery silt loam, 15 to 25 percent slopes	LbD	Laidig very stony loam, 15 to 30 percent slopes
McC	Macove channery silt loam, 3 to 15 percent slopes, very stony	LbC	Laidig very stony loam, 5 to 15 percent slopes
McC	Macove channery silt loam, 3 to 15 percent slopes, very stony	LeC	Laidig-Ernest extremely stony complex, 3 to 15 percent slopes
McE	Macove channery silt loam, 15 to 35 percent slopes, very stony	LeD	Laidig-Ernest extremely stony complex, 15 to 30 percent slopes
MeF	Macove-Gilpin complex, 35 to 55 percent slopes, very stony	DsF	Dekalb-Gilpin very stony complex, 40 to 65 percent slopes
MkC	Mandy channery silt loam, 3 to 15 percent slopes	SuC	Summers channery loam, 5 to 15 percent slopes
MkC	Mandy channery silt loam, 3 to 15 percent slopes, very stony	SuC	Summers channery loam, 5 to 15 percent slopes
MkE	Mandy channery silt loam, 15 to 35 percent slopes, very stony	SyD	Summers very stony loam, 5 to 25 percent slopes
MkF	Mandy channery silt loam, 35 to 55 percent slopes, very stony	DsF	Dekalb-Gilpin very stony complex, 40 to 65 percent slopes
MkG	Mandy channery silt loam, 55 to 80 percent slopes, very stony	DsF	Dekalb-Gilpin very stony complex, 40 to 65 percent slopes
Ml	Melvin-Lindside complex	Ay	Atkins silty clay loam
Ml	Melvin-Lindside complex	Ln	Lindside silt loam, local alluvium
MzC	Mertz channery silt loam, 8 to 15 percent slopes, very stony	LbC	Laidig very stony loam, 5 to 15 percent slopes
MzC	Mertz channery silt loam, 8 to 15 percent slopes, very stony	LeC	Laidig-Ernest extremely stony complex, 3 to 15 percent slopes

MAP UNIT CONVERSION LEGEND  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
MzE	Mertz channery silt loam, 15 to 35 percent slopes, very stony	LeD	Laidig-Ernest extremely stony complex, 15 to 30 percent slopes
No	Nolin silt loam	Hu	Huntington silt loam, local alluvium
Pt	Potomac very gravelly fine sandy loam	Ad	Alluvial land
PuA	Purdy silt loam, 0 to 3 percent slopes	Pu	Purdy silt loam
Se	Sensabaugh loam	Ad	Alluvial land
SfB	Shouns channery silt loam, 3 to 8 percent slopes	LaB	Laidig channery loam, 3 to 8 percent slopes
SfB	Shouns channery silt loam, 3 to 8 percent slopes	AbB	Albrights silt loam, 3 to 8 percent slopes
SfC	Shouns channery silt loam, 8 to 15 percent slopes	MuC	Murrill channery loam, 8 to 15 percent slopes
ShC	Shouns channery silt loam, 3 to 15 percent slopes, extremely stony	MvD	Murrill very stony loam, 10 to 25 percent slopes
ShE	Shouns channery silt loam, 15 to 35 percent slopes, extremely stony	MuD	Murrill channery loam, 15 to 25 percent slopes
ShE	Shouns channery silt loam, 15 to 35 percent slopes, extremely stony	MvE	Murrill very stony loam, 25 to 45 percent slopes
ShF	Shouns channery silt loam, 35 to 55 percent slopes, extremely stony	MvE	Murrill very stony loam, 25 to 45 percent slopes
SmC	Simoda silt loam, 3 to 15 percent slopes, very stony	AbB	Albrights silt loam, 3 to 8 percent slopes
SoC	Snowdog silt loam, 3 to 15 percent slopes, extremely stony	SuC	Summers channery loam, 5 to 15 percent slopes
SoE	Snowdog silt loam, 3 to 15 percent slopes, extremely stony	SyD	Summers very stony loam, 5 to 25 percent slopes
SoF	Snowdog silt loam, 35 to 55 percent slopes, extremely stony	DsF	Dekalb-Gilpin very stony complex, 40 to 65 percent slopes
SvC	Summers very channery sandy loam, 0 to 15 percent slopes, very stony	SyD	Summers very stony loam, 5 to 25 percent slopes
Tp	Tioga-Potomac	Ad	Alluvial land
TrC	Trussel silt loam, 3 to 15 percent slopes, very stony	AnB	Andover-Nolo extremely stony loams, 0 to 8 percent slopes
Uf	Udifluvents-Fluvaquents complex	Ad	Alluvial land
WeC	Weikert channery silt loam, 8 to 15 percent slopes	WeC	Weikert shaly silt loam, 10 to 20 percent slopes
WeD	Weikert channery silt loam, 15 to 25 percent slopes	WeD	Weikert shaly silt loam, 20 to 30 percent slopes
WeF	Weikert channery silt loam, 25 to 55 percent slopes	WeE	Weikert shaly silt loam, 30 to 45 percent slopes
WeG	Weikert-Berks-Rough complex, 55 to 80 percent slopes, very stony	WeF	Weikert shaly silt loam, 45 to 65 percent slopes
ZoA	Zoar silt loam, 0 to 3 percent slopes	Pu	Purdy silt loam