

ERODIBLE SOILS LIST  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

| Map Symbol | MAPPING UNIT NAME   | HEL Class (Water)                |
|------------|---|----------------------------------|
| AbB        | ALBRIGHTS SILT LOAM, 3 TO 8 PERCENT SLOPES                  | Potentially highly erodible land |
| Ad         | ALLUVIAL LAND   | Not highly erodible land         |
| AnB        | ANDOVER-NOLO EXTREMELY STONY LOAMS, 0 TO 8 PERCENT SLOPES   | Potentially highly erodible land |
| At         | ATKINS SILT LOAM  | Not highly erodible land         |
| Ay         | ATKINS SILTY CLAY LOAM                                      | Not highly erodible land         |
| CgD        | CALVIN AND GILPIN VERY STONY SOILS, 10 TO 25 PERCENT SLOPES | Highly erodible land             |
| CgE        | CALVIN AND GILPIN VERY STONY SOILS, 25 TO 40 PERCENT SLOPES | Highly erodible land             |
| CgF        | CALVIN AND GILPIN VERY STONY SOILS, 40 TO 65 PERCENT SLOPES | Highly erodible land             |
| Ch         | CHAVIES FINE SANDY LOAM                                     | Not highly erodible land         |
| ClB        | CLARKSBURG SILT LOAM, 3 TO 10 PERCENT SLOPES                | Potentially highly erodible land |
| CmB        | CLYMER FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES              | Potentially highly erodible land |
| CmC        | CLYMER FINE SANDY LOAM, 10 TO 20 PERCENT SLOPES             | Highly erodible land             |
| CpB        | COOKPORT LOAM, 3 TO 8 PERCENT SLOPES                        | Potentially highly erodible land |
| DbB        | DEKALB FINE SANDY LOAM, 5 TO 12 PERCENT SLOPES              | Potentially highly erodible land |
| DbC        | DEKALB FINE SANDY LOAM, 12 TO 25 PERCENT SLOPES             | Highly erodible land             |
| DcB        | DEKALB CHANNERY LOAM, 5 TO 12 PERCENT SLOPES                | Potentially highly erodible land |
| DcC        | DEKALB CHANNERY LOAM, 12 TO 25 PERCENT SLOPES               | Highly erodible land             |
| DcD        | DEKALB CHANNERY LOAM, 25 TO 35 PERCENT SLOPES               | Highly erodible land             |
| DeC        | DEKALB VERY STONY LOAM, 5 TO 25 PERCENT SLOPES              | Highly erodible land             |
| DgC        | DEKALB EXTREMELY STONY LOAM, 5 TO 25 PERCENT SLOPES         | Highly erodible land             |
| DlE        | DEKALB-BERKS VERY STONY COMPLEX, 25 TO 40 PERCENT SLOPES    | Highly erodible land             |
| DlF        | DEKALB-BERKS VERY STONY COMPLEX, 40 TO 65 PERCENT SLOPES    | Highly erodible land             |
| DnC        | DEKALB-BUCHANAN LOAMS, 5 TO 20 PERCENT SLOPES               | Highly erodible land             |
| DoB        | DEKALB-COOKPORT LOAMS, 3 TO 12 PERCENT SLOPES               | Potentially highly erodible land |
| DpC        | DEKALB-COOKPORT VERY STONY LOAMS, 5 TO 20 PERCENT SLOPES    | Highly erodible land             |
| DsC        | DEKALB-GILPIN VERY STONY COMPLEX, 5 TO 20 PERCENT SLOPES    | Highly erodible land             |
| DsE        | DEKALB-GILPIN VERY STONY COMPLEX, 20 TO 40 PERCENT SLOPES   | Highly erodible land             |
| DsF        | DEKALB-GILPIN VERY STONY COMPLEX, 40 TO 65 PERCENT SLOPES   | Highly erodible land             |
| EbD        | ELLIBER VERY STONY LOAM, 10 TO 35 PERCENT SLOPES            | Highly erodible land             |
| EbF        | ELLIBER VERY STONY LOAM, 35 TO 60 PERCENT SLOPES            | Highly erodible land             |
| Eld        | ELIBER VERY CHERTY SILT LOAM, 10 TO 25 PERCENT SLOPES       | Highly erodible land             |
| ErB        | ERNEST SILT LOAM, 3 TO 8 PERCENT SLOPES                     | Potentially highly erodible land |
| ErC        | ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES                    | Highly erodible land             |
| FaB        | FRANKSTOWN SILT LOAM, 3 TO 10 PERCENT SLOPES                | Potentially highly erodible land |

ERODIBLE SOILS LIST  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

| Map Symbol | MAPPING UNIT NAME  | HEL Class (Water)                |
|------------|--|----------------------------------|
| FaC        | FRANKSTOWN SILT LOAM, 10 TO 20 PERCENT SLOPES                        | Highly erodible land             |
| FaD        | FRANKSTOWN SILT LOAM, 20 TO 30 PERCENT SLOPES                        | Highly erodible land             |
| FbC        | FRANKSTOWN SILT LOAM, KARST, 10 TO 20 PERCENT SLOPES                 | Highly erodible land             |
| FeC        | FRANKSTOWN ROCKY SILT LOAM, 10 TO 20 PERCENT SLOPES                  | Potentially highly erodible land |
| FeD        | FRANKSTOWN ROCKY SILT LOAM, 20 TO 30 PERCENT SLOPES                  | Potentially highly erodible land |
| FhB        | FREDERICK CHERTY SILT LOAM, 3 TO 8 PERCENT SLOPES                    | Potentially highly erodible land |
| FhC        | FREDERICK CHERTY SILT LOAM, 8 TO 15 PERCENT SLOPES                   | Highly erodible land             |
| FhD        | FREDERICK CHERTY SILT LOAM, 15 TO 25 PERCENT SLOPES                  | Highly erodible land             |
| FhE        | FREDERICK CHERTY SILT LOAM, 25 TO 45 PERCENT SLOPES                  | Highly erodible land             |
| FkB        | FREDERICK CHERTY SILT LOAM, KARST, 3 TO 8 PERCENT SLOPES             | Potentially highly erodible land |
| FkC        | FREDERICK CHERTY SILT LOAM, KARST, 8 TO 15 PERCENT SLOPES            | Highly erodible land             |
| FrC        | FREDERICK VERY ROCKY SOILS, 3 TO 15 PERCENT SLOPES                   | Potentially highly erodible land |
| FrD        | FREDERICK VERY ROCKY SOILS, 15 TO 25 PERCENT SLOPES                  | Potentially highly erodible land |
| FrE        | FREDERICK VERY ROCKY SOILS, 25 TO 45 PERCENT SLOPES                  | Potentially highly erodible land |
| FrE3       | FREDERICK VERY ROCKY SOILS, 25 TO 45 PERCENT SLOPES, SEVERELY ERODED | Potentially highly erodible land |
| FrF        | FREDERICK VERY ROCKY SOILS, 45 TO 60 PERCENT SLOPES                  | Potentially highly erodible land |
| Hu         | HUNTINGTON SILT LOAM, LOCAL ALLUVIUM                                 | Not highly erodible land         |
| LaB        | LAIDIG CHANNERY LOAM, 3 TO 8 PERCENT SLOPES                          | Potentially highly erodible land |
| LaC        | LAIDIG CHANNERY LOAM, 8 TO 15 PERCENT SLOPES                         | Potentially highly erodible land |
| LbC        | LAIDIG VERY STONY LOAM, 5 TO 15 PERCENT SLOPES                       | Potentially highly erodible land |
| LbD        | LAIDIG VERY STONY LOAM, 15 TO 30 PERCENT SLOPES                      | Highly erodible land             |
| LeC        | LAIDIG-ERNEST EXTREMELY STONY COMPLEX, 3 TO 15 PERCENT SLOPES        | Potentially highly erodible land |
| LeD        | LAIDIG-ERNEST EXTREMELY STONY COMPLEX, 15 TO 30 PERCENT SLOPES       | Highly erodible land             |
| Ln         | LINDSIDE SILT LOAM, LOCAL ALLUVIUM                                   | Not highly erodible land         |
| MgB        | MONONGAHELA SILT LOAM, 2 TO 8 PERCENT SLOPES                         | Potentially highly erodible land |
| MgC        | MONONGAHELA SILT LOAM, 8 TO 15 PERCENT SLOPES                        | Highly erodible land             |
| MuC        | MURRILL CHANNERY LOAM, 8 TO 15 PERCENT SLOPES                        | Potentially highly erodible land |
| MuD        | MURRILL CHANNERY LOAM, 15 TO 25 PERCENT SLOPES                       | Highly erodible land             |
| MvD        | MURRILL VERY STONY LOAM, 10 TO 25 PERCENT SLOPES                     | Highly erodible land             |
| MvE        | MURRILL VERY STONY LOAM, 25 TO 45 PERCENT SLOPES                     | Highly erodible land             |
| Ph         | PHILO SILT LOAM  | Not highly erodible land         |
| PkB        | PICKAWAY SILT LOAM, 3 TO 8 PERCENT SLOPES                            | Potentially highly erodible land |

ERODIBLE SOILS LIST  
 Greenbrier County, West Virginia--Detailed Soil Map Legend  
 Frozen List as of 1/1/90

| Map Symbol | MAPPING UNIT NAME  | HEL Class (Water)                |
|------------|--|----------------------------------|
| Po         | POPE FINE SANDY LOAM   | Not highly erodible land         |
| Pu         | PURDY SILT LOAM  | Potentially highly erodible land |
| RkF        | ROCK LAND, STEEP   | Highly erodible land             |
| Sc         | SEES SILTY CLAY LOAM   | Not highly erodible land         |
| Sp         | STEEP ERODED LAND, SHALE MATERIALS                                 | Highly erodible land             |
| Sr         | STONY ROCK LAND  | Highly erodible land             |
| SuC        | SUMMERS CHANNERY LOAM, 5 TO 15 PERCENT SLOPES                      | Potentially highly erodible land |
| SyD        | SUMMERS VERY STONY LOAM, 5 TO 25 PERCENT SLOPES                    | Potentially highly erodible land |
| TlB        | TEAS AND LITZ SILT LOAMS, 3 TO 8 PERCENT SLOPES                    | Potentially highly erodible land |
| TlC        | TEAS AND LITZ SILT LOAMS, 8 TO 15 PERCENT SLOPES                   | Highly erodible land             |
| TlC3       | TEAS AND LITZ SILT LOAMS, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED  | Highly erodible land             |
| TlD        | TEAS AND LITZ SILT LOAMS, 15 TO 25 PERCENT SLOPES                  | Highly erodible land             |
| TlD3       | TEAS AND LITZ SILT LOAMS, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED | Highly erodible land             |
| TlE        | TEAS AND LITZ SILT LOAMS, 25 TO 40 PERCENT SLOPES                  | Highly erodible land             |
| TlE3       | TEAS AND LITZ SILT LOAMS, 25 TO 40 PERCENT SLOPES, SEVERELY ERODED | Highly erodible land             |
| TlF        | TEAS AND LITZ SILT LOAMS, 40 TO 65 PERCENT SLOPES                  | Highly erodible land             |
| TlF3       | TEAS AND LITZ SILT LOAMS, 40 TO 65 PERCENT SLOPES, SEVERELY ERODED | Highly erodible land             |
| WeC        | WEIKERT SHALY SILT LOAM, 10 TO 20 PERCENT SLOPES                   | Highly erodible land             |
| WeD        | WEIKERT SHALY SILT LOAM, 20 TO 30 PERCENT SLOPES                   | Highly erodible land             |
| WeE        | WEIKERT SHALY SILT LOAM, 30 TO 45 PERCENT SLOPES                   | Highly erodible land             |
| WeF        | WEIKERT SHALY SILT LOAM, 45 TO 65 PERCENT SLOPES                   | Highly erodible land             |
| WkD        | WEIKERT-BERKS COMPLEX, 20 TO 30 PERCENT SLOPES                     | Highly erodible land             |
| WkE        | WEIKERT-BERKS COMPLEX, 30 TO 45 PERCENT SLOPES                     | Highly erodible land             |
| WkF        | WEIKERT-BERKS COMPLEX, 45 TO 65 PERCENT SLOPES                     | Highly erodible land             |
| WmB        | WESTMORELAND SILT LOAM, 3 TO 10 PERCENT SLOPES                     | Potentially highly erodible land |
| WmC        | WESTMORELAND SILT LOAM, 10 TO 20 PERCENT SLOPES                    | Highly erodible land             |
| WmD        | WESTMORELAND SILT LOAM, 20 TO 30 PERCENT SLOPES                    | Highly erodible land             |
| WmD3       | WESTMORELAND SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED   | Highly erodible land             |
| WmE        | WESTMORELAND SILT LOAM, 30 TO 45 PERCENT SLOPES                    | Highly erodible land             |
| WmE3       | WESTMORELAND SILT LOAM, 30 TO 45 PERCENT SLOPES, SEVERELY ERODED   | Highly erodible land             |
| WmF        | WESTMORELAND SILT LOAM, 45 TO 65 PERCENT SLOPES                    | Highly erodible land             |

\* For complexes and undifferentiated units the first named member is the HEL Class for the map unit.