

Map Unit Conversion Legend
 Tucker County and Northern Randolph County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
AbB	Albrights silt loam, 3 to 8 percent slopes	AbB	Albrights silt loam, 3 to 8 percent slopes
AbC	Albrights silt loam, 8 to 15 percent slopes	AbC	Albrights silt loam, 8 to 15 percent slopes
AgB	Allegheny silt loam, 3 to 8 percent slopes	AgB	Allegheny silt loam, 3 to 8 percent slopes
AgC	Allegheny silt loam, 8 to 15 percent slopes	AgC	Allegheny silt loam, 8 to 15 percent slopes
At	Atkins silt loam	At	Atkins silt loam
BB	Barbour and Pope fine sandy loams, rarely flooded	Bb	Barbour and Pope fine sandy loams, high bottom
BC	Barbour and Pope gravelly sandy loams	Bc	Barbour and Pope gravelly sandy loams
BD	Barbour and Pope gravelly sandy loams, rarely flooded	Bd	Barbour and Pope gravelly sandy loams, high bottom
BF	Barbour and Pope cobbly loamy sands	Bf	Barbour and Pope cobbly loamy sands
BmB	Belmont silt loam, 3 to 8 percent slopes	BmB	Belmont silt loam, 3 to 10 percent slopes
BmC	Belmont silt loam, 8 to 15 percent slopes	BmC	Belmont silt loam, 10 to 20 percent slopes
BmD	Belmont silt loam, 15 to 25 percent slopes	BmD	Belmont silt loam, 20 to 30 percent slopes
BmE	Belmont silt loam, 25 to 35 percent slopes	BmE	Belmont silt loam, 30 to 40 percent slopes
BnC	Belmont channery silt loam, 3 to 15 percent slopes, very stony	BnC	Belmont very stony silt loam, 3 to 20 percent slopes
BnD	Belmont channery silt loam, 15 to 25 percent slopes, very stony	BnD	Belmont very stony silt loam, 20 to 30 percent slopes
BnE	Belmont channery silt loam, 25 to 35 percent slopes, very stony	BnE	Belmont very stony silt loam, 30 to 40 percent slopes
BnF	Belmont channery silt loam, 35 to 70 percent slopes, very stony	BnF	Belmont very stony silt loam, 40 to 70 percent slopes
Bo	Blago silt loam	Bo	Blago silt loam
Bp	Blago silt loam, frequently flooded	Bp	Blago silt loam, overflow
BrA	Brinkerton silt loam, 0 to 3 percent slopes	BrA	Brinkerton silt loam, 0 to 3 percent slopes
BrB	Brinkerton silt loam, 3 to 8 percent slopes	BrB	Brinkerton silt loam, 3 to 8 percent slopes
BrC	Brinkerton silt loam, 8 to 15 percent slopes	BrC	Brinkerton silt loam, 8 to 15 percent slopes
BXC	Brinkerton-Lickdale association, 0 to 15 percent slopes, very rubbly	Vb	Very stony land-Brinkerton-Lickdale association
ByC	Brinkerton-Nolo complex, 3 to 15 percent slopes, rubbly	BsC	Brinkerton and Nolo extremely stony soils, 3 to 15 percent slopes

Map Unit Conversion Legend
 Tucker County and Northern Randolph County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
CaB	Calvin channery silt loam, 3 to 8 percent slopes	CaB	Calvin channery silt loam, 3 to 10 percent slopes
CaC	Calvin channery silt loam, 8 to 15 percent slopes	CaC	Calvin channery silt loam, 10 to 20 percent slopes
CaC3	Calvin channery silt loam, 8 to 15 percent slopes, severely eroded	CaC3	Calvin channery silt loam, 10 to 20 percent slopes, severely eroded
CaD	Calvin channery silt loam, 15 to 25 percent slopes	CaD	Calvin channery silt loam, 20 to 30 percent slopes
CaD3	Calvin channery silt loam, 15 to 25 percent slopes, severely eroded	CaD3	Calvin channery silt loam, 20 to 30 percent slopes, severely eroded
CaE	Calvin channery silt loam, 25 to 35 percent slopes	CaE	Calvin channery silt loam, 30 to 40 percent slopes
CaE3	Calvin channery silt loam, 25 to 35 percent slopes, severely eroded	CaE3	Calvin channery silt loam, 30 to 40 percent slopes, severely eroded
CaF	Calvin channery silt loam, 35 to 65 percent slopes	CaF	Calvin channery silt loam, 40 to 65 percent slopes
ChF	Calvin channery silt loam, 35 to 75 percent slopes, rubbly	VcF	Very stony land-Calvin complex, 40 to 75 percent slopes
ChB	Cateache channery silt loam, 3 to 8 percent slopes	ChB	Calvin channery silt loam, neutral substratum, 3 to 10 percent slopes
ChC	Cateache channery silt loam, 8 to 15 percent slopes	ChC	Calvin channery silt loam, neutral substratum, 10 to 20 percent slopes
ChD	Cateache channery silt loam, 15 to 25 percent slopes	ChD	Calvin channery silt loam, neutral substratum, 20 to 30 percent slopes
ChE	Cateache channery silt loam, 25 to 35 percent slopes	ChE	Calvin channery silt loam, neutral substratum, 30 to 40 percent slopes
ChF	Cateache channery silt loam, 35 to 65 percent slopes	ChF	Calvin channery silt loam, neutral substratum, 40 to 65 percent slopes
CnC	Cateache channery silt loam, 3 to 15 percent slopes, rubbly	CnC	Calvin extremely stony silt loam, neutral substratum, 3 to 20 percent slopes
CnE	Cateache channery silt loam, 15 to 35 percent slopes, rubbly	CnE	Calvin extremely stony silt loam, neutral substratum, 20 to 40 percent slopes
CnF	Cateache channery silt loam, 35 to 65 percent slopes, rubbly	CnF	Calvin extremely stony silt loam, neutral substratum, 40 to 65 percent slopes
CrD	Cedarcreek extremely channery loam, moderately steep	Sm	Strip mine
Cv	Chavies fine sandy loam	Se	Sequatchie fine sandy loam
CWC	Clymer and Wharton soils, 3 to 15 percent slopes, very rubbly	CwB	Clymer and Wharton rubbly soils, 3 to 15 percent slopes
CxB	Cookport silt loam, 3 to 8 percent slopes	CoB	Cookport silt loam, 2 to 10 percent slopes
CzB	Cookport cobbly silt loam, 3 to 8 percent slopes, extremely stony	CsB	Cookport very stony silt loam, 2 to 10 percent slopes
DaB	Dekalb channery loam, 3 to 8 percent slopes	DaB	Dekalb channery loam, 3 to 10 percent slopes

Map Unit Conversion Legend
 Tucker County and Northern Randolph County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
DaC	Dekalb channery loam, 8 to 15 percent slopes	DaC	Dekalb channery loam, 10 to 20 percent slopes
DaD	Dekalb channery loam, 15 to 25 percent slopes	DaD	Dekalb channery loam, 20 to 30 percent slopes
DaE	Dekalb channery loam, 25 to 35 percent slopes	DaE	Dekalb channery loam, 30 to 40 percent slopes
DaF	Dekalb channery loam, 35 to 65 percent slopes	DaF	Dekalb channery loam, 40 to 65 percent slopes
DkB	Dekalb loam, 3 to 8 percent slopes	DkB	Dekalb loam, 3 to 10 percent slopes
DkC	Dekalb loam, 8 to 15 percent slopes	DkC	Dekalb loam, 10 to 20 percent slopes
DmC	Dekalb very cobbly loam, 3 to 15 percent slopes, rubbly	DmC	Dekalb extremely stony loam, 3 to 20
DmE	Dekalb very cobbly loam, 15 to 35 percent slopes, rubbly	DmE	Dekalb extremely stony loam, 20 to 40 percent slopes
DmF	Dekalb very cobbly loam, 35 to 70 percent slopes, rubbly	DmF	Dekalb extremely stony loam, 40 to 70 percent slopes
DrE	Dekalb very cobbly loam, 15 to 35 percent slopes, very rubbly	VdE	Very stony land-Dekalb complex, 20 to 40 percent slopes
DrF	Dekalb very cobbly loam, 35 to 80 percent slopes, very rubbly	VdF	Very stony land-Dekalb complex, 40 to 80 percent slopes
EnB	Ernest silt loam, 3 to 8 percent slopes	EnB	Ernest silt loam, 3 to 8 percent slopes
EnC	Ernest silt loam, 8 to 15 percent slopes	EnC	Ernest silt loam, 8 to 15 percent slopes
EnD	Ernest silt loam, 15 to 25 percent slopes	EnD	Ernest silt loam, 15 to 25 percent slopes
ErC	Ernest cobbly silt loam, 3 to 15 percent slopes, rubbly	ErC	Ernest extremely stony silt loam, 3 to 15 percent slopes
ErE	Ernest cobbly silt loam, 15 to 35 percent slopes, rubbly	ErD	Ernest extremely stony silt loam, 15 to 35 percent slopes
ExC	Ernest silt loam, 3 to 15 percent slopes, very rubbly	VeC	Very stony land-Ernest complex, 3 to 15 percent slopes
ExE	Ernest silt loam, 15 to 35 percent slopes, very rubbly	VeD	Very stony land-Ernest complex, 15 to 35 percent slopes
Fu	Fluvaquents-Udifluvents complex	Al	Alluvial land
GcB	Gilpin channery silt loam, 3 to 8 percent slopes	GcB	Gilpin channery silt loam, 3 to 10 percent slopes
GcC	Gilpin channery silt loam, 8 to 15 percent slopes	GcC	Gilpin channery silt loam, 10 to 20 percent slopes
GcC3	Gilpin channery silt loam, 8 to 15 percent slopes, severely eroded	GcC3	Gilpin channery silt loam, 10 to 20 percent slopes, severely eroded
GcD	Gilpin channery silt loam, 15 to 25 percent slopes	GcD	Gilpin channery silt loam, 20 to 30 percent slopes
GcD3	Gilpin channery silt loam, 15 to 25 percent slopes, severely eroded	GcD3	Gilpin channery silt loam, 20 to 30 percent slopes severely eroded

Map Unit Conversion Legend
 Tucker County and Northern Randolph County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
GcE	Gilpin channery silt loam, 25 to 35 percent slopes	GcE	Gilpin channery silt loam, 30 to 40 percent slopes
GcE3	Gilpin channery silt loam, 25 to 35 percent slopes, severely eroded	GcE3	Gilpin channery silt loam, 30 to 40 percent slopes, severely eroded
GcF	Gilpin channery silt loam, 35 to 70 percent slopes	GcF	Gilpin channery silt loam, 40 to 70 percent slopes
GcF3	Gilpin channery silt loam, 35 to 70 percent slopes severely eroded	GcF3	Gilpin channery silt loam, 40 to 70 percent slopes severely eroded
It	Itmann very channery sandy loam	U2	Mine dumps
LcB	Leetonia channery loam, 3 to 8 percent slopes	LcB	Leetonia channery loam, 3 to 10 percent slopes
LcC	Leetonia channery loam, 8 to 15 percent slopes	LcC	Leetonia channery loam, 10 to 20 percent slopes
LkC	Leetonia very cobbly loamy sand, 3 to 15 percent slopes, very rubbly	VlC	Very stony land-Leetonia complex, 3 to 20 percent slopes
LmA	Lickdale silt loam, 0 to 5 percent slopes	LdA	Lickdale silt loam, 0 to 5 percent slopes
LP	Linden and Pope fine sandy loams	Ba	Barbour and Pope fine sandy loam
LsA	Lickdale silt loam, 0 to 5 percent slopes, very stony	LsA	Lickdale very stony silt loam, 0 to 5 percent
McB	Meckesville silt loam, 3 to 8 percent slopes	McB	Meckesville silt loam, 3 to 8 percent slopes
McC	Meckesville silt loam, 8 to 15 percent slopes	McC	Meckesville silt loam, 8 to 15 percent slopes
MkC	Meckesville silt loam, 3 to 15 percent slopes, very stony	MkC	Meckesville very stony silt loam, 3 to 15 percent slopes
MkD	Meckesville silt loam, 15 to 25 percent slopes, very stony	MkD	Meckesville very stony silt loam, 15 to 30 percent slopes
MkE	Meckesville silt loam, 25 to 35 percent slopes, very stony	MkE	Meckesville very stony silt loam, 30 to 40 percent slopes
MoA	Monongahela silt loam, 0 to 3 percent slopes	MoA	Monongahela silt loam, 0 to 3 percent slopes
MoB	Monongahela silt loam, 3 to 8 percent slopes	MoB	Monongahela silt loam, 3 to 8 percent slopes
MoC	Monongahela silt loam, 8 to 15 percent slopes	MoC	Monongahela silt loam, 8 to 15 percent slopes
Mp	Muck and peat (Haplosaprists)	Mp	Muck and peat
NoA	Nolo silt loam, 0 to 3 percent slopes	NoA	Nolo silt loam, 0 to 5 percent slopes
NoB	Nolo silt loam, 3 to 8 percent slopes	NoB	Nolo silt loam, 5 to 10 percent slopes
Ph	Philo silt loam	Ph	Philo silt loam
PuA	Purdy silty clay loam, 0 to 3 percent slopes	Pu	Purdy silty clay loam
QM	Quarry, limestone	*	No prior map unit
QS	Quarry, sandstone	*	No prior map unit

Map Unit Conversion Legend
 Tucker County and Northern Randolph County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
RS	Rubble land, sandstone	Sa	Sandstone rubble land
ScC	Shelocta silt loam, 8 to 15 percent slopes	GcF	Gilpin channery silt loam, 40 to 70 percent slopes
Sv	Stony alluvial land (Udifluvents)	Sl	Stony alluvial land
TyA	Tyler silt loam, 0 to 3 percent slopes	Ty	Tyler silt loam
Ud	Udorthents, smoothed	Ma	Made land
W	Water		
WeB	Wet land (Placaquods), 3 to 8 percent slopes, very rubbly	VwB	Very stony land-Wet land complex, 3 to 10 percent slopes
WtA	Wet terrace land (Aeric Endoaqualfs), 0 to 3 percent slopes	Wt	Wet terrace land