

Map Unit Conversion Legend*
 Wood and Wirt Counties, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
AsA	Ashton silt loam, 0 to 3 percent slopes	AsA	Ashton silt loam, 0 to 3 percent slopes
AsB	Ashton silt loam, 3 to 10 percent slopes	AsB	Ashton silt loam, 3 to 10 percent slopes
CoA	Cotaco silt loam, 0 to 3 percent slopes	CoA	Cotaco silt loam, 0 to 3 percent slopes
CoB	Cotaco silt loam, 3 to 10 percent slopes	CoB	Cotaco silt loam, 3 to 10 percent slopes
CoC	Cotaco silt loam, 10 to 20 percent slopes	CoC	Cotaco silt loam, 10 to 20 percent slopes
DuB	Duncannon silt loam, 3 to 10 percent slopes	DuB	Duncannon silt loam, 3 to 10 percent slopes
DuC	Duncannon silt loam, 10 to 20 percent slopes	DuC	Duncannon silt loam, 10 to 20 percent slopes
DuD	Duncannon silt loam, 20 to 30 percent slopes	DuD	Duncannon silt loam, 20 to 30 percent slopes
DuE	Duncannon silt loam, 30 to 40 percent slopes	DuE	Duncannon silt loam, 30 to 40 percent slopes
GaB	Gallia Loam, 3 to 10 percent slopes	AeB	Allen loam, 3 to 10 percent slopes
GaC	Gallia Loam, 10 to 20 percent slopes	AeC	Allen loam, 10 to 20 percent slopes
GaC3	Gallia Loam, 10 to 20 percent slopes, severely eroded	AeC3	Allen loam, 10 to 20 percent slopes severely eroded
GaD3	Gallia Loam, 20 to 30 percent slopes, severely eroded	AeD3	Allen loam, 20 to 30 percent slopes severely eroded
GlE	Gilpin silt loam, 30 to 40 percent slopes	MuE	Muskingum silt loam, 30 to 40 percent slopes
GlF	Gilpin silt loam, 40 to 55 percent slopes	MuF	Muskingum silt loam, 40 to 55 percent slopes
GlF3	Gilpin silt loam, 40 to 55 percent slopes, severely eroded	MuF3	Muskingum silt loam, 30 to 55 percent slopes, severely eroded
Gn	Ginat silt loam	Gn	Ginat silt loam
Gp	Gravel pit	none	
GwD	Gilpin-Wharton complex, 20 to 30 percent slopes	MuD	Muskingum silt loam, 20 to 30 percent slopes
		MuD3	Muskingum silt loam, 20 to 30 percent slopes, severely eroded
HaA	Hackers loam, 0 to 3 percent slopes	HaA	Hackers loam, 0 to 3 percent slopes
HaB	Hackers loam, 3 to 10 percent slopes	HaB	Hackers loam, 3 to 10 percent slopes
HaC	Hackers loam, 10 to 20 percent slopes	HaC	Hackers loam, 10 to 20 percent slopes

Map Unit Conversion Legend*
 Wood and Wirt Counties, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
HcA	Hackers silt loam, 0 to 3 percent slopes	HcA	Hackers silt loam, 0 to 3 percent slopes
HcB	Hackers silt loam, 3 to 10 percent slopes	HcB	Hackers silt loam, 3 to 10 percent slopes
HcC	Hackers silt loam, 10 to 20 percent slopes	HcC	Hackers silt loam, 10 to 20 percent slopes
HcD	Hackers silt loam, 20 to 30 percent slopes	HcD	Hackers silt loam, 20 to 30 percent slopes
Hf	Huntington fine sandy loam	Hf	Huntington fine sandy loam
HnA	Huntington silt loam, 0 to 3 percent slopes	HnA	Huntington silt loam, 0 to 3 percent slopes
HnB	Huntington silt loam, 3 to 10 percent slopes	HnB	Huntington silt loam, 3 to 10 percent slopes
Ht	Huntington silt loam, low bottom	Ht	Huntington silt loam, low bottom
LaB	Lakin loamy sand, 3 to 10 percent slopes	LaB	Lakin loamy sand, 3 to 10 percent slopes
LkB	Lakin loamy fine sand, 3 to 10 percent slopes	LkB	Lakin loamy fine sand, 3 to 10 percent slopes
LkC	Lakin loamy fine sand, 10 to 20 percent slopes	LkC	Lakin loamy fine sand, 10 to 20 percent slopes
LkD	Lakin loamy fine sand, 20 to 30 percent slopes	LkD	Lakin loamy fine sand, 20 to 30 percent slopes
Ln	Lindside silt loam	Ln	Lindside silt loam
Ma	Made land	Ma	Made land
MdB	Markland silt loam, 3 to 10 percent slopes	MdB	Markland silt loam, 3 to 10 percent slopes
MdC	Markland silt loam, 10 to 20 percent slopes	MdC	Markland silt loam, 10 to 20 percent slopes
MdE	Markland silt loam, 30 to 40 percent slopes	MdE	Markland silt loam, 30 to 40 percent slopes
MeC3	Markland silty clay loam, 10 to 20 percent slopes, severely eroded	MeC3	Markland silty clay loam, 10 to 20 percent slopes, severely eroded
MeD3	Markland silty clay loam, 20 to 30 percent slopes, severely eroded	MeD3	Markland silty clay loam, 20 to 30 percent slopes, severely eroded
MeE3	Markland silty clay loam, 30 to 40 percent slopes, severely eroded	MeE3	Markland silty clay loam, 30 to 40 percent slopes, severely eroded
Mg	McGary silty clay loam	Mg	McGary silty clay loam
Ml	Melvin silt loam	Ml	Melvin silt loam

Map Unit Conversion Legend*
 Wood and Wirt Counties, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
MnA	Monongahela and Tilsit silt loams, 0 to 3 percent slopes	MnA	Monongahela and Tilsit silt loam, 0 to 3 percent slopes
MnB	Monongahela and Tilsit silt loams, 3 to 10 percent slopes	MnB	Monongahela and Tilsit silt loam, 3 to 10 percent slopes
MnC	Monongahela and Tilsit silt loams, 10 to 20 percent slopes	MnC	Monongahela and Tilsit silt loams, 10 to 20 percent slopes
MnC3	Monongahela and Tilsit silt loams, 10 to 20 percent slopes, severely eroded	MnC3	Monongahela and Tilsit silt loams, 10 to 20 percent slopes, severely eroded
MnD	Monongahela and Tilsit silt loams, 20 to 30 percent slopes	MnD	Monongahela and Tilsit silt loams, 20 to 30 percent slopes
MnD3	Monongahela and Tilsit silt loams, 20 to 30 percent slopes, severely eroded	MnD3	Monongahela and Tilsit silt loams, 20 to 30 percent slopes, severely eroded
MoA	Moshannon silt loam, 0 to 3 percent slopes	MoA	Moshannon silt loam, 0 to 3 percent slopes
MoB	Moshannon silt loam, 3 to 10 percent slopes	MoB	Moshannon silt loam, 3 to 10 percent slopes
Ms	Moshannon silt loam, low bottom	Ms	Moshannon silt loam, low bottom
PgF	Peabody-Gilpin complex, 40 to 55 percent slopes	UmF	Upshur-Muskingum complex, 40 to 55 percent slopes
PgF3	Peabody-Gilpin complex, 30 to 55 percent slopes, severely eroded	UmF3	Upshur-Muskingum complex, 40 to 55 percent slope, severely eroded
		UmF4	Upshur-Muskingum complex, 40 to 55 percent slopes, very severely eroded
PvF	Peabody-Gilpin complex, 30 to 55 percent slopes, very stony	UvF	Upshur-Muskingum very stony complex, 30 to 55 percent slopes
ScA	Sciotoville silt loam, 0 to 3 percent slopes	ScA	Sciotoville silt loam, 0 to 3 percent slopes
ScB	Sciotoville silt loam, 3 to 10 percent slopes	ScB	Sciotoville silt loam, 3 to 10 percent slopes
Se	Senecaville silt loam	Se	Senecaville silt loam
Sn	Senecaville silt loam, low bottom	Sn	Senecaville silt loam, low bottom
Ss	Sensabaugh loam, 0 to 3 percent slopes occasionally flooded	Mt	Moshannon silt loam, coarse subsoil variant
StF	Steep land, alluvial materials	StF	Steep land, alluvial materials
Ty	Tygart silt loam	Ty	Tygart silt loam
UcB	Upshur silty clay loam, 3 to 10 percent slopes	UcB	Upshur silty clay loam, 3 to 10 percent slopes

Map Unit Conversion Legend*
 Wood and Wirt Counties, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
UcC	Upshur silty clay loam, 10 to 20 percent slopes	UcC	Upshur silty clay loam, 10 to 20 percent slopes
UcD	Upshur silty clay loam, 20 to 30 percent slopes	UcD	Upshur silty clay loam, 20 to 30 percent slopes
UdC3	Upshur silty clay, 10 to 20 percent slopes, severely eroded	UdC3	Upshur silty clay, 10 to 20 percent slopes, severely eroded
UdD3	Upshur silty clay, 20 to 30 percent slopes, severely eroded	UdD3	Upshur silty clay, 20 to 30 percent slopes, severely eroded
UeC	Upshur-Brooke silty clay loams, 10 to 20 percent slopes	UeC	Upshur-Brooke silty clay loams, 10 to 20 percent slopes
UeD	Upshur-Brooke silty clay loams, 20 to 30 percent slopes	UeD	Upshur-Brooke silty clay loams, 20 to 30 percent slopes
UgB	Upshur-Gilpin complex, 3 to 10 percent slopes	UmB	Upshur-Muskingum complex, 3 to 10 percent slopes
UgC	Upshur-Gilpin complex, 10 to 20 percent slopes	UmC	Upshur-Muskingum complex, 10 to 20 percent slopes
UgC3	Upshur-Gilpin complex, 10 to 20 percent slopes, severely eroded	UmC3	Upshur-Muskingum complex, 10 to 20 percent slopes, severely eroded
UgD	Upshur-Gilpin complex, 20 to 30 percent slopes	UmD	Upshur-Muskingum complex, 20 to 30 percent slopes
UgD3	Upshur-Gilpin complex, 20 to 30 percent slopes, severely eroded	UmD3	Upshur-Muskingum complex, 20 to 30 percent slopes, severely eroded
UgE	Upshur-Gilpin complex, 30 to 40 percent slopes	UmE	Upshur-Muskingum complex, 30 to 40 percent slopes
UgE3	Upshur-Gilpin complex, 30 to 40 percent slopes, severely eroded	UmE3	Upshur-Muskingum complex, 30 to 40 percent slopes, severely eroded
UhC3	Upshur-Brooke silty clays, 10 to 20 percent slopes, severely eroded	UhC3	Upshur-Brooke silty clays, 10 to 20 percent slopes, severely eroded
UhD3	Upshur-Brooke silty clays, 20 to 30 percent slopes, severely eroded	UhD3	Upshur-Brooke silty clays, 20 to 30 percent slopes, severely eroded
UhD4	Upshur-Brooke silty clays, 20 to 30 percent slopes, very severely eroded	UhD4	Upshur-Brooke silty clays, 20 to 30 percent slopes, very severely eroded
VaB	Vandalia silty clay loam, 3 to 10 percent slopes	VaB	Vandalia silty clay loam, 3 to 10 percent slopes
VaC	Vandalia silty clay loam, 10 to 20 percent slopes	VaC	Vandalia silty clay loam, 10 to 20 percent slopes
VaC3	Vandalia silty clay loam, 10 to 20 percent slopes, severely eroded	VaC3	Vandalia silty clay loam, 10 to 20 percent slopes, severely eroded

Map Unit Conversion Legend*
 Wood and Wirt Counties, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Frozen Symbol	Frozen Map Unit Name
VaD	Vandalia silty clay loam, 20 to 30 percent slopes	VaD	Vandalia silty clay loam, 20 to 30 percent slopes
VaD3	Vandalia silty clay loam, 20 to 30 percent slopes, severely eroded	VaD3	Vandalia silty clay loam, 20 to 30 percent slopes, severely eroded
VaE	Vandalia silty clay loam, 30 to 40 percent slopes	VaE	Vandalia silty clay loam, 30 to 40 percent slopes
VaE3	Vandalia silty clay loam, 30 to 40 percent slopes, severely eroded	VaE3	Vandalia silty clay loam, 30 to 40 percent slopes, severely eroded
VdD	Vandalia very stony silty clay loam, 20 to 30 percent slopes	VdD	Vandalia very stony silty clay loam, 20 to 30 percent slopes
VdE	Vandalia very stony silty clay loam, 30 to 40 percent slopes	VdE	Vandalia very stony silty clay loam, 30 to 40 percent slopes
VsD4	Vandalia silty clay loam, 20 to 30 percent slopes, very severely eroded	VsD4	Vandalia silty clay loam, 20 to 30 percent slopes, very severely eroded
W	Water	W	Water
WeA	Wheeling fine sandy loam, 0 to 3 percent slopes	WeA	Wheeling fine sandy loam, 0 to 3 percent slopes
WeB	Wheeling fine sandy loam, 3 to 10 percent slopes	WeB	Wheeling fine sandy loam, 3 to 10 percent slopes
WeC	Wheeling fine sandy loam, 10 to 20 percent slopes	WeC	Wheeling fine sandy loam, 10 to 20 percent slopes
WgC	Wharton-Gilpin complex, 10 to 20 percent slopes	MuC	Muskingum silt loam, 10 to 20 percent slopes
		MuC3	Muskingum silt loam, 10 to 20 percent slopes, severely eroded
WhA	Wheeling silt loam, 0 to 3 percent slopes	WhA	Wheeling silt loam, 0 to 3 percent slopes
WhB	Wheeling silt loam, 3 to 10 percent slopes	WhB	Wheeling silt loam, 3 to 10 percent slopes
WhC	Wheeling silt loam, 10 to 20 percent slopes	WhC	Wheeling silt loam, 10 to 20 percent slopes
ZoB	Zoar silt loam, 3 to 10 percent slopes	ZoB	Zoar silt loam, 3 to 10 percent slopes
ZoC	Zoar silt loam, 10 to 20 percent slopes	ZoC	Zoar silt loam, 10 to 20 percent slopes
ZsC3	Zoar silty clay loam, 10 to 20 percent slopes, severely eroded	ZsC3	Zoar silty clay loam, 10 to 20 percent slopes, severely eroded
ZsD3	Zoar silty clay loam, 20 to 30 percent slopes, severely eroded	ZsD3	Zoar silty clay loam, 20 to 30 percent slopes, severely eroded

* This soil survey legend was updated and revised in 2008 and 2009.