

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
AmB	Airmont cobbly loam, 0 to 8 percent slopes, stony	LaC	Laidig gravelly loam, 6 to 12 percent slopes	Harper's phyllite concave footslopes
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Harper's phyllite footslopes/drainageways
AxC	Airmont very cobbly loam, 8 to 15 percent slopes, extremely stony	LaC	Laidig gravelly loam, 6 to 12 percent slopes	Harper's phyllite footslopes/drainageways
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Harper's phyllite mtn. drainageways
		LbD	Laidig very stony loam, 12 to 25 percent slopes	Harper's phyllite mtn. drainageways
BaC	Bagtown gravelly loam, 8 to 15 percent slopes, very stony	DcC	Dekalb channery fine sandy loam, 6 to 12 percent slopes	Antietam quartzite
		DcD	Dekalb channery fine sandy loam, 12 to 25 percent slopes	Antietam quartzite
		LaC	Laidig gravelly loam, 6 to 12 percent slopes	Antietam quartzite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Antietam quartzite
BaD	Bagtown gravelly loam, 15 to 25 percent slopes, very stony	DcD	Dekalb channery fine sandy loam, 12 to 25 percent slopes	Antietam quartzite
		LaD	Laidig gravelly loam, 12 to 25 percent slopes	Antietam quartzite
		LbD	Laidig very stony loam, 12 to 25 percent slopes	Antietam quartzite
BgE	Bagtown very flaggy sandy loam, 25 to 45 percent slopes, extremely stony	EdF	Edgemont very stony loam, 25 to 50 percent slopes	Weverton quartzite
		SrF	Steep rock land	Weverton quartzite
BnF	Bagtown very flaggy loam, 25 to 65 percent slopes, rubbly	DcE	Dekalb channery fine sandy loam, 25 to 35 percent slopes	Antietam quartzite
		DcF	Dekalb channery fine sandy loam, 35 to 55 percent slopes	Antietam quartzite
		EdF	Edgemont very stony loam, 25 to 50 percent slopes	Antietam quartzite
BoF	Bagtown-Stumptown-Rock outcrop complex, 25 to 65 percent slopes	SrF	Steep rock land	Weverton quartzite
Bp	Bigpool silt loam	As	Ashton loam	high floodplains
CaB	Carbo silty clay loam, 3 to 8 percent slopes, very rocky	CdB	Chilhowie silty clay, 2 to 6 percent slopes	Rockdale Run
CaC	Carbo silty clay loam, 8 to 15 percent slopes, very rocky	CdC	Chilhowie silty clay, 6 to 12 percent slopes	Rockdale Run
		CeC3	Chilhowie clay, 6 to 12 percent slopes, severely eroded	Rockdale Run
CbC	Carbo-Rock outcrop complex, 3 to 15 percent slopes	ChC	Chilhowie and Opequon very rocky silty clays, 2 to 12 percent slopes	Rockdale Run
		ClC3	Chilhowie and Opequon very rocky clays, 6 to 12 percent slopes, severely eroded	Rockdale Run
CbD	Carbo-Rock outcrop complex, 15 to 25 percent slopes	BeD	Benevola very rocky silty clay, 12 to 25 percent slopes	Tomstown
		ClD3	Chilhowie and Opequon very rocky clays, 12 to 25 percent slopes, severely eroded	Rockdale Run
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Rockdale Run & Tomstown

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
CbD	Carbo-Rock outcrop complex, 15 to 25 percent slopes	HgD	Hagerstown and frederick very rocky silt loams, 12 to 25 percent slopes	Rockdale Run & Tomstown
		HlD3	Hagerstown and frederick very rocky silty clay loams, 12 to 25 percent slopes, severely eroded	Rockdale Run & Tomstown
CdD	Cardova channery silt loam, 15 to 25 percent slopes	BlD	Berks-Weikert shaly silt loams, 12 to 25 percent slopes	Harper's phyllite
		DcD	Dekalb channery fine sandy loam, 12 to 25 percent slopes	Harper's phyllite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Harper's phyllite
		LbD	Laidig very stony loam, 12 to 25 percent slopes	Harper's phyllite
		WeD3	Weikert shaly silt loam, 12 to 25 percent slopes, severely eroded	Harper's phyllite
CmB	Clearbrook silt loam, 0 to 8 percent slopes	BnB	Blairton silt loam, 2 to 6 percent slopes	Martinsburg shale
CrB	Clearbrook-Berks channery silt loams, 3 to 8 percent slopes	BlB	Berks-Weikert shaly silt loams, 2 to 6 percent slopes	Martinsburg shale
Cs	Combs fine sandy loam	As	Ashton loam	Floodplains
		Hn	Huntington silt loam	Floodplains
		Lf	Landes fine sandy loam	Floodplains
DsB	Downsville gravelly loam, 3 to 8 percent slopes	BrB	Braddock gravelly loam, 2 to 6 percent slopes	High river terraces
DsC	Downsville gravelly loam, 8 to 15 percent slopes	BrC	Braddock gravelly loam, 6 to 12 percent slopes	High river terraces
		BrC3	Braddock gravelly loam, 6 to 12 percent slopes, severely eroded	High river terraces
DsD	Downsville gravelly loam, 15 to 25 percent slopes	BrD	Braddock gravelly loam, 12 to 25 percent slopes	High river terraces
		BrD3	Braddock gravelly loam, 12 to 25 percent slopes, severely eroded	High river terraces
DsE	Downsville gravelly loam, 25 to 35 percent slopes	BrE	Braddock gravelly loam, 25 to 35 percent slopes	High river terraces
DyB	Duffield-Ryder complex, 3 to 8 percent slopes	FbB	Frankstown shaly silt loam, 2 to 6 percent slopes	Waynesboro
DyC	Duffield-Ryder complex, 8 to 15 percent slopes	FbC	Frankstown shaly silt loam, 6 to 12 percent slopes	Waynesboro
DyD	Duffield-Ryder complex, 15 to 25 percent slopes	FbD	Frankstown shaly silt loam, 12 to 25 percent slopes	All limestones
		FbD3	Frankstown shaly silt loam, 12 to 25 percent slopes, severely eroded	All limestones
DyE	Duffield-Ryder complex, 25 to 35 percent slopes	FbE3	Frankstown shaly silt loam, 25 to 35 percent slopes, severely eroded	All limestones
EgB	Edgemont gravelly loam, 3 to 8 percent slopes	DcC	Dekalb channery fine sandy loam, 6 to 12 percent slopes	Antietam quartzite
EgC	Edgemont gravelly loam, 8 to 15 percent slopes	DcC	Dekalb channery fine sandy loam, 6 to 12 percent slopes	Antietam quartzite
EgD	Edgemont gravelly loam, 15 to 25 percent slopes	DcD	Dekalb channery fine sandy loam, 12 to 25 percent slopes	Antietam quartzite
Fa	Fairplay (marl) silt loam	Am	Alluvial land, marl substratum	Floodplains
Fk	Funkstown silt loam	Ho	Huntington silt loam, local alluvium	Limestone upland drainageways
HbB	Hagerstown silt loam, 3 to 8 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Conoccocheague & elbrook slopes

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
HbC	Hagerstown silt loam, 8 to 15 percent slopes	HbC	Hagerstown silt loam, 6 to 12 percent slopes	Conoccocheague & elbrook
HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	HeC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
HeB	Hagerstown silt loam, 3 to 8 percent slopes, very rocky	HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Conoccocheague & elbrook
HeC	Hagerstown silt loam 8 to 15 percent slopes, very rocky	HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Conoccocheague & elbrook
		HhC3	Hagerstown and Frederick cherty silty clay loams, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
HgE	Hagerstown-Opequon-Rock outcrop complex, 15 to 35 percent slopes	HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Conoccocheague & elbrook
		HgD	Hagerstown and frederick very rocky silt loams, 12 to 25 percent slopes	Conoccocheague & elbrook
		HlD3	Hagerstown and frederick very rocky silty clay loams, 12 to 25 percent slopes, severely eroded	Conoccocheague & elbrook
HrB	Hagerstown-Rock outcrop complex, 3 to 8 percent slopes	HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Conoccocheague & elbrook
		HgB	Hagerstown and frederick very rocky silt loams, 2 to 6 percent slopes	Conoccocheague & elbrook
		HlC3	Hagerstown and frederick very rocky silty clay loams, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
HrC	Hagerstown-Rock outcrop complex, 8 to 15 percent slopes	HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Conoccocheague & elbrook
		HgB	Hagerstown and frederick very rocky silt loams, 2 to 6 percent slopes	Conoccocheague & elbrook
		HgC	Hagerstown and frederick very rocky silt loams, 6 to 12 percent slopes	Conoccocheague & elbrook
		HlD3	Hagerstown and frederick very rocky silty clay loams, 12 to 25 percent slopes, severely eroded	Conoccocheague & elbrook
Hy	Holly loam	Ad	Alluvial land	Floodplains
		Me	Melvin silt loam	Floodplains
La	Lappans (marl) loam	Am	Alluvial land, marl substratum	Floodplains
Ln	Lindside silt loam	Ad	Alluvial land	Floodplains
MhA	Monongahela silt loam, 0 to 3 percent slopes	MhB	Monongahela silt loam, 2 to 6 percent slopes	High river terraces
MoB	Monongahela fine sandy loam, 3 to 8 percent slopes	BrC	Braddock gravelly loam, 6 to 12 percent slopes	Footslope terraces
		BrC3	Braddock gravelly loam, 6 to 12 percent slopes, severely eroded	Footslope terraces
MxC	Myersville-Catoctin gravelly silt loams, 3 to 15 percent slopes, extremely stony	CmD	Clifton very stony silt loam, 6 to 20 percent slopes	Catoctin greenstone
MxD	Myersville-Catoctin gravelly silt loams, 15 to 25 percent slopes, extremely stony	CmD	Clifton very stony silt loam, 6 to 20 percent slopes	Catoctin greenstone
OaB	Oaklet silt loam, 3 to 8 percent slopes	BaB	Benevola silty clay loam, 2 to 6 percent slopes	Tomstown
		CdB	Chilhowie silty clay, 2 to 6 percent slopes	Rockdale Run
		HbB	Hagerstown silt loam, 2 to 6 percent slopes	Rockdale Run & Chambersburg

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
OaB	Oaklet silt loam, 3 to 8 percent slopes	HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Rockdale Run & Chambersburg
OaC	Oaklet silt loam, 8 to 15 percent slopes	CdC	Chilhowie silty clay, 6 to 12 percent slopes	Rockdale Run
		HbC	Hagerstown silt loam, 6 to 12 percent slopes	Rockdale Run & Chambersburg
		HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Rockdale Run & Chambersburg
OeB	Oaklet silt loam, 3 to 8 percent slopes, very rocky	HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Rockdale Run & Chambersburg
OeC	Oaklet silt loam, 8 to 15 percent slopes, very rocky	HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Rockdale Run & Chambersburg
OkC	Oaklet silty clay loam, 8 to 15 percent slopes, very rocky	BcC3	Benevola clay, 6 to 12 percent slopes, severely eroded	Tomstown
		CeC3	Chilhowie clay, 6 to 12 percent slopes, severely eroded	Rockdale Run
		ClC3	Chilhowie and opequon very rocky clays, 6 to 12 percent slopes, severely eroded	Rockdale Run
		HeC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Rockdale Run & Chambersburg
		HhC3	Hagerstown and Frederick cherty silty clay loams, 6 to 12 percent slopes, severely eroded	Rockdale Run & Chambersburg
OrB	Oaklet-Rock outcrop complex, 3 to 8 percent slopes	BeC	Benevola very rocky silty clay, 6 to 12 percent slopes	Tomstown
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Rockdale Run & Chambersburg
		HgB	Hagerstown and frederick very rocky silt loams, 2 to 6 percent slopes	Rockdale Run & Chambersburg
		HlC3	Hagerstown and frederick very rocky silty clay loams, 6 to 12 percent slopes, severely eroded	Rockdale Run & Chambersburg
OrC	Oaklet-Rock outcrop complex, 8 to 15 percent slopes	HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Rockdale Run & Chambersburg
		HgC	Hagerstown and frederick very rocky silt loams, 6 to 12 percent slopes	Rockdale Run & Chambersburg
PmB	Poplimento silt loam, 3 to 8 percent slopes	DgB	Duffield silt loam, 2 to 6 percent slopes	All limestones
		FbB	Frankstown shaly silt loam, 2 to 6 percent slopes	Conoccocheague & elbrook
		HbB	Hagerstown silt loam, 2 to 6 percent slopes	Waynesboro
PmC	Poplimento silt loam, 8 to 15 percent slopes	DgC	Duffield silt loam, 6 to 12 percent slopes	All limestones
		DgC3	Duffield silt loam, 6 to 12 percent slopes, severely eroded	All limestones
		FbC	Frankstown shaly silt loam, 6 to 12 percent slopes	Conoccocheague & elbrook
		FbC3	Frankstown shaly silt loam, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
		HbC	Hagerstown silt loam, 6 to 12 percent slopes	Waynesboro
		HeC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Waynesboro
PpB	Poplimento silt loam, 3 to 8 percent slopes, very rocky	DgB	Duffield silt loam, 2 to 6 percent slopes	All limestones

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
PpB	Poplimento silt loam, 3 to 8 percent slopes, very rocky	HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Waynesboro
PpC	Poplimento silt loam, 8 to 15 percent slopes, very rocky	DgC	Duffield silt loam, 6 to 12 percent slopes	All limestones
		DgC3	Duffield silt loam, 6 to 12 percent slopes, severely eroded	All limestones
		HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Waynesboro
		HhC3	Hagerstown and Frederick cherty silty clay loams, 6 to 12 percent slopes, severely eroded	Waynesboro
PpD	Poplimento silt loam, 15 to 25 percent slopes, very rocky	DgD3	Duffield silt loam, 12 to 25 percent slopes, severely eroded	All limestones
PrC	Poplimento-Rock outcrop complex, 8 to 15 percent slopes	FcC	Frankstown very rocky silt loam, 6 to 12 percent slopes	All limestones
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Waynesboro
		HgC	Hagerstown and frederick very rocky silt loams, 6 to 12 percent slopes	Waynesboro
		HlC3	Hagerstown and frederick very rocky silty clay loams, 6 to 12 percent slopes, severely eroded	Waynesboro
Qm	Quarry, limestone	Qu	Quarries	All limestones
ReF	Rock outcrop-Opequon complex, 25 to 60 percent slopes	HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	All limestones
		SrF	Steep rock land	All limestones
RpC	Ryder-Poplimento complex, 8 to 15 percent slopes	FbC	Frankstown shaly silt loam, 6 to 12 percent slopes	Conoccocheague & elbrook
		FbC3	Frankstown shaly silt loam, 6 to 12 percent slopes, severely eroded	All limestones
RrC	Ryder-Poplimento complex, 8 to 15 percent slopes	FbC	Frankstown shaly silt loam, 6 to 12 percent slopes	All limestones
		FbC3	Frankstown shaly silt loam, 6 to 12 percent slopes, severely eroded	All limestones
RrD	Ryder-Poplimento complex, 15 to 25 percent slopes, very rocky	FcD	Frankstown very rocky silt loam, 12 to 25 percent slopes	All limestones
		FcD3	Frankstown very rocky silt loam, 12 to 25 percent slopes, severely eroded	All limestones
Sp	Speedwell silt loam	As	Ashton loam	Floodplains
		Hn	Huntington silt loam	Floodplains
		Lf	Landes fine sandy loam	Floodplains
SrF	Stumptown-Rock outcrop complex, 45 to 65 percent slopes	EdD	Edgemont very stony loam, 6 to 25 percent slopes	Weverton quartzite
		SrF	Steep rock land	Weverton quartzite
SvF	Sylvatus channery silt loam, 25 to 65 percent slopes	DcE	Dekalb channery fine sandy loam, 25 to 35 percent slopes	Harper's phyllite
		WeF	Weikert shaly silt loam, 25 to 45 percent slopes	Harper's phyllite
SyF	Sylvatus-Rock outcrop complex, 45 to 65 percent slopes	SrF	Steep rock land	Harper's phyllite

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
ThC	Thurmont gravelly loam, 8 to 15 percent slopes	BrC	Braddock gravelly loam, 6 to 12 percent slopes	Antietam quartzite
		BrC3	Braddock gravelly loam, 6 to 12 percent slopes, severely eroded	Antietam quartzite
ThD	Thurmont gravelly loam, 15 to 25 percent slopes	BrD	Braddock gravelly loam, 12 to 25 percent slopes	Antietam quartzite
		BrD3	Braddock gravelly loam, 12 to 25 percent slopes, severely eroded	Antietam quartzite
Tm	Toms silt loam	As	Ashton loam	Low terrace
		Ho	Huntington silt loam, local alluvium	Floodplains
		Lo	Lindside silt loam, local alluvium	Floodplains
TxC	Trego very flaggy loam, 3 to 15 percent slopes, extremely stony	EdD	Edgemont very stony loam, 6 to 25 percent slopes	Weverton quartzite
		LaC	Laidig gravelly loam, 6 to 12 percent slopes	Weverton quartzite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Weverton quartzite
TxD	Trego very flaggy loam, 15 to 25 percent slopes, extremely stony	EdD	Edgemont very stony loam, 6 to 25 percent slopes	Weverton quartzite
		LaD	Laidig gravelly loam, 12 to 25 percent slopes	Weverton quartzite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Weverton quartzite
		LbD	Laidig very stony loam, 12 to 25 percent slopes	Weverton quartzite
Ua	Udorthents, smoothed	w	Miscellaneous-towns, roads, water, etc.	All areas
Ub	Urban land	w	Miscellaneous-towns, roads, water, etc.	All areas
Uu	Urban land-Udorthents	w	Miscellaneous-towns, roads, water, etc.	All areas
UwC	Urban land-Hagerstown complex, 0 to 15 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Conoccocheague & elbrook
		HbC	Hagerstown silt loam, 6 to 12 percent slopes	Conoccocheague & elbrook
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Conoccocheague & elbrook
		HeC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
		HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Conoccocheague & elbrook
		HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Conoccocheague & elbrook
		HgB	Hagerstown and frederick very rocky silt loams, 2 to 6 percent slopes	Conoccocheague & elbrook
		HgC	Hagerstown and frederick very rocky silt loams, 6 to 12 percent slopes	Conoccocheague & elbrook
		HhC3	Hagerstown and Frederick cherty silty clay loams, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
		HlC3	Hagerstown and frederick very rocky silty clay loams, 6 to 12 percent slopes, severely eroded	Conoccocheague & elbrook
		HlD3	Hagerstown and frederick very rocky silty clay loams, 12 to 25 percent slopes, severely eroded	Conoccocheague & elbrook

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
UwC	Urban land-Hagerstown complex, 0 to 15 percent slopes	w	Miscellaneous-towns, roads, water, etc.	Conoccocheague & elbrook
VeB	Vertrees silt loam, 3 to 8 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
VeC	Vertrees silt loam, 8 to 15 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HbC	Hagerstown silt loam, 6 to 12 percent slopes	Stonehenge
VrB	Vertrees silt loam, 3 to 8 percent slopes, very rocky	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HfB	Hagerstown and Frederick cherty silt loams, 2 to 6 percent slopes	Stonehenge
VrC	Vertrees silt loam, 8 to 15 percent slopes, very rocky	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HfC	Hagerstown and Frederick cherty silt loams, 6 to 12 percent slopes	Stonehenge
VsC	Vertrees silty clay loam, 8 to 15 percent slopes, very rocky	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HeC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Stonehenge
		HhC3	Hagerstown and Frederick cherty silty clay loams, 6 to 12 percent slopes, severely eroded	Stonehenge
VtB	Vertrees-Rock outcrop complex, 3 to 8 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Stonehenge
		HgB	Hagerstown and frederick very rocky silt loams, 2 to 6 percent slopes	Stonehenge
		HlC3	Hagerstown and frederick very rocky silty clay loams, 6 to 12 percent slopes, severely eroded	Stonehenge
VtC	Vertrees-Rock outcrop complex, 8 to 15 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HcC	Hagerstown extremely rocky silt loam, 5 to 25 percent slopes	Stonehenge
		HgC	Hagerstown and frederick very rocky silt loams, 6 to 12 percent slopes	Stonehenge
VtD	Vertrees-Rock outcrop complex, 15 to 25 percent slopes	HbB	Hagerstown silt loam, 2 to 6 percent slopes	Stonehenge
		HgD	Hagerstown and frederick very rocky silt loams, 12 to 25 percent slopes	Stonehenge
		HlD3	Hagerstown and frederick very rocky silty clay loams, 12 to 25 percent slopes, severely eroded	Stonehenge
W	Water	Ma	Marl pit	All limestones
		w	Miscellaneous-towns, roads, water, etc.	All areas
WbC	Weikert-Berks channery silt loams, 8 to 15 percent slopes	WeC3	Weikert shaly silt loam, 6 to 12 percent slopes, severely eroded	Martinsburg shale

Map Unit Conversion Legend
 Jefferson County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Current Symbol	Current Map Unit Name	Old Symbol	Old Map Unit Name	Geologic Formation/ Landscape Position
WbD	Weikert-Berks channery silt loams, 15 to 25 percent slopes	WeD3	Weikert shaly silt loam, 12 to 25 percent slopes, severely eroded	Martinsburg shale
WkF	Weikert-Berks very channery silt loams, 25 to 70 percent slopes	WeF	Weikert shaly silt loam, 25 to 45 percent slopes	Martinsburg shale
WnC	Weverton very flaggy loam, 3 to 15 percent slopes, very stony	EdD	Edgemont very stony loam, 6 to 25 percent slopes	Weverton quartzite
		SrF	Steep rock land	Weverton quartzite
WoE	Weverton-Rock outcrop complex, 15 to 45 percent slopes, very stony	EdD	Edgemont very stony loam, 6 to 25 percent slopes	Weverton quartzite
		SrF	Steep rock land	Weverton quartzite
WrB	Wharton-Clearbrook channery silt loams, 3 to 8 percent slopes	BkB	Berks shaly silt loam, 2 to 6 percent slopes	Martinsburg shale
WrC	Wharton-Clearbrook channery silt loams, 8 to 15 percent slopes	B1C	Berks-Weikert shaly silt loams, 6 to 12 percent slopes	Martinsburg shale
WtB	Whiteford channery silt loam, 3 to 8 percent slopes	B1B	Berks-Weikert shaly silt loams, 2 to 6 percent slopes	Harper's phyllite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Harper's phyllite
		WeC3	Weikert shaly silt loam, 6 to 12 percent slopes, severely eroded	Harper's phyllite
WtC	Whiteford channery silt loam, 8 to 15 percent slopes	B1C	Berks-Weikert shaly silt loams, 6 to 12 percent slopes	Harper's phyllite
		DcC	Dekalb channery fine sandy loam, 6 to 12 percent slopes	Harper's phyllite
		LaC	Laidig gravelly loam, 6 to 12 percent slopes	Harper's phyllite
		LbC	Laidig very stony loam, 6 to 12 percent slopes	Harper's phyllite
		WeC3	Weikert shaly silt loam, 6 to 12 percent slopes, severely eroded	Harper's phyllite