

ERODIBLE SOILS LIST
 Pendleton County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Map Symbol	MAPPING UNIT NAME	HEL Class (Water)
AgB	Allegheny loam, 3 to 8 percent slopes	Potentially highly erodible land
AgC	Allegheny loam, 8 to 15 percent slopes	Highly erodible land
BcC	Belmont-Cateache silt loams, 8 to 15 percent slopes	Highly erodible land
BcD	Belmont-Cateache silt loams, 15 to 25 percent slopes	Highly erodible land
BeC	Belmont-Cateache silt loams, 3 to 15 percent slopes, stony	Potentially highly erodible land
BeE	Belmont-Cateache silt loams, 15 to 35 percent slopes, stony	Highly erodible land
BeF	Belmont-Cateache silt loams, 35 to 55 percent slopes, stony	Highly erodible land
BeG	Belmont-Cateache silt loams, 55 to 80 percent slopes, stony	Highly erodible land
BkC	Berks channery silt loam, 8 to 15 percent slopes	Highly erodible land
BkD	Berks channery silt loam, 15 to 25 percent slopes	Highly erodible land
BkE	Berks channery silt loam, 25 to 35 percent slopes	Highly erodible land
BkF	Berks channery silt loam, 35 to 55 percent slopes	Highly erodible land
BmE	Berks channery loam, 15 to 35 percent slopes, stony	Highly erodible land
BmF	Berks channery loam, 35 to 55 percent slopes, stony	Highly erodible land
BmG	Berks channery loam, 55 to 80 percent slopes, stony	Highly erodible land
BnC	Berks-Weikert channery silt loams, 8 to 15 percent slopes	Highly erodible land
BnD	Berks-Weikert channery silt loams, 15 to 25 percent slopes	Highly erodible land
BnD3	Berks-Weikert channery silt loams, 15 to 25 percent slopes, severely eroded	Highly erodible land
BnF	Berks-Weikert channery silt loams, 25 to 55 percent slopes	Highly erodible land
BnF3	Berks-Weikert channery silt loams, 25 to 55 percent slopes, severely eroded	Highly erodible land
BnG	Berks-Weikert channery silt loams, 55 to 80 percent slopes	Highly erodible land
BnG3	Berks-Weikert channery silt loams, 55 to 80 percent slopes, severely eroded	Highly erodible land
BrC	Blackthorn channery sandy loam, 8 to 15 percent slopes	Potentially highly erodible land
BrD	Blackthorn channery sandy loam, 15 to 25 percent slopes	Highly erodible land
BsC	Blackthorn channery sandy loam, 3 to 15 percent slopes, stony	Potentially highly erodible land
BsE	Blackthorn channery sandy loam, 15 to 35 percent slopes, stony	Highly erodible land
BsF	Blackthorn channery sandy loam, 35 to 55 percent slopes, stony	Highly erodible land
BTC	Blackthorn-Dekalb-Elliber association, 3 to 15 percent slopes, stony	Potentially highly erodible land
BTE	Blackthorn-Dekalb-Elliber association, 15 to 35 percent slopes, stony	Highly erodible land
BuB	Buchanan channery loam, 3 to 8 percent slopes	Potentially highly erodible land

ERODIBLE SOILS LIST
 Pendleton County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Map Symbol	MAPPING UNIT NAME	HEL Class (Water)
BuC	Buchanan channery loam, 8 to 15 percent slopes	Highly erodible land
CaC	Calvin channery silt loam, 3 to 15 percent slopes	Potentially highly erodible land
CaD	Calvin channery silt loam, 15 to 25 percent slopes	Highly erodible land
CdC	Calvin-Dekalb-Hazleton complex, 3 to 15 percent slopes, stony	Potentially highly erodible land
CdE	Calvin-Dekalb-Hazleton complex, 15 to 35 percent slopes, stony	Highly erodible land
CdF	Calvin-Dekalb-Hazleton complex, 35 to 55 percent slopes, stony	Highly erodible land
CdG	Calvin-Dekalb-Hazleton complex, 55 to 80 percent slopes, stony	Highly erodible land
CeC	Cateache silt loam, 8 to 15 percent slopes	Highly erodible land
CfC	Cateache channery silt loam, 3 to 15 percent slopes, stony	Highly erodible land
CfE	Cateache channery silt loam, 15 to 35 percent slopes, stony	Highly erodible land
CfF	Cateache channery silt loam, 35 to 55 percent slopes, stony	Highly erodible land
CfG	Cateache channery silt loam, 55 to 80 percent slopes, stony	Highly erodible land
Ch	Chagrin loam	Not highly erodible land
CkB	Clarksburg channery silt loam, 3 to 8 percent slopes	Potentially highly erodible land
CkC	Clarksburg channery silt loam, 8 to 15 percent slopes	Highly erodible land
ClC	Clarksburg channery silt loam, 3 to 15 percent slopes, stony	Potentially highly erodible land
ClD	Clarksburg channery silt loam, 15 to 25 percent slopes, stony	Highly erodible land
DEF	Dekalb-Elliber-Blackthorn association, 35 to 55 percent slopes, stony	Highly erodible land
DFG	Dekalb-Elliber association, 55 to 80 percent slopes, stony	Highly erodible land
Du	Dunning silt loam	Not highly erodible land
EdC	Edom channery silt loam, 8 to 15 percent slopes	Highly erodible land
EdD	Edom channery silt loam, 15 to 25 percent slopes	Highly erodible land
EdE	Edom channery silt loam, 25 to 35 percent slopes	Highly erodible land
EdF	Edom channery silt loam, 35 to 55 percent slopes	Highly erodible land
ElC	Elliber extremely channery loam, 8 to 15 percent slopes	Highly erodible land
ElD	Elliber extremely channery loam, 15 to 25 percent slopes	Highly erodible land
ElE	Elliber extremely channery loam, 25 to 35 percent slopes	Highly erodible land
ElF	Elliber extremely channery loam, 35 to 55 percent slopes	Highly erodible land
ErB	Ernest silt loam, 3 to 8 percent slopes	Potentially highly erodible land
ErC	Ernest silt loam, 8 to 15 percent slopes	Highly erodible land
ErD	Ernest silt loam, 15 to 25 percent slopes	Highly erodible land
GaC	Gauley channery loam, 3 to 15 percent slopes, rubbly	Potentially highly erodible land

ERODIBLE SOILS LIST
 Pendleton County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Map Symbol	MAPPING UNIT NAME	HEL Class (Water)
GaE	Gauley channery loam, 15 to 35 percent slopes, rubbly	Highly erodible land
GaF	Gauley channery loam, 35 to 55 percent slopes, rubbly	Highly erodible land
GaG	Gauley channery loam, 55 to 80 percent slopes, rubbly	Highly erodible land
HdC	Hazleton-Dekalb complex, 3 to 15 percent slopes, stony	Potentially highly erodible land
HdE	Hazleton-Dekalb complex, 15 to 35 percent slopes, stony	Highly erodible land
HdF	Hazleton-Dekalb complex, 35 to 55 percent slopes, stony	Highly erodible land
HdG	Hazleton-Dekalb complex, 55 to 80 percent slopes, stony	Highly erodible land
LaC	Laidig channery loam, 8 to 15 percent slopes	Highly erodible land
LaD	Laidig channery loam, 15 to 25 percent slopes	Highly erodible land
LdE	Laidig channery loam, 15 to 35 percent slopes, stony	Highly erodible land
LeF	Laidig channery loam, 35 to 55 percent slopes, very stony	Highly erodible land
LgC	Laidig and Buchanan soils, 3 to 15 percent slopes, stony	Potentially highly erodible land
LhC	Lehew and Dekalb soils, 8 to 15 percent slopes	Highly erodible land
LhD	Lehew and Dekalb soils, 15 to 25 percent slopes	Highly erodible land
LkC	Lehew, Hazleton, and Dekalb soils, 3 to 15 percent slopes, stony	Potentially highly erodible land
LkE	Lehew, Hazleton, and Dekalb soils, 15 to 35 percent slopes, stony	Highly erodible land
LkF	Lehew, Hazleton, and Dekalb soils, 35 to 55 percent slopes, stony	Highly erodible land
LkG	Lehew, Hazleton, and Dekalb soils, 55 to 80 percent slopes, stony	Highly erodible land
LmF	Lithic Udorthents-Rock outcrop complex, 35 to 80 percent slopes	Highly erodible land
Lo	Lobdell loam	Not highly erodible land
MaC	Mandy channery silt loam, 8 to 15 percent slopes	Highly erodible land
MaD	Mandy channery silt loam, 15 to 25 percent slopes	Highly erodible land
MdE	Mandy channery silt loam, 15 to 35 percent slopes, stony	Highly erodible land
MdF	Mandy channery silt loam, 35 to 55 percent slopes, stony	Highly erodible land
Mn	Massanetta silt loam	Not highly erodible land
MoB	Monongahela silt loam, 3 to 8 percent slopes	Potentially highly erodible land
MoC	Monongahela silt loam, 8 to 15 percent slopes	Highly erodible land
OeC	Opequon silt loam, 3 to 15 percent slopes, very rocky	Potentially highly erodible land
OeE	Opequon silt loam, 15 to 35 percent slopes, very rocky	Highly erodible land
OeF	Opequon silt loam, 35 to 55 percent slopes, very rocky	Highly erodible land
OeG	Opequon silt loam, 55 to 80 percent slopes, very rocky	Highly erodible land

ERODIBLE SOILS LIST
 Pendleton County, West Virginia--Detailed Soil Map Legend
 Frozen List as of 1/1/90

Map Symbol	MAPPING UNIT NAME	HEL Class (Water)
OnC3	Opequon-Caneyville silty clay loams, 8 to 15 percent slopes, severely eroded	Highly erodible land
OnD3	Opequon-Caneyville silty clay loams, 15 to 25 percent slopes, severely eroded	Highly erodible land
OnE3	Opequon-Caneyville silty clay loams, 25 to 35 percent slopes, severely eroded	Highly erodible land
OnF3	Opequon-Caneyville silty clay loams, 35 to 55 percent slopes, severely eroded	Highly erodible land
Or	Orrville loam	Not highly erodible land
Po	Potomac fine sandy loam	Not highly erodible land
Pt	Potomac very cobbly fine sandy loam	Not highly erodible land
Pu	Purdy silt loam	Not highly erodible land
Qu	Quarry, limestone	
Ro	Rock outcrop and Rubble land	
RuF	Rushtown channery silt loam, 35 to 55 percent slopes	Highly erodible land
ShC	Shouns channery loam, 3 to 15 percent slopes, stony	Potentially highly erodible land
ShE	Shouns channery loam, 15 to 35 percent slopes, stony	Highly erodible land
SnC	Shouns channery loam, 3 to 15 percent slopes, very stony	Potentially highly erodible land
SnE	Shouns channery loam, 15 to 35 percent slopes, very stony	Highly erodible land
SnF	Shouns channery loam, 35 to 55 percent slopes, very stony	Highly erodible land
SoC	Shouns channery loam, 3 to 15 percent slopes, rubbly	Potentially highly erodible land
SoE	Shouns channery loam, 15 to 35 percent slopes, rubbly	Highly erodible land
SoF	Shouns channery loam, 35 to 55 percent slopes, rubbly	Highly erodible land
SrB	Simoda channery loam, 3 to 15 percent slopes, extremely stony	Potentially highly erodible land
Tg	Tioga loam	Not highly erodible land
ToB	Toms silt loam, 3 to 8 percent slopes	Potentially highly erodible land
TrC	Trussel channery loam, 3 to 15 percent slopes	Potentially highly erodible land
TsC	Trussel channery loam, 3 to 15 percent slopes, extremely stony	Potentially highly erodible land
TyB	Tygart silt loam, 3 to 8 percent slopes	Potentially highly erodible land

* For complexes and undifferentiated units the first named member is the HEL Class for the map unit.