

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
AgC	Aaron-Gilpin complex, 8 to 15 percent slopes	Highly erodible land
AuC2	Aaron-Upshur complex, 8 to 15 percent slopes, eroded	Highly erodible land
Cg	Chagrin silt loam, frequently flooded	Not highly erodible land
CkA	Cidermill silt loam, 0 to 2 percent slopes	Not highly erodible land
CkB	Cidermill silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CnA	Conotton gravelly loam, 0 to 2 percent slopes	Not highly erodible land
CnC	Conotton gravelly loam, 6 to 12 percent slopes	Highly erodible land
CnE	Conotton gravelly loam, 18 to 40 percent slopes	Highly erodible land
DoA	Doles silt loam, 0 to 2 percent slopes	Not highly erodible land
Dp	Dumps, mine	
DuC	Duncannon silt loam, 6 to 12 percent slopes	Highly erodible land
EkA	Elkinsville silt loam, 0 to 2 percent slopes	Not highly erodible land
GaC	Gallia loam, 6 to 12 percent slopes	Highly erodible land
GaD	Gallia loam, 12 to 18 percent slopes	Highly erodible land
GbA	Gallipolis silt loam, 0 to 2 percent slopes	Not highly erodible land
GbB	Gallipolis silt loam, 2 to 6 percent slopes	Not highly erodible land
GhB	Gilpin silt loam, 3 to 8 percent slopes	Highly erodible land
GhC2	Gilpin silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
GkD2	Gilpin-Rarden complex, 15 to 25 percent slopes, eroded	Highly erodible land
GkE	Gilpin-Rarden complex, 25 to 40 percent slopes	Highly erodible land
GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	Highly erodible land
GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	Highly erodible land
GuE	Gilpin-Upshur complex, 25 to 50 percent slopes	Not highly erodible land
GwD	Guernsey-Gilpin complex, 15 to 25 percent slopes	Highly erodible land
GwE	Guernsey-Gilpin complex, 25 to 40 percent slopes	Not highly erodible land
KeB	Keene silt loam, 2 to 6 percent slopes	Not highly erodible land
KeC	Keene silt loam, 6 to 12 percent slopes	Not highly erodible land
Ky	Kyger loamy sand, frequently flooded	Highly erodible land
LaB	Lakin loamy fine sand, 1 to 6 percent slopes	Highly erodible land
LaC	Lakin loamy fine sand, 6 to 12 percent slopes	Not highly erodible land
LaD	Lakin loamy fine sand, 12 to 18 percent slopes	Highly erodible land
LaE	Lakin loamy fine sand, 18 to 40 percent slopes	Highly erodible land
LkB	Licking silt loam, 1 to 6 percent slopes	Not highly erodible land
LkC2	Licking silt loam, 6 to 12 percent slopes, eroded	Not highly erodible land
LkD2	Licking silt loam, 12 to 18 percent slopes, eroded	Not highly erodible land
Mo	Moshannon silt loam, frequently flooded	Potentially highly erodible land
Nk	Newark silt loam, frequently flooded	Highly erodible land
No	Nolin silt loam, frequently flooded	Not highly erodible land
OmB	Omulga silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OmC	Omulga silt loam, 6 to 12 percent slopes	Highly erodible land
Or	Orrville silt loam, frequently flooded	Not highly erodible land
PnB	Pinegrove coarse sandy loam, 0 to 8 percent slopes	Not highly erodible land
PnD	Pinegrove coarse sandy loam, 8 to 25 percent slopes	Highly erodible land
PnF	Pinegrove coarse sandy loam, 25 to 70 percent slopes	Highly erodible land
PuB	Pinegrove silty clay loam, 0 to 8 percent slopes	Not highly erodible land
PuD	Pinegrove silty clay loam, 8 to 25 percent slopes	Highly erodible land
PuF	Pinegrove silty clay loam, 25 to 70 percent slopes	Highly erodible land
Px	Pits, gravel	
RaC2	Rarden silt loam, 8 to 15 percent slopes, eroded	Highly erodible land

RcB	Richland silt loam, 2 to 6 percent slopes	Not highly erodible land
StF	Steinsburg fine sandy loam, 40 to 70 percent slopes	Highly erodible land
TaA	Taggart silt loam, 0 to 2 percent slopes	Not highly erodible land
UbC	Upshur silt loam, 8 to 15 percent slopes	Highly erodible land
UgC2	Upshur-Gilpin complex, 8 to 15 percent slopes, eroded	Highly erodible land
UgD	Upshur-Gilpin complex, 15 to 25 percent slopes	Highly erodible land
UgE	Upshur-Gilpin complex, 25 to 50 percent slopes	Highly erodible land
UsD	Upshur-Steinsburg complex, 15 to 25 percent slopes	Highly erodible land
UsE	Upshur-Steinsburg complex, 25 to 50 percent slopes	Highly erodible land
VaC2	Vandalia silt loam, 8 to 15 percent slopes, eroded	Highly erodible land
VaD2	Vandalia silt loam, 15 to 25 percent slopes, eroded	Highly erodible land
VnB2	Vincent silty clay loam, 2 to 6 percent slopes, eroded	Highly erodible land
VnC2	Vincent silty clay loam, 6 to 12 percent slopes, eroded	Highly erodible land
WgD	Westmoreland-Gilpin complex, 15 to 25 percent slopes	Highly erodible land
WgE	Westmoreland-Gilpin complex, 25 to 40 percent slopes	Highly erodible land
WgF	Westmoreland-Gilpin complex, 40 to 70 percent slopes	Highly erodible land
WoB	Woodsfield silt loam, 2 to 6 percent slopes	Highly erodible land

